



### PTFE Spiral Binding for superior protection


- SBPTFE

#### Features and Benefits

SBPTFE polytetrafluoroethylene spiral binding provides excellent fire protection and fulfils UL94 V0. The SBPTFE spiral binding offers superior protection against abrasion and extreme temperatures. SBPTFE spiral binding is very resistant against many chemicals.

#### Application


Wherever superior protection against chemical and extreme temperatures are important, the use of SBPTFE is recommended.



Spiral binding SBTFE - ideal for extreme conditions.

#### Material Data

Material	<b>Polytetrafluoroethylene (PTFE)</b>
Colour	<b>Natural (NA)</b>
Operating Temperature	<b>-60 °C to +260 °C, intermittent +350 °C</b>
Flammability	<b>UL94 V0</b>



#### Technical Table

Article-No.	Type	Ø D	Wall (WT)	Pitch (P)	Bundle Ø min.	Bundle Ø max.
SBPTFE 5m lengths						
161-45000	<b>SBPTFE1.5</b>	1.5	0.5	6.0	1.6	8.0
161-45100	<b>SBPTFE4</b>	4.0	0.7	7.8	5.0	20.0
161-45200	<b>SBPTFE9</b>	9.0	1.0	12.5	10.0	100.0

All dimensions in mm. Subject to technical changes.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Identification](#) category:*

*Click to view products by [Hellermann](#) manufacturer:*

Other Similar products are found below :

[CU6337-000](#) [CU6342-000](#) [FCA-410-12](#) [11631010](#) [1-1768037-1](#) [1-1768037-2](#) [1-1768050-0](#) [PXLK-VI](#) [Q62184-1](#) [A64304-000](#) [QMT221](#)  
[HK032WE1NF038B](#) [1330-0519-10](#) [1395199-1](#) [1395200-1](#) [1395202-1](#) [DMVF050WE-300S6](#) [D-SCE-1K-2.4-50-4-CS7834](#) [1538738-1](#)  
[E90935-000](#) [EC1238-000](#) [EC1465-000](#) [EC1855-000](#) [EC1859-000](#) [EC1863-000](#) [EC5415-000](#) [EC7277-000](#) [EC7352-000](#) [EC7603-000](#)  
[EC7707-000](#) [EC7735-000](#) [EC7768-000](#) [EC7828-000](#) [EC7854-000](#) [EC7952-000](#) [EC8128-000](#) [1768037-8](#) [1768041-7](#) [NC-127191-10-9](#)  
[HS048WE2NF038B](#) [C03232-000](#) [HTCM-SCE-14-4H-9](#) [HTMS-3/16-9](#) [HT-SCE-1/4-2.0-4](#) [HT-SCE-3/16-2.0-4](#) [HTTMS-1/2-1.50-9](#) [HTTMS-](#)  
[CM-1/2-4H-9](#) [HX-SCE-19.0-50-9](#) [HX-SCE-6.4-50-4](#) [C25254-000](#)