


Category 6 high performance UTP outlet



Cat6 UTP module bright white (SJKwhB) and black (SJKbkB)

This high quality outlet fully performs to Category 6 TAI/EIA-568-B.2 at permanent link level, can be quickly and easily terminated and fits into most standard faceplates.

Features

- Performs to Category 6 at permanent link level
- Low profile design, shuttered
- Fitted with industry standard Krone (LSA+) type IDC connections
- Compatible with most 'Euro-style' 86 x 86 faceplates
- 'Slip-in' label facility for port identification
- Integral cable tie point
- Supplied with T568B wiring label and cable tie

Specifications


Dimensions: 50x25x25 mm

Weight: 15g

Colour: Bright white or black

Outer casing: ABS

PCB-FR4



TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London, SW17 0BA

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Tuk manufacturer:

Other Similar products are found below:

RJE231881317T MP1010RX-1000 MP44RX-1000 GAX-3-66 GAX-8-62 93606-0253 GD-A-44 GDCX-PA-66-50 GDCX-PN-64 GDCX-PN-66 GDCX-PN-66-50 GDLX-A-66 GDLX-A-88 GDLX-N-66 GDLX-S-88K GDTX-S-88-50 GDX-PA-1010 GLX-N-1010M-BLK GLX-N-44M GLX-S-88M-BLK GMX-N-1010 GMX-S-1010 GMX-S-66 GMX-SMT2-N-1010 GMX-SMT2-N-64-50 GMX-SMT2-S6-88 GMX-SMT4-N-88 GPX-2-64 GRT1-BT1-5 GSGX-N-2-88 GSX-NS2-88-3.05 GSX-NS2-88-3.05-50 GSX-NS-88-3.05-30 GSX-NS-88-3.05-30 GSX-NS-88-3.05-50 GSX-NS-88-3.05-30 GSX-NS-88-3.05-