

## RTT750HR.NX1P



**Article Number:** 115-00000

**Releasable Cable Tie, 29.6" Long, 200 lb Tensile Strength, PA66, Yellow, 25/pkg**



Download spec sheet

### Base Data

<b>Local Order Number</b>	RTT750HR.NX1P
<b>Type</b>	SpeedyTie (RTT750HR)
<b>Color</b>	Red (RD) Yellow (YE)
<b>Features and Benefits</b>	<ul style="list-style-type: none"> <li>• The heavy duty Speedy tie features a specially designed head and patented trigger to allow for repeated use in temporary bundling applications.</li> <li>• Additional design feature on the head allows excess strap to be tucked away after installation.</li> </ul>
<b>Product Description</b>	HellermannTyton releasable cable ties offer a release feature in the head allowing for easy access to wire bundles when changes or temporary bundling are necessary. The head design guarantees high tensile strength even after repeated use.
<b>Short Description</b>	Releasable Cable Tie, 29.6" Long, 200 lb Tensile Strength, PA66, Yellow, 25/pkg

### Product Dimensions

<b>Minimum Tensile Strength (Imperial)</b>	200.0 lbs
<b>Minimum Tensile Strength (Metric)</b>	888.0 N
<b>Length L (Imperial)</b>	29.6 "
<b>Length L (Metric)</b>	752.0 mm
<b>Fixation Method</b>	None
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	Yes
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Inside Serrated
<b>Width W (Imperial)</b>	0.51 "
<b>Width W (Metric)</b>	13.0 mm
<b>Bundle Diameter Min. (Imperial)</b>	1.6 "
<b>Bundle Diameter Min. (Metric)</b>	40.0 mm
<b>Bundle Diameter Max. (Imperial)</b>	8.3 "
<b>Bundle Diameter Max. (Metric)</b>	210 mm
<b>Thickness T (Imperial)</b>	0.075 "
<b>Thickness T (Metric)</b>	1.9 mm

### Logistics and Packaging

<b>Quantity Per</b>	bag
<b>Package Quantity (Metric)</b>	25 Pieces

**Carton Quantity** 200 Pieces

**Weight (Metric)** 23.2 kg

## Material and Specifications

---

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**Flammability** UL94 V2

**Operating Temperature** -40°F to +185°F (-40°C to +85°C)

**ROHS Compliant** Yes

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Identification](#) category:*

*Click to view products by [Hellermann](#) manufacturer:*

Other Similar products are found below :

[CU6337-000](#) [CU6342-000](#) [FCA-410-12](#) [11631010](#) [1-1768037-1](#) [1-1768037-2](#) [1-1768050-0](#) [PXLK-VI](#) [Q62184-1](#) [A64304-000](#) [QMT221](#)  
[HK032WE1NF038B](#) [1330-0519-10](#) [1395199-1](#) [1395200-1](#) [1395202-1](#) [DMVF050WE-300S6](#) [D-SCE-1K-2.4-50-4-CS7834](#) [1538738-1](#)  
[E90935-000](#) [EC1238-000](#) [EC1465-000](#) [EC1855-000](#) [EC1859-000](#) [EC1863-000](#) [EC5415-000](#) [EC7277-000](#) [EC7352-000](#) [EC7603-000](#)  
[EC7707-000](#) [EC7735-000](#) [EC7768-000](#) [EC7828-000](#) [EC7854-000](#) [EC7952-000](#) [EC8128-000](#) [1768037-8](#) [1768041-7](#) [NC-127191-10-9](#)  
[HS048WE2NF038B](#) [C03232-000](#) [HTCM-SCE-14-4H-9](#) [HTMS-3/16-9](#) [HT-SCE-1/4-2.0-4](#) [HT-SCE-3/16-2.0-4](#) [HTTMS-1/2-1.50-9](#) [HTTMS-](#)  
[CM-1/2-4H-9](#) [HX-SCE-19.0-50-9](#) [HX-SCE-6.4-50-4](#) [C25254-000](#)