



Series: Shadow


Description: ON-VEHICLE LOW PROFILE ANTENNA

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW



Features:

- SLPT in Black and White
- Short, slim profile without sacrificing RF or mechanical performance
- Direct and NMO mount models
- IP67 Weatherproof



Applications:

- Models supporting :
 - Public Safety, LMR
 - Wi-Fi,
 - 3G/4G LTE,
 - ISM
 - DSRC
- Bus/Rail/Transit
- IoT Vending, metering and other industrial applications
- Outdoor Vehicular

All dimensions are in mm / inches

Issue: 1640

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 3611 NE 112th Ave Vancouver, WA 98682 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

This document covers all product variants of the following product family:

Project	Color	Frequency	Size	Fixing System Connector	
SLPT698/2170NMOHFW	White	698-960MHz	78.71] 3.10 [38] Ø1.496	NMOHF NMO + HF Connector	
SLPT698/2170NMOHF	Black	1710-2700MHz			
SLPT698/960NMOW	White	- 698-960MHz			
SLPT698/960NMO	Black	098-90UIVIN2			
SLPT806NMOW	White	806-960MHz			
SLPT806NMO	Black			NMO + Pogo Pin Connector	
SLPT698/869DMNW	White	698-869MHz	[27.30] 1.07 [38] Ø1.496		
SLPT698/869DMN	Black	098-809IVID2			
SLPT806DMNW	White	205 25244			
SLPT806DMN	Black	806-960MHz			
SLPT698/2170DMNW	White	698-960MHz 1710-2700MHz		Direct Mount N Female Connector	
SLPT698/2170DMN	Black	1/10-2/UUIVIMZ		(Screw 5/8-24 UNEF 2A)	







Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

This document covers all product variants of the following product family:

Project	Color	Frequency	Size	Fixing System Connector	
SLPT2400NMOHFW	White	2400-2500MHz	1		
SLPT2400NMOHF	Black	2400-2500IVIH2	[66.66] 2.62		
SLPT4900NMOHFW	White	4000 60000411-			
SLPT4900NMOHF	Black	4900-6000MHz			
SLPT245NMOHFW	White	2400-2500MHz	1201	NMOHF	
SLPT2400/5900NMOHF	Black	4900-6000MHz	[38] Ø1.496	NMO + HF Connector	
SLPT2400DMNW	White	2400-2500MHz	[66.66] 2.62 [27.30]		
SLPT2400DMN	Black	2400-2500IVIH2			
SLPT4900DMNW	White	4900-6000MHz			
SLPT4900DMN	Black	4900-6000IVIH2			
SLPT2400/5900DMNW	White	2400-2500MHz		Direct Mount N Female Connector	
SLPT2400/5900DMN	Black	4900-6000MHz	[38] \$\varphi\$1.496	(Screw 5/8-24 UNEF 2A)	

P.S.: For DMN fixing system, it requires a 5/8" (16mm) hole in the mounting surface.

Remove any burrs, particularly on the Roof under side of the hole. Remove paint in a narrow ring around the hole. Metal-to-metal contact between the mounting surface and mount is essential for best performance.







Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

ELECTRICAL SPECIFICATIONS

Project	Frequency	VSWR	Peak Gain	Efficiency
SLPT698/2170NMOHFW		3:1(0.698-0.716GHz) 2.5:1(0.716-0.772GHz)		
SLPT698/2170NMOHF	698-960MHz 1710-2700MHz	2:1(0.772-0.9GHz) 2.5:1(0.9-0.934GHz) 3:1(0.934-0.96GHz) 1.7:1(1.71-2.5GHz) 2.2:1(2.5-2.7GHz)	3.52dBi(0.698-0.96GHz) 4.95dBi(1.71-2.69GHz)	72% 71%
SLPT698/960NMOW	COO OCONALI-	2.4	3.29dBi	68%
SLPT698/960NMO	698-960MHz	2:1		
SLPT806NMOW				
SLPT806NMO	806-960MHz	2:1	3.18dBi	67%
SLPT698/869DMNW	COO OCONALI-	2.4		
SLPT698/869DMN	698-869MHz	2:1	3.26dBi	72%
SLPT806DMNW	000 00000	1.5:1		
SLPT806DMN	806-960MHz	1.5:1	3.05dBi	70%
SLPT698/2170DMNW		3:1(0.698-0.732GHz) 2.5:1(0.732-0.774GHz)		76%
SLPT698/2170DMN	698-960MHz 1710-2700MHz	2:1(0.774-0.852GHz) 2.5:1(0.852-0.903GHz) 3:1(0.903-0.96GHz) 1.7:1(1.71-2.5GHz) 2.2:1(2.5-2.7GHz)	3.51dBi(0.698-0.96GHz) 4.81dBi(1.71-2.69GHz)	67%







Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

ELECTRICAL SPECIFICATIONS

Project	Frequency	VSWR	Peak Gain	Efficiency	
SLPT2400NMOHFW	2400-2500MHz	1.5:1	5.06dBi	79%	
SLPT2400NMOHF		-			
SLPT4900NMOHFW	4900-6000MHz	2:1	5.09dBi	71%	
SLPT4900NMOHF	4300-0000141112	2.1	3.03001	71/6	
SLPT245NMOHFW	2400-2500MHz	1.5:1(2.4-2.5GHz) 2:1(4.9-6GHz)	5.06dBi	79%	
SLPT2400/5900NMOHF	4900-6000MHz		5.09dBi	71%	
SLPT2400DMNW	2400-2500MHz	1.5:1	4.78dBi	75%	
SLPT2400DMN	2400 250011112	1.5.1			
SLPT4900DMNW		2:1	5.14dBi	73%	
SLPT4900DMN	4900-6000MHz				
SLPT2400/5900DMNW	2400-2500MHz	1.5:1(2.4-2.5GHz) 2:1(4.9-6GHz)	4.78dBi 5.14dBi	79% 73%	
SLPT2400/5900DMN	4900-6000MHz			73/0	

Nominal Impedance 50Ω

Radiation Pattern omni

Polarization: Vertical

Power with standing 10W

Issue: 1640





Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

MECHANICAL SPECIFICATIONS

Plastic radome PC

Color White / Black

Ingress Protection IP67

ENVIRONMENTAL SPECIFICATIONS

Operating temperature

-40 ~ +85° C







Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS













Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS







Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT698/2170NMOHFW SLPT698/2170NMOHF Efficiency (%)



SLPT698/960NMOW SLPT698/960NMO Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT806NMOW SLPT806NMO Efficiency (%)



SLPT698/869DMNW SLPT698/869DMN Efficiency (%)



Issue: 1640



Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Efficiency(%)

SLPT806DMNW SLPT806DMN Efficiency (%)



SLPT698/2170DMNW SLPT698/2170DMN Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT2400NMOHFW SLPT2400NMOHF Efficiency (%)



SLPT4900NMOHFW SLPT4900NMOHF Efficiency (%)



Issue: 1640



Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT245NMOHFW SLPT2400/5900NMOHF Efficiency (%)



SLPT2400DMNW SLPT2400DMN Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Efficiency(%)

SLPT4900DMNW SLPT4900DMN Efficiency (%)



SLPT2400/5900DMNW SLPT2400/5900DMN Efficiency (%)











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS













TECHNICAL DATA SHEET

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS












Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170NMOHFW SLPT698/2170NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170NMOHFW SLPT698/2170NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/960NMOW SLPT698/960NMO








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT806NMOW SLPT806NMO








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/869DMNW SLPT698/869DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT806DMNW SLPT806DMN










Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170DMNW SLPT698/2170DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170DMNW SLPT698/2170DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400NMOHFW SLPT2400NMOHF







Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT4900NMOHFW SLPT4900NMOHF










Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT245NMOHFW SLPT2400/5900NMOHF





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT245NMOHFW SLPT2400/5900NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400DMNW SLPT2400DMN





PulseLARSEN

Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT4900DMNW SLPT4900DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400/5900DMNW SLPT2400/5900DMN





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400/5900DMNW SLPT2400/5900DMN





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M