


ACPF-7424

Wi-Fi/ISM Bandpass Filter (2401 – 2482 MHz)



Data Sheet



Description

The Avago ACPF-7424 is a miniaturized Bandpass Filter designed for use in the 2.4 GHz Wi-Fi/ISM bands.


The ACPF-7424 is designed to enable concurrent operation of Wi-Fi/ISM applications and other wireless standards, such as 2.5 GHz WiMAX, PCS, and 3GPP Bands 7, 38, 40, without performance degradations due to interference.

The ACPF-7424 is designed with Avago Technologies' innovative Film Bulk Acoustic Resonator (FBAR) technology, which makes possible ultra-small, high-Q filters at a fraction of their usual size.

The ACPF-7424 also utilizes Avago Technologies' advanced Microcap bonded-wafer technology. This chip scale miniaturization process results in a package size of only 1.4 × 1.1 mm and maximum height of 0.80 mm.

The ACPF-7424 is compatible with high volume, lead-free SMT soldering processes and can be direct surface mounted to a PCB or a transfer molded module.

Functional Block Diagram



Features

- 50 Ω Input/Output
- No external matching required
- Low Insertion Loss, High Interference Rejection
- Subminiature Size
 - 1.1 × 1.4 mm Footprint
 - 0.80 mm Max. Height
- High Power Rating
 - +27 dBm Abs. Max. Input Power
- Environmental
 - RoHS 6 compliant
 - Halogen-free
 - TBBPA-free


Specifications

- Performance guaranteed – 30 °C to +85 °C
- Low Insertion Loss
 - Wi-Fi Channels 1– 13: 0.9 dB Typ.

Applications

Wi-Fi, 802.11 b/g/n, WLAN, Bluetooth functionality in handsets, mobile and portable communications devices.

Package Outline Drawing and Marking




Notes:

- Dimensions in millimeters
- Tolerance, unless otherwise noted:
X.XX ± 0.05
X.XXX ± 0.025
- Dimensions nominal, unless otherwise noted
- Contact areas are gold-plated
- Package marking:
"A" = Avago logo
T = ACPF-7424
Y = Year (last digit)
W = Work Week (See Appendix A)
XXXX = Lot number

Pin Connections:

- | | |
|---------|----------------|
| 1 | Port 1 (TX/RX) |
| 2, 3, 5 | GND |
| 4 | Port 2 (ANT) |



Ordering Information

Part Number	No. of Devices	Container
ACPF-7424-BLK	100	Tape strip or Gel-Pack
ACPF-7424-TR1	3000	7-inch (178 mm) Reel

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies in the United States and other countries. Data subject to change. Copyright © 2005-2014 Avago Technologies. All rights reserved.
AV02-4444EN - February 19, 2014

AVAGO
TECHNOLOGIES

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [broadcom](#) manufacturer:

Other Similar products are found below :

[MGA-634P8-TR1G](#) [ACPL-7900-000E](#) [ACPL-P343-000E](#) [AFBR-390550RZ](#) [PEX9749-AARDK](#) [HEDS-8904](#) [ASMT-JR10-ARS01](#)
[BCM5720A0KFBG](#) [ACPL-K75T-000E](#) [HEDL-5640#A13](#) [HFBR-2406Z](#) [HCPL-5430](#) [HCPL-5731](#) [HCPL-M601-000E](#) [HFBR-5911LZ](#)
[HCPL-0720](#) [HLMP-EG24-PS000](#) [BCM5389IFBG](#) [PEX8750-AB RDK](#) [BCM53405A0KFSBG](#) [AFBR-S20M2WV](#) [A25E-0030](#) [LP16-LW-](#)
[OPT-2](#) [AFBR-HUS500Z](#) [ACPL-054L-500E](#) [ALMD-EG3D-WY002](#) [AFBR-S20W2UV](#) [AFBR-S20W2VI](#) [AFBR-S20W2NI](#) [HDSP-2113](#)
[BCM54285C1KFBG](#) [HDSP-815E](#) [BCM54618SEA2IFBG](#) [HSMS-8209-BLKG](#) [5962-8767901EC](#) [5962-8876903FC](#) [HCNW4506-000E](#)
[HEDS-8949](#) [05-25704-00](#) [AFBR-S20M2UV](#) [AFBR-S20M2NI](#) [L5-00219-00](#) [HCPL-6231](#) [05-25420-10](#) [05-25420-08](#) [QCPL-7847-500E](#)
[PEX-CABLEAD-KIT-8732](#) [HDSP-0762](#) [BCM5482SHA2IFBG](#) [AFBR-5905Z](#)