




BOX MOUNT D-SUB CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) RECPT ASSY,15 POSN,AMPLIMITE AMPLIMITE | AMPLIMITE

208872-1
TE Internal Number: 208872-1

Not EU RoHS or ELV Compliant
Find Compliant Alternatives

Connector Style **Receptacle**
Post Diameter **.64 mm [.025 in]**
PCB Mounting Orientation **Vertical**
Number of Positions **15**
Power/Signal/Coax Combination **No**

Product Drawings

[AMPLIMITE 15 POSN. RCPT. ASSY., W/ LOADED POSTED CONTACTS' SIZE 1, SERIES 90](#)
PDF (TIFF AVAILABLE)
English

[AMPLIMITE 15 POSN. RCPT. ASSY., W/ LOADED POSTED CONTACTS' SIZE 1, SERIES 90](#)
PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)
2D_DXF.ZIP
English

[3D PDF](#)
PDF
3D

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

Product Environmental Compliance

REACH Substance Communication Document [RSCD_Cadmium](#)
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style

Receptacle

PCB Mounting Orientation

Vertical

| | | |
|------------------------|--------------------------------------|---|
| | Shell Size | 1 |
| | Blindmate | No |
| | Applies To | Printed Circuit Board |
| | Product Type | Connector |
| Configuration Features | Number of Positions | 15 |
| | Power/Signal/Coax Combination | No |
| Body Features | Non-Magnetic | No |
| | Shell Material | Steel |
| | Shell Plating Material | Cadmium |
| | Retention Clip Material | Stainless Steel |
| Contact Features | Contact Style | Posted |
| | Contact Size | 22 |
| | Contact Base Material | Leaded Nickel Copper |
| | Contact Type | Socket |
| | Contact Mating Area Plating Material | Gold |
| Termination Features | Termination Post Length | 6.99 mm [.275 in] |
| Mechanical Attachment | Mounting Style | Mounting Holes |
| | Mounting Hole Diameter | 3.05 mm [.12 in] |
| Dimensions | Post Diameter | .64 mm [.025 in] |
| Operation/Application | ULTRA-LITE Connector | No |
| Industry Standards | NASA Qualification | No |
| Packaging Features | Packaging Method | Package |
| Other | Comment | Replacement socket contact Part Number 207684-4. |

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub MIL Spec Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[M24308/4-13Z](#) [M8351307-B](#) [D38999/20FJ43HN](#) [D38999/24WG11PB-LC](#) [D38999/24WG41HN](#) [MDM-15PH041P](#) [MDM-21PH041P](#) [MDM-21SH003B-K139](#) [850-056-0812](#) [1218697-4](#) [DBMM25S](#) [MS27467T21F41S](#) [17D25HV](#) [1996840-1](#) [243082-15](#) [1663962-1](#) [1757682-1](#) [17D-E51218-1](#) [17SDA15S](#) [1883533-1](#) [1883886-1](#) [1883889-1](#) [192900-0377](#) [308-CP6P0441-024H](#) [M24308/2-3Z](#) [M24308/4-3Z](#) [M24308/4-4F](#) [M24308/4-4Z](#) [M24308/8-347](#) [M83513/03-E09C](#) [M83723/75W2212N L/C](#) [D38999/24FJ29PN-LC](#) [D38999/24WG11SB-LC](#) [MDM-21PH046P](#) [5-1218949-1](#) [550-031NF1R6K](#) [550E001NF1R3J0L](#) [550T001NF1R6K0L](#) [557T283NF5B08](#) [C115368-1612B](#) [C115370-1717B](#) [DC121073157](#) [443869-3](#) [443869-4](#) [443869-5](#) [550S004NF1R1B0F03](#) [550-031NF1R2E](#) [550E003M2R9J0F04](#) [550E003M3R9J0F05](#) [550E024M104R9J0](#)