

This document was generated on 10/28/2013

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 76985-7208

Status: Active

Overview: Impact™ Backplane Connectors and Cable Assemblies

**Description:** Impact<sup>™</sup> 100 Ohm 5 Pair Vertical Orthogonal Header Left Guide, Right Endwall, 12

Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm,

Lead-Free

**Documents:** 

3D Model Application Specification AS-76850-990 (PDF)

<u>Drawing (PDF)</u> <u>RoHS Certificate of Compliance (PDF)</u>

Product Specification PS-76060-999 (PDF)

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series <u>76985</u>

Application Orthogonal Midplane
Application Tooling Documents TM-622018799
Component Type PCB Header

Overview <u>Impact™ Backplane Connectors and Cable Assemblies</u>

Product Name Impact™ Style N/A

UPC 884982484283

**Physical** 

Circuits (Loaded) 180
Circuits (maximum) 180
Color - Resin Black
Durability (mating cycles max) 200
First Mate / Last Break No
Flammability 94V-0
Guide to Mating Part Yes
Keying to Mating Part None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic


Net Weight 8.348/q**Number of Columns** 12 **Number of Pairs** 5 Number of Rows 15 Orientation Vertical PC Tail Length 1.40mm **PCB** Locator No **PCB** Retention None PCB Thickness - Recommended 3.00mm Packaging Type Tray

Pitch - Mating Interface 1.90mm, 2.15mm Pitch - Termination Interface 1.90mm, 2.15mm

Plating min - Mating 0.762µm Polarized to PCB Yes

Temperature Range - Operating -55°C to +85°C

Termination Interface: Style Through Hole - Compliant Pin



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Low-Halogen Status
Low-Halogen

China RoHS

# Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

76985Series

#### **Mates With**

<u>76990</u> Impact™ 100 Ohm Right Angle Orthogonal Daughtercard

### Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

#### Global

 Description
 Product #

 Impact™ Backplane
 0622030585

Press-In Tool

### **Electrical**

Current - Maximum per Contact 0.75A

Data Rate 25.0 Gbps

Impedance 100#

Shield Type N/A

Shielded No

Voltage - Maximum 30V AC (RMS)/DC

### **Solder Process Data**

Duration at Max. Process Temperature (seconds) 5

Lead-free Process Capability Wave Capable (TH only)

Max. Cycles at Max. Process Temperature 1
Process Temperature max. C 260

### **Material Info**

## **Reference - Drawing Numbers**

Application Specification AS-76850-990
Product Specification PS-76060-999
Sales Drawing SD-76985-002
Symbol/Footprint Data SYM-76985-7208

This document was generated on 10/28/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF