

This document was generated on 03/22/2013

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 76150-5126

Status: Active

Overview: Impact™ Backplane Connectors and Cable Assemblies

**Description:** Impact<sup>™</sup> 100 Ohm 6 Pair Right Angle Daughtercard Receptacle, 1.90 by 1.35mm

Pitch, Right Guided, 16 Columns, 288 Circuits, Plated Through Hole Dimension

0.39mm, Polarization Key A, Lead-Free

**Documents:** 

3D Model Application Specification AS-76060-990 (PDF)

<u>Drawing (PDF)</u>
<u>RoHS Certificate of Compliance (PDF)</u>

### **Agency Certification**

UL E29179

General

Product Family Backplane Connectors

Series 76150

Application Coplanar, Daughtercard

Application Tooling Documents TM-622018799
Component Type PCB Receptacle

Overview <u>Impact™ Backplane Connectors and Cable Assemblies</u>

Product Name Impact™ Style N/A

UPC 884982472822

**Physical** 

Circuits (Loaded) 288
Circuits (maximum) 288
Color - Resin Black
Durability (mating cycles max) 200
First Mate / Last Break No

Flammability 94V-0
Guide to Mating Part Yes
Keying to Mating Part Yes

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight0.010/gNumber of Columns16Number of Pairs6Number of Rows18OrientationRight Angle

PC Tail Length 1.20mm **PCB** Locator No **PCB** Retention Yes PCB Thickness - Recommended 1.00mm Packaging Type Tray Pitch - Mating Interface 1.90mm Pitch - Termination Interface 1.90mm Plating min - Mating 0.762µm Polarized to PCB Yes Stackable Yes

Temperature Range - Operating -55°C to +85°C

Termination Interface: Style Through Hole - Compliant Pin



Series

image - Reference only

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed

**China RoHS** 

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

#### **Search Parts in this Series**

76150Series

#### **Mates With**

76145 Impact™ 100 Ohm Vertical Backplane Header

#### Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

#### Global

DescriptionProduct #Daughter Card0622018663Signal Module

Signal Module Assembly Press-In Tool for 6-Pair by 16-Column Assemblies

Impact Daughter 0622024300

Card Extraction Tool

#### **Electrical**

Current - Maximum per Contact 0.75A

Data Rate 25.0 Gbps

Impedance 100#

Shield Type N/A

Shielded No

Voltage - Maximum 30V AC (RMS)/DC

#### **Material Info**

# **Reference - Drawing Numbers**

Application Specification AS-76060-990
Sales Drawing SD-76150-004
Symbol/Footprint Data SYM-76150-5126

This document was generated on 03/22/2013

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF