



## CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

### TE CONNECTIVITY (TE) TERMINAL R PG 8 10 PLASTI-GRIP | PLASTI-GRIP

52263

TE Internal Number: 52263

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **5 mm [ .197 in ]**

Tongue Thickness **1.02 mm [ .04 in ]**

Sealed **No**

Heavy Duty **No**

#### Product Drawings

[TERMINAL, RING TONGUE, PLASTI-GRIP, WIRE SIZE: 8 AWG](#)

PDF  
English

#### CAD Files

[Customer View Model](#)

2D\_DXF.ZIP  
English

[3D PDF](#)

PDF  
3D

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

#### Catalog Pages/Data Sheets

[PLASTI GRIP\\_QRG](#)

PDF  
English

#### Product Specifications

Application Specification

[PLASTI-GRIP Terminals And Splices](#)

PDF  
English

#### Instruction Sheets

Instruction Sheet (U.S.)

[PLASTI-GRIP Pressure Type Straight And 90-Degree Bent Terminals \(Use Tooling For AMPLI-BOND Connectors\)](#)

PDF  
English

Product Type Features	Sealed	<b>No</b>
	Barrel Type	<b>Closed Barrel</b>
	Wire/Cable Type	<b>Regular Wire</b>
	Insulated	<b>Yes</b>
	Insulated Wire Support	<b>Yes</b>
	Support Style	<b>Insulation Support</b>
	Stud Size	<b>10</b>
	Shape Code	<b>RING-044</b>
	Barrel Style	<b>Standard</b>
Wire/Cable Composition	<b>Stranded</b>	
Configuration Features	Terminal Angle	<b>Straight</b>
	Number of Holes	<b>1</b>
Electrical Characteristics	Voltage (Max) (V)	<b>600</b>
Body Features	Plating Material	<b>Copper, Tin</b>
	Insulation Material	<b>Vinyl</b>
	Inspection Slot	<b>No</b>
Contact Features	Terminal Shape	<b>Ring Tongue</b>
	Terminal Orientation	<b>Straight</b>
Dimensions	Stud Diameter	<b>5 mm [ .197 in ]</b>
	Tongue Thickness	<b>1.02 mm [ .04 in ]</b>
	Wire Insulation Diameter (Max)	<b>9.14 mm [ .36 in ]</b>
	Wire Size (AWG)	<b>8</b>
	Wire Size (mm <sup>2</sup> )	<b>8</b>
	Wire Size (CMA)	<b>13100 – 20800</b>
	Barrel Inside Diameter (in)	<b>.33</b>
	Overall Length (in)	<b>.187</b>
Operation/Application	Heavy Duty	<b>No</b>
Industry Standards	Government Qualified	<b>No</b>

Packaging Features

Packaging Method

**Loose Piece**

Packaging Quantity

**100**

Other

Barrel Color

**Red**




Product Compliance

[Statement of Compliance](#)

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

## CUSTOMERS ALSO BOUGHT

SCREENED BACKSHELLS/ADAPTERS	CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	POWER CONTACTS
			
TXR40AB00-1410AI TXR40AB00-1410AI	N PIDG RING 12-10 331467	TERMINAL, SOLIS R 8 1/4 2-33461-2	4MM 10B1S1/4-X 10-32 192129-1
<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminals](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#) [751-250](#)