

## **HEADERS & RECEPTACLES**

















**PRODUCT DRAWING** 



3D PDF



MTA | MTA-100

640453-4

TE Internal Number: 640453-4

Always EU RoHS/ELV Compliant

Centerline 2.54 mm [.1 in]

Number of Positions 4

PCB Mounting Orientation Right Angle

PCB Mounting Style Through Hole

Number of Rows 1

**Product Drawings** 

MTA 100 HEADER ASSEMBLY, PLAIN, .025 SQUARE RIGHT ANGLE POST, TIN-

**PLATED** PDF

English

**CAD Files** 

**Customer View Model** 

2D\_DXF.ZIP English

**Customer View Model** 

3D\_IGS.ZIP English

**Customer View Model** 

3D\_STP.ZIP English

3D PDF

PDF **English** 

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

PCB Mounting Orientation

Right Angle

Product Type

Connector

Connector Type

Header

Connector System

Wire-to-Board

Strain Relief

Without


	Sealed	No
	Connector Style	Plug
	Applies To	Printed Circuit Board
Configuration Features	Number of Positions	4
	Number of Rows	1
	Backwall/Post Interruptions	Without
Electrical Characteristics	Operating Voltage (VAC)	250
Body Features	Header Type	Unshrouded
Contact Features	Contact Mating Area Plating Material	Tin
	Contact Mating Area Plating Thickness	3.81 µm [ 150 µin ]
	Underplate Material	Nickel
	Underplate Material Thickness	1.27 µm, 50 µin
	Contact Style	Right Angle
	Contact Shape	Square
	Contact Termination Area Plating Material	Tin
	Tail Plating Material	Tin
	Tail Plating Thickness	3.81 µm [ 150 µin ]
	Contact Type	Pin
	Contact Current Rating (A)	5
	Contact Layout	Inline
	Contact Base Material	Copper Alloy
Termination Features	Termination Method to PC Board	Through Hole - Solder
	Termination Method to Wire/Cable	Solder
Mechanical Attachment	PCB Mounting Style	Through Hole
	PCB Mount Alignment	Without
	Mating Retention	Without
	PCB Mount Retention	Without
	Contact Retention	Without
	Panel Mount Retention	Without
	Mating Alignment	Without

Housing Features	Centerline	2.54 mm [ .1 in ]
	Housing Color	Natural
	Housing Style	Plain
	Housing Material	Polyester - GF
Dimensions	Tail Length	3.56 mm [ .14 in ]
	Mating Post Length	7.49 mm [ .295 in ]
	PCB Thickness (Recommended)	1.6 mm [ .063 in ]
	Length	10.16 mm [ .4 in ]
Usage Conditions	Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
Operation/Application	For Use With	MTA .100 Connector Assembly
	Pick and Place Cover	Without
Industry Standards	UL Flammability Rating	UL 94V-0
	UL File Number	E28476
	CSA Rating	Certified
	Agency/Standard	CSA, UL
	CSA File Number	LR7189
	UL Rating	Recognized
Packaging Features	Packaging Method	Package
	Packaging Quantity	1
Product Compliance	Statement of Compliance	

## **CUSTOMERS ALSO BOUGHT**



VIEW ALL PRODUCT COMPLIANCE



RELATIONSHIP

## Mating Products Used to identify Mating Parts

PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA-100 OAP MTA100 CONN ASSY GRN LF



Centerline **2.54 mm**Number of Positions **4** 





See All Mating Products



- 3-640623-4 TE INTERNAL NUMBER: 3-640623-4

✓ Active

Number of Rows 1

Contact Mating Area Plating Material **Tin** 

Contact Mating Area Plating Material Finish **Matte** 

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF