

## **BOARD-TO-BOARD HEADERS & RECEPTACLES**





✓ Activ

<u>+</u>

PRODUCT DRAWING

.

3D PDF

TE CONNECTIVITY (TE)
0.8FH,R05H.5,060,08/Sn,TU

0.8mm FH | .8mm FH

5177983-2

TE Internal Number: 5177983-2

Always EU RoHS/ELV Compliant

Connector Style Receptacle

Centerline .031 mm [.8 in]

Stack Height (mm) 5, 6, 7, 8

Stack Height (in) .315

Number of Positions 60

Packaging Method Tube, Tube/Box

Product Drawings RECEPTACLE ASSEMBLY 5H TYPE (0.5 BOSS LENGTH) FOR FH 0.8MM PITCH B-

T-B CONNECTOR

PDF (TIFF AVAILABLE)

English

RECEPTACLE ASSEMBLY 5H TYPE (0.5 BOSS LENGTH) FOR FH 0.8MM PITCH B-

T-B CONNECTOR PDF (TIFF AVAILABLE)

English

CAD Files 3D PDF

3D

**Customer View Model** 

2D\_DXF.ZIP **English** 

**Customer View Model** 

3D\_IGS.ZIP English

**Customer View Model** 

3D\_STP.ZIP English

Catalog Pages/Data Sheets Fine Pitch Stacking Connectors - 0.8mm Free Height (FH) Connectors

PDF **English** 

Product Specification Free Height 0.8 Mm Pitch Board-To-Board Connector (SMT)

PDF **English** 

Product Environmental Compliance

**Product Specifications** 

TE Material Declaration MD\_5177983-2\_022720122330

PDF **English**  Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Board-to-Board Configuration	Mezzanine
	PCB Mounting Orientation	Vertical
	Row-to-Row Spacing	2.4 mm [ .09432 in ]
	Applies To	Printed Circuit Board
	Product Type	Connector
	Boss	With
	Series	Free Height
Configuration Features	Number of Positions	60
	Preloaded	Yes
	Number of Rows	2
	Stackable	Yes
Electrical Characteristics	Insulation Resistance (VAC)	500
	Voltage (VAC)	100
	Dielectric Withstanding Voltage (VAC)	500
Body Features	Sealant	Without
Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µin)	8
	Contact Shape	Square
	Contact Current Rating (A)	.5
	Contact Type	Socket
	Solder Tail Contact Plating Material	Tin over Nickel
	Contact Layout	Inline
	Solder Tail Contact Plating Material Finish	Matte
	Solder Tail Contact Plating Thickness	2 μm [ 78.74 μin ]
	Contact Base Material	Copper Alloy
Termination Features	Termination Method to PC Board	Surface Mount

Mechanical Attachment	Mating Alignment Type	Polarized
	PCB Mount Retention	Without
	PCB Mount Retention Type	None
	PCB Mount Alignment Type	Positioning Bosses
	Locating Post Length (mm)	.5
	Locating Post Length (in)	.0196
Housing Features	Centerline	.031 mm [ .8 in ]
	Housing Material	LCP (Liquid Crystal Polymer)
	Housing Color	Natural
	Housing Entry Style	Тор
Dimensions	Stack Height (mm)	5, 6, 7, 8
	Stack Height (in)	.315
	Height	5 mm [ .197 in ]
Usage Conditions	Operating Temperature Range	-40 – 85 °C [ -40 – 185 °F]
	Housing Material Temperature	High
Operation/Application	Pick and Place Cover	Without
	Assembly Process Feature	None
	For Use With	Plug Assembly
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Tube, Tube/Box
	Packaging Quantity	16
Product Compliance	Statement of Compliance	

VIEW ALL PRODUCT COMPLIANCE

## **CUSTOMERS ALSO BOUGHT**




















Connectors - Board-to-Board Headers & Receptacles 0.8mm FH I .8mm FH

0.8FH, P05H.5, 060, 30/Sn, TU - 5084614-2 TE INTERNAL NUMBER: 5084614-2

## Always EU RoHS/ELV Compliant

Connector Style **Plug** 

Centerline .031 mm

Stack Height 5 mm, 9 mm, 13 mm, 17 mm

Number of Positions 60

Packaging Method Tube,

Tube/Box

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF