




Our commitment. Your advantage.

[Products](#)[Documentation](#)[Resources](#)[My Account](#)[Customer Support](#)

## 41124 Product Details

**41124**

TE Part Number: 41124

Active

Add to Part List

View 3D PDF

### Ring and Spade Tongue Terminals


 Always EU RoHS/ELV Compliant ([Statement of Compliance](#))

#### Product Highlights:

- Terminal Shape = Ring Tongue
- Receptacle Style = Straight
- Barrel Type = Open Barrel
- Wire/Cable Type = Regular Wire
- Wire Range = 3.00-6.00<sup>2</sup> [12-10] mm [AWG]

[View all Features](#) | [Find Similar Products](#)

 Previous **[1]** [2](#) [3](#) [4](#) [5](#) ... [20](#) [Next](#)

#### Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Compare Products](#)
- ▶ [Contact Us About This Product](#)
- ▶ [Request Samples](#) **NEW!**

### Documentation & Additional Information

#### Product Drawings:

- [RING](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- [MACHINE APPLIED TERMINATIONS, OPEN BARREL](#) (PDF, English)

#### Product Specifications:

- [Terminal, AMPLIVAR, Ring, Crimping](#) (PDF, English)
- [Terminal, Ring, Extruded, Crimping](#) (PDF, English)

#### Application Specifications:

- [Ring and Spade Terminals](#) (PDF, English)

#### Instruction Sheets:

- None Available

#### CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version L)
- [3D Model](#) (IGES, Version L)
- [3D Model](#) (STEP, Version L)

[List all Documents](#)

#### Additional Information:

- [Product Line Information](#)

#### Related Products:

- [Tooling](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- [Terminal Shape](#) = Ring Tongue
- [Receptacle Style](#) = Straight
- [Barrel Type](#) = Open Barrel
- [Wire/Cable Type](#) = Regular Wire
- [Insulation](#) = No
- [Insulation Support](#) = Insulation Support
- [Insulation Diameter \(mm \[in\]\)](#) = 3.81-5.33 [.150-.210]
- Stud Size = 10
- [Stud Diameter \(mm \[in\]\)](#) = 4.82 [0.190]
- [Shape](#) = RING-001
- [Heavy Duty](#) = No
- [Material](#) = Brass

#### Body Related Features:

- [Wire Range \(mm \[AWG\]\)](#) = 3.00-6.00<sup>2</sup> [12-10]
- Stock Thickness (mm [in]) = 0.76 [0.030]

#### Industry Standards:

- Government/Industry Qualification = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

#### Packaging Related Features:

- [Packaging Method](#) = Strip

#### Other:

• [Finish](#) = Tin

• Brand = AMP

---

[Provide Website Feedback](#) | [Need Help?](#)

[Home](#) | [Customer Support](#) | [Suppliers](#) | [Site Map](#) | [Privacy Policy](#) | [Browser Support](#)  
© 2008 Tyco Electronics Corporation All Rights Reserved

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminals](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#) [751-250](#)