



TE CONNECTIVITY (TE)
SKT, SODIMM, 144P, SGRAM3.3V, HIGH, TY-S
[SODIMM](#) | [SKT](#) , [SO DIMM](#)

390111-1
 TE Internal Number: 390111-1

Converted to EU RoHS/ELV Compliant

Module Orientation **Right Angle**

PCB Mounting Style **Surface Mount**

Centerline **.8 mm [.031 in]**

Profile **High**

Row-to-Row Spacing **6.2 mm [.24 in]**

✓ Active

↓ **PRODUCT DRAWING**
 English

↓ **3D PDF**

Product Drawings

[S.O. DIMM, SKT Assy, 0.8mm, 3.3V 144 P 3.7mm Pro. For SGRAM Type Module.](#)
 PDF
 English

CAD Files

[Customer View Model](#)
 2D_DXF.ZIP
 English

[Customer View Model](#)
 3D_IGS.ZIP
 English

[Customer View Model](#)
 3D_STP.ZIP
 English

[3D PDF](#)
 PDF
 English

Product Specifications

Application Specification

[SO \(Small Outline\) DIMM \(Dual-In Memory Module\) Sockets 144 Positions With 0.8-Mm Centerline Spacing](#)
 PDF
 English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Profile	High
Row-to-Row Spacing	6.2 mm [.24 in]
Applies To	Printed Circuit Board
Product Type	Socket

Configuration Features	Module Orientation	Right Angle
	Number of Positions	144
	Number of Rows	2
	Number of Bays	2
	Center Key	Offset Left
	Number of Keys	1
Signal Characteristics	SGRAM Type	64 Bit
	SGRAM Voltage (V)	3.3
Body Features	Latch Plating Material	Tin
	Ejector Location	None
	Module Key Type	SGRAM
	Latch Material	Stainless Steel
Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness	.25 μm [9.84 μin]
	Socket Style	SO DIMM
	Socket Type	Memory Card
	Solder Tail Contact Plating Material	Gold
	Contact Base Material	Copper Alloy
Termination Features	Insertion Style	Cam-In
Mechanical Attachment	PCB Mounting Style	Surface Mount
	PCB Mount Retention	With
	PCB Mount Retention Type	Hold-Down Posts
Housing Features	Centerline	.8 mm [.031 in]
	Housing Color	Natural
	Housing Material	High Temperature Plastic
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Soft Tray, Tray
	Packaging Quantity	20

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIMM Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[1-1932649-2](#) [1-1761024-0](#) [2309411-5](#) [1932180-2](#) [0783590111](#) [0783590001](#) [0877051053](#) [10079248-11103LF](#) [10086891-052TSLF](#)
[10116658-252ASLF](#) [59355-052FSLF](#) [5390471-1](#) [10074146-13211LF](#) [10079248-10202LF](#) [2309407-3](#) [10033853-052ASLF](#) [87782-6003](#) [KIT-](#)
[SODIMM-1X16GB/01](#) [0780350001](#) [0878030012](#) [75.963AT.G020C](#) [78.B1GDE.AF1](#) [10078239-11103LF](#) [6-390322-1](#) [2013311-1](#) [2309410-1](#)
[10116658-052FSLF](#) [10116658-152FSLF](#) [1-1735438-3](#) [78730-1002](#) [78726-1002](#) [2013310-1](#) [390111-1](#) [1735438-3](#) [78373-0011](#) [2308107-1](#) [2-](#)
[2308107-1](#) [2309411-1](#) [5-1746530-4](#) [2309408-1](#) [2309409-1](#) [2309412-1](#) [151134-0001](#) [2309413-1](#) [296406200001856+](#) [2309407-1](#) [FCN-](#)
[074J240-G/1D](#) [FCN-074B288-G/2D](#) [2309414-1](#) [10081530-12208LF](#)