

## This document was generated on 05/14/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>90147-1210</u>		
Status:	Active		
Overview:	<u>C-Grid® Products</u>	enceter Circle Devy Martinel 40 Circuite Cold (Av) Disting	
Description:	C-Grid® PC Board Connector, Single Row, Vertical, 10 Circuits, Gold (Au) Plating		
Documents:			
<u>3D Model</u>		RoHS Certificate of Compliance (PDF)	
Drawing (PDF)			V. C.
Agency Certifica	ation		
CSA		LR19980	image - Reference only
UL		E29179	
UL		E29179	EU RoHS China RoHS
General			ELV and RoHS
Product Family		PCB Receptacles	Compliant
Series		90147	REACH SVHC
Application		Board-to-Board, Signal	Not Reviewed
Overview		<u>C-Grid® Products</u>	Low-Halogen Status
Product Name		C-Grid®	Not Low-Halogen
UPC		800753674363	
		00010001-000	Need more information on product environmental compliance?
Physical			environmental compliance:
Circuits (Loaded)		10	Email productcompliance@molex.com
Circuits (maximum)		10	For a multiple part number RoHS Certificate
Color - Resin		Black	Compliance, click here
Durability (mating cycles max)		100	
Flammability		94V-0	Please visit the Contact Us section for any
Glow-Wire Compliant		No	non-product compliance questions.
Guide to Mating Part		No	
Keying to Mating Part		None	
Lock to Mating Part		No	
Material - Metal		Phosphor Bronze	Search Parts in this Series
Material - Plating Mating		Gold	90147Series
Material - Plating Termination		Tin	
Material - Resin		Polyester	Motoo With
Net Weight		0.854/g	Mates With
Number of Rows		1	<u>90120</u> , <u>90121</u>
Orientation		Vertical	
PC Tail Length		2.90mm	Use With
PCB Locator		No	<u>90120</u> , <u>90121</u>
PCB Retention		Yes	
PCB Thickness - Re	commended	1.60mm	
Packaging Type		Tube	
Pitch - Mating Interface		2.54mm	
Pitch - Termination Interface		2.54mm	
Plating min - Mating		0.381µm	
Plating min - Termination		3.048µm	
Polarized to PCB		Νο	
Temperature Range - Operating		-55°C to +125°C	
Termination Interfac		Through Hole	
Electrical			
Current - Maximum per Contact		3.0A	
Grounding to PCB		No	

## **Solder Process Data**

Wave Capable (TH only)

Material Info

**Reference - Drawing Numbers** Sales Drawing

SDA-90147

## This document was generated on 05/14/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF