


# R13-537

## Double Poles of R13-526



Rating
16A 125V AC 1/3HP 10A 250V AC 1/2HP 10(4)A 250V AC
Contact resistance
50mΩ Max
Insulation resistance
DC 500V 100MΩ Min
Dielectric strength
AC 1500V 1 minute
Cut-out


### FEATURES

- \* MATERIAL: Frame is nylon (UL flame:94V-2). Terminals are silver plated brass.
- \* Illuminated actuators are molded in PC, available with red, amber, green, blue and white colors.
- \* Snap-in mounting, easy to install switch into panel.
- \* Application: Vacuum cleaner, machine.


X	Y
---	---

W × H	X	Y
6.75-1.25	30.2±0.1	22.2±0.1
1.25-2.0	30.4±0.1	22.2±0.1
2.00-3.00	30.4±0.1	22.2±0.1

# R13-537



RATING	TERMINAL
16A 125V AC 1/3HP 10A 250V AC 1/2HP 10(4)A 250V	0 1 .250" SQ
20A 12VDC	0 5 SO



**X-ON**  
**Electronics**

Authorized

Distributor

*Click to view  
similar products*

*for* Pushbutton  
Switches *category:*

Other Similar

products are found  
below :

[M7EHRN2](#)

MB2411A2W30

MB2411S1W01H

B

PS193P10Y01B12

VL

PS223P10Y31R12



VT

PS223Z10Y21

PS225P10Y01W2

4VL

A1PCA0X106J10

3

AML21MBA2AA

PB61305AL3

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pushbutton Switches](#) category:*

*Click to view products by [SCI manufacturer](#):*

Other Similar products are found below :

[LW1L-M1C10V-A](#) [LW2L-A1C20M-GD](#) [LW2L-M1C20M-A](#) [60324L](#) [M7E-HRN2](#) [67021K512](#) [67081K512X](#) [701PB580](#) [719-5504-000](#)  
[MDPSSGLFS](#) [810KSV30B](#) [MML21KA3ABK](#) [MML23KA3AC05K-001](#) [MML23KW3AA01W](#) [8418K2](#) [8646AB6X718UL](#) [8646ABUL](#)  
[FSDWH](#) [9001KXRK](#) [9001T8BK](#) [9533CD4+U574+U4922](#) [1203MRA](#) [A22EM01S](#) [A595](#) [1202A6](#) [12037A2ULCSA](#) [1203A2UL](#) [ABD122N-](#)  
[B](#) [1211390004](#) [ABN111-Y](#) [ABN400-R](#) [1211500044](#) [1211580012](#) [1212MRA](#) [1232A6NF](#) [RA3CSH6A](#) [1241.1183.7047](#) [1241.2511](#)  
[1241.3428](#) [1223A2ULCSA](#) [1223MRA](#) [1232AX2119](#) [1241.1183.8000](#) [1241.1183.8029](#) [1241.2506](#) [1241.2606](#) [12MA6](#) [1301940184](#)  
[RELBARF6X10\(PLASTIC\)](#) [13435AG](#)