## **D-Subminiature**

130

Slimline Null Modems and Reversing Adaptors

## Assorted D-Sub Adaptor Selection Matrix

Use this handy chart to locate the desired D-sub adaptor. Simply locate the connector sizes and genders along the top and intersect with the row showing the desired adaptor style. If a specific adaptor is not listed, please visit our website at www.L-com.com for the latest information and select the Product

Finder on the left side of the screen or call our technical support group at 800-343-1455 for assistance. Wiring schemes are listed near each adaptor in the catalog or on the engineering drawing available on L-com's website.

1-9

25-99

	ASSORTED D-SUB ADAPTOR SELECTOR GUIDE											
INTERFACE	DB9 MALE- DB25 FEMALE	DB9 FEMALE- DB25 MALE	DB9 FEMALE- DB25 FEMALE	DB9 MALE- DB9 FEMALE	DB25 MALE- DB25 FEMALE	DB9 FEMALE- HD15 MALE	DB9 MALE- HD15 MALE	DB25 FEMALE- DB37 MALE				
AT MODEM	DG259FM-IBM DMA010MF	DG259MF-IBM DGL259MF-IBM DMA010FM	DGL259FF-IBM									
ADA PTOR TYPE Wardow Tor Type				DMA060MF	DMA070MF DMA071MF DMA072MF DMA073MF DMA074MF							
REVERSER (Position 2 & 3)				DMA030MF	DMA040MF							
RGB MONITOR						DMB510MF DMB512MF	DMB510MM DMA100MM					
RS449 TO RS232								DMA134MF				

DMA06	SOMF
SIDE VIEW	-
	Least Law
6.3	DMA071MF

Description										

#### Item # 10-24 100-249 250-499 Slimline DB9 or DB25 Null Modems, Adaptors and Reversers - Communicate Without Modems

L-com's series of Null Modems and Reversers are completely shielded. More important, their extremely low profile reduces leverage strain and breakage on the overstressed computer ports. The Null Modems shown are typical of our Slimline manufacturing technique. These are also available in virtually any wiring configuration. OEM users are requested to send wiring data for our consideration. DMA030MF DMA040MF

ЛF ЛF	Slimline Reversing Adaptor, Pins 2 and 3, DB9 Male / Female Slimline Reversing Adaptor, Pins 2 and 3, DB25 Male / Female	5.95 6.95	5.36 6.26	4.76 5.56	4.17 4.87	3.57 4.17
NF NF NF NF NF	Slimline Null Modem Adaptor, DB9 Male / Female Slimline Null Modem Adaptor, DB25 Std. Handshake, Male / Female Slimline Null Modem Adaptor, DB25 Full Handshake, Male / Female Slimline Null Modem Adaptor, DB25 Auto Handshake, Male / Female Slimline Null Modem Adaptor, DB25 Specialty, Male / Female Slimline Null Modem Adaptor, DB25 Specialty, Male / Female	5.95 6.95 6.95 6.95 6.95 6.95	5.36 6.26 6.26 6.26 6.26 6.26	4.76 5.56 5.56 5.56 5.56 5.56	4.17 4.87 4.87 4.87 4.87 4.87 4.87	3.57 4.17 4.17 4.17 4.17 4.17 4.17

DMA030MF	DMA040MF	DMA060MF	DMA070MF	DMA071MF	DMA072MF	DMA073MF	DMA074MF
$ \begin{array}{c}  M1 \\  2 \\  3 \\  4 \\  4 \\  9 \\  9 \\  9 \\  6 \\  6 \\  6 \\  6 \\  6$	$\begin{array}{c} M_1 \\ 2 \\ 3 \\ 4 \\ 4 \\ 25 \\ 25 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ $	F2 3 4 1 6 5 7 8 9 NC 9 G	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c} F_1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 8 \\ 20 \\ 7 \\ G \end{array} $	$ \begin{array}{c c} F_1 & 1M \\ 2 & 3 \\ 4 & 5 \\ 6 & 8 \\ 20 \\ 7 \\ 11 \\ 12 \\ 0 \\ 7 \\ 11 \\ 12 \\ 0 \\ 0 \\ 7 \\ 11 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0$	$\begin{bmatrix} 1 \\ 2 \\ 3 \\ 5 \\ 6 \\ 8 \\ 20 \\ 7 \\ G \end{bmatrix} = \begin{bmatrix} 1 \\ 2 \\ 2 \\ 3 \\ 5 \\ 6 \\ 8 \\ 8 \\ 7 \\ G \end{bmatrix}$	$\begin{array}{c c} F_1 \\ 2 \\ 3 \\ 4 \\ 5 \\ 6 \\ 6 \\ 20 \\ 7 \\ G \end{array}$

### Gender Changer and Socket Saver Selection Matrix

Use this handy chart to locate the desired gender changer or socket saver. Simply locate the connector size along the top (standard or filtered) and intersect with the row showing the desired connector genders. If a specific

DMA060M DMA070M DMA071M DMA072M DMA073M DMA074M

> adaptor is not listed, please visit our website at www.L-com.com for the latest information and select the Product Finder on the left side of the screen or call our technical support group at 800-343-1455 for assistance.

	GENDER CHANGER & SOCKET SAVER D-SUB ADAPTOR SELECTOR GUIDE (ALL WIRING STRAIGHT THROUGH)														
		STANDARD D-SUB										HIGH DENSITY D-SUB			
I	NTERFACE	9 PIN D-SUB	9 PIN D-SUB Filtered	15 PIN D-SUB	15 PIN D-SUB Filtered	25 PIN D-SUB	25 PIN D-SUB Filtered	37 PIN D-SUB	37 PIN D-SUB Filtered	50 PIN D-SUB	15 PIN High Density	26 PIN High Density	44 PIN High Density	62 PIN High Density	78 PIN High Density
	FEMALE- FEMALE	DGB9F		DGB15F		DGB25F		DGB37F		DGB50F	DGBH15F DGBV15F* DMB521F	DGBH26F	DGBH44F	DGBH62F	DGBH78F
GENDER	MALE- MALE	DGB9M		DGB15M		DGB25M		DGB37M		DGB50M	DGBH15M DGBV15M* DMB520M	DGBH26M	DGBH44M	DGBH62M	DGBH78M
	MALE- FEMALE	DGB9MF DGRA9MF1 DGRA9MF2	DGF9MF DGFC9MF	DGB15MF	DGF15MF DGFC15MF	DGB25MF	DGF25MF DGFC25MF	DGB37MF	DGF37MF DGFC37MF	DGB50MF	DGBH15MF DGRAH15MF1 DGRAH15MF2 DGBV15MF*	DGBH26MF	DGBH44MF	DGBH62MF	DGBH78MF
_	*Pin 9 miss	sing for older, le	gacy VGA app	lications.											

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for 1-com manufacturer:

Other Similar products are found below :

 FOA-550A
 UMC-201
 CSMN50MF-5
 CSMNB15MF-15
 TRD815RA2BL-5
 CA3A-90DA-1M
 CTLF3VGAMM-20
 HDCAMM-3

 U3A00007-05M
 U3A00014-03M
 CSMT15MF-10
 CSMT15MM-15
 CSMT15MM-25
 CSPL15MF-50
 CSPL25MF-25
 CSPL9MF-10

 CSPL9MF-5
 CSPL25MF-5
 CSPL25MF-2.5
 AL-IPEPS
 NB201611-10F-1
 TDG1026KC5-MNL
 NB121005-10F
 TRD855SRA6DBL-10M

 TRD855SRA7DBL-1M
 TRD855SRA7DBL-10M
 U2A00017-05M
 PR175SCDLCQ24
 TRG508-T4T-3M
 TRA5261-15F
 TRA5261S-1F

 TRA6261-1F
 USBBFT
 DGB25M
 HG2403RD-RSF
 CASATAL-18
 CSM25MM-10
 CSM37MF-10
 CSUSB-100
 CA3A-90RA-1M
 CA3A-90RA-1M

 90RMICB-1M
 U2A00003-05M
 U2A00008-12I
 U3A00007-075M
 U3A00007-1M
 HGV-903U
 CSMT15MF-5

 CSMT15MM-50
 CSPL15MF-25
 CSMT15MF-25
 CSMT15MF-25
 CSMT15MF-25