

## Screw insert - SF-BIT-TX 25-50 - 1212585

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Screw bit,  $Torx^{\circ}$ , E6.3-1/4" drive, size: TX 25 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ ISO 1173

The figure shows the SF-BIT-TX 20x50 version

#### **Product Features**

■ Tools for SF-ASD 21 cordless screwdriver in various versions



## **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	99.99 g
Custom tariff number	82079030
Country of origin	Czech Republic

### Technical data

### **Dimensions**

Length (b)	50 mm
Blade height	50 mm

### General

Color	silver
Туре	Torx
Material	Alloyed tool steel
Test standard	DIN 3126

#### Standards and Regulations

Test standard	DIN 3126
---------------	----------



# Screw insert - SF-BIT-TX 25-50 - 1212585

## Classifications

### eCl@ss

eCl@ss 4.0	21040402
eCl@ss 4.1	21040402
eCl@ss 5.0	21040402
eCl@ss 5.1	21040402
eCl@ss 6.0	21040290
eCl@ss 7.0	21040290
eCl@ss 8.0	21044202

### **ETIM**

ETIM 4.0	EC002117
ETIM 5.0	EC002117

### **UNSPSC**

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

## Drawings

Pictogram



Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

1406504-2 2-21006-8 27850 CE-16-03400-00-HNDLE-TORQ 30246 323451-000 46722 TL10416 XW4Z-00B 96025 96030 96560 96703 96430 31830 92270 96012 96436 96536 92064 92008 72820 92005 76070 96520 92040 36372 96416 92024 96420 76005 96570 72823 96325 96525 96720 31832 76019 92004 76007 92069 92020 76021 96523 96510 96427 96425 96415 96320 92073