


Mit Reflektor/With reflector

OSRAM Bestellbezeichnung / OSRAM order code	ANSI code	LIF code	Spannung / voltage	Leistung / power	Socket / base	Reflektor / reflector	Beschichtung / coating	Mittlere Lebensdauer / average life	Philips	GE product code	Ushio
64255			8V	20W	GZX4	MR11, 35mm	weiß/white	50h			
64605			8V	50W	GZ4	MR11, 35mm	weiß/white	25h			
64607	EFM	A1/229	8V	50W	GZ6,35	MR16, 51mm	aluminium	50h	6847 FO	21276	JCR8V-50W
93609	ENL		12V	50W	GX5,3	MR16, 51mm	weiß/white	3000h		25475	ENL12V-50W
64613			12V	75W	G5,3-4,8	MR11, 35mm	blau/blue	25h	14513 blue		
64615 HLX	EFN	A1/230	12V	75W	GZ6,35	MR16, 51mm	weiß/white	50h	6853	21277	JCR12V-75W
64617			12V	75W	G5,3-4,8	MR11, 35mm	weiß/white	25h	13865		
64617 S			12V	75W	G5,3-4,8	MR11, 35mm	weiß/white	25h	13865		
64624		A1/51	12V	100W	G5,3-4,8	MR11, 35mm	weiß/white	25h	12037		
64627 HLX	EFP	A1/231	12V	100W	GZ6,35	MR16, 51mm	weiß/white	50h	6834	21278	
64629	EFP-6		12V	100W	GZ6,35	MR16, 51mm	weiß/white	600h			
64637		A1/271	12V	100W	GZ6,35	MR16, 51mm	weiß/white	1500h			
64608	EPZ		13,8V	50W	GX5,3	MR16, 51mm	weiß/white	1000h	13189	43948	EPZ13.8V-50W
64618	DED		13,8V	85W	GX5,3	MR16, 51mm	weiß/white	1000h	13194	43950	JCR13.8V-85W
64619	EPX		14,5V	90W	GX5,3	MR16, 51mm	weiß/white	500h	13186	42614	JCR14.5V-90W
64620	EFR-5		15V	150W	GZ6,35	MR16, 51mm	weiß/white	500h			
64634 HLX	EFR	A1/232	15V	150W	GZ6,35	MR16, 51mm	weiß/white	50h	6423	21279	
64635 HLX ¹⁾			15V	150W	GZ6,35	MR16, 51mm	gold	50h			
93631	DNF		21V	150W	GX7,9	MR18, 58mm	weiß/white	25h	14529	39742	
93637	EJV		21V	150W	GX5,3	MR16, 51mm	weiß/white	40h	5995/EJV	32831	JCR12V-150W
93638	EKE		21V	150W	GX5,3	MR16, 51mm	weiß/white	200h	13629	35200	JCR12V-150W
64653 HLX	ELC	A1/259	24V	250W	GX5,3	MR16, 51mm	weiß/white	50h	13163	37462	JCR24V-250W
93653	ELC-3		24V	250W	GX5,3	MR16, 51mm	weiß/white	300h	13163/3H	15377 ELC/500	
64659	ELC-10		24V	250W	GX5,3	MR16, 51mm	weiß/white	1000h			JCR24V-250W 10H
93505	EVW		82V	150W	GY5,3	MR16, 51mm	weiß/white	50h	13830	11110	JCR82V-150W
93510	EXY		82V	250W	GX5,3	MR13, 42mm	weiß/white	200h	13632	12097	
93515	EXR		82V	300W	GX5,3	MR13, 42mm	weiß/white	35h	14502	12092	
93520	FHS		82V	300W	GX5,3	MR13, 42mm	weiß/white	70h	13634	47614	
93525	ENX		82V	360W	GY5,3	MR16, 51mm	weiß/white	75h	13824	41705	JCR82V-360W
93506	ENH		120V	250W	GY5,3	MR16, 51mm	weiß/white	175h	13095	38686	JCR120V-250W
93518	ELH		120V	300W	GY5,3	MR16, 51mm	weiß/white	35h	13096	38476	JCR120V-300W

www.osram.com



Halogen lamps

Halogenlampen, Nieder- und Mittelvolt für Effektlucht, technische und medizinische Anwendungen

Halogen lamps, low and medium voltage for entertainment, technical and medical applications

SEE THE WORLD IN A NEW LIGHT



Ohne Reflektor/Without reflector

OSRAM Bestellbezeichnung / OSRAM order code	ANSI code	LIF code	Spannung / voltage	Leistung / power	Socket / base	Mittlere Lebensdauer / average life	Philips	GE product code	Ushio
64222 ²⁾			6V	10W	PG22	300h			
64223		M/43	6V	10W	G4	300h	5972		
64225	FHD/ESA	M/29	6V	10W	G4	100h	7387	34720	JC6V-10W
64250 HLX	ESB	M/30	6V	20W	G4	100h	7388	34718	JC6V-20W
64251 HLX ²⁾			6V	20W	PG22	100h			
64265 HLX			6V	30W	G4	100h	5761		
64275 ²⁾		M/137	6V	35W	G4	50h			
64258			12V	20W	G4	2000h	14546	34715	
64258A			12V	20W	G4	2000h	14546	34715	
64260 ²⁾		M/185	12V	30W	PG22	50h			
64261 ²⁾		M/130	12V	30W	G6,35	50h			
64602		M/134	12V	50W	G6,35	1100h		12713	
64609 HLX			12V	50W	PG22	50h			
64610 HLX	BRL	A1/220	12V	50W	G6,35	50h	7027	18234	JC12V-50W
64611 HLX ²⁾			12V	50W	G6,35	100h			
62138 HLX ²⁾			12V	100W	G6,35	50h			
64621 HLX ²⁾			12V	100W	PG22	2000h			
64623 HLX	EVA	M/28	12V	100W	GY6,35	2000h	7724	12718	JC12V-100WB
64625 HLX	FCR	A1/215	12V	100W	GY6,35	50h	7023	14876	JC12V-100W
64626 HLX	EHE	A1/45	12V	100W	PG22	50h	6839C		
64628 FDT	FDT	A1/261	12V	100W	GY9,5	50h	5973	35321	JC12V-100WC1
64633 HLX	BRJ	A1/234	15V	150W	G6,35	50h	6550	18235	JC15V-150W
64291 XIR ²⁾			22,8V	40W	G6,35	800h			
64650			22,8V	50W	G6,35	1300h	12429		
64668 XIR ²⁾			22,8V	80W	G6,35	750h			
64292 XIR ²⁾			22,8V	150W	G6,35	600h			
64638 HLX ²⁾			24V	100W	G6,35	300h			
64647			24V	120W	G6,35	300h			
64640 HLX	FCS	A1/216	24V	150W	G6,35	50h	7158 XHP	13598	JC24V-150W
64641 HLX			24V	150W	G6,35	2000h			
64642 HLX	FDV	M/184	24V	150W	G6,35	300h			JC24V-150WC1
64643	FDS	A1/262	24V	150W	GY9,5	100h	5974	37695	
64654 HLX ²⁾			24V	250W	GY9,5	300h			
64655 HLX	EHJ	A1/223	24V	250W	G6,35	50h	7748 XHP	14874	JC24V-250W
64657 HLX	EVC	M/33	24V	250W	G6,35	300h	6958	34768	
64656 HLX	FNT		24V	275W	G6,35	75h	13700	18241	
64663 HLX	EVD	A1/239	36V	400W	G6,35	50h	7787 XHP		JC36V-400WS
64664 HLX		A1/270	36V	400W	G6,35	150h	7787		JC36V-400WS5

Sie finden uns im Internet unter/Please see our website:
<http://www.osram.de> oder/ <http://www.osram.com>

¹⁾ Infrarotstrahler, Temperatur im Brennpunkt ca. 1300 °C/
 Infrared spotlight, temperature in the focal point approx. 1300 °C
²⁾ Exklusiv nur bei Osram / Osram exclusive type

Für weitere Informationen wenden Sie sich bitte an/
 For further information please contact:

OSRAM GmbH

**Display/Optic Division,
 BU Entertainment**

Nonnendammallee 44
 13625 Berlin
 Germany

Tel.: +49 (0) 30 33 86 21 74
 Fax: +49 (0) 30 33 86 23 59

e-mail: entertainment-light@info.osram.com

Nur für den internen Gebrauch!/For internal use only!

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [osram](#) manufacturer:

Other Similar products are found below :

[LO L296-Q2S1-24-Z](#) [IPD2131-27](#) [GW PSLPS1.EC-KSKU-5R8T-1](#) [418962A](#) [LCW JNSH.PC-CPCR-5H7I-1](#) [LE RTDUW S2W](#) [LT A67C-S2U1-35](#) [BPW 34 FASR](#) [BPW 34 FSR](#) [BPW 34 SR](#) [LT A67C-T2V1-35](#) [GY CSHPM1.23-KQKS-36-0](#) [KW H5L531.TE-Z7R7-EBVFFCBB46-RS5R](#) [4058075097421](#) [79675](#) [79632](#) [OT 40/220-240/24 DIM P](#) [OT 60/220-240/24 DIM P](#) [OT 100/220-240/24 DIM P](#) [OT FIT 45/220-240/200 D L](#) [KW2 HIL532.TK-D2D9-4L07M0-SC6B](#) [LW TWTG.BB-BXCX-2B2C-1](#) [LA E6SF-BBCB-24-1-Z](#) [HDSP2112S](#) [LY E6SF-AABA-46-1-Z](#) [64760](#) [SFH 4715A-CBDA](#) [4058075097360](#) [4058075097544](#) [47659](#) [OT 6/200-240/24 CE](#) [OT FIT 35/220-240/350 D CS](#) [L](#) [OT FIT 8/220-240/180 CS S MINI](#) [64150ULT](#) [79366](#) [4052899917583](#) [4058075819658](#) [GW CSSRM2.PM-N3N5-XX51-1](#) [LE B Q8WP-8A7B-24](#) [ELEMENT 90/220-240/24](#) [OT 40/220-240/24 P](#) [OT 60/220-240/24 P](#) [ELEMENT 6/220-240/150 S](#) [64210CBI](#) [LY E67F-ABBB-46-1-Z](#) [LS T670-J1K2-1-Z](#) [LO L29K-H2L1-24-Z](#) [LY E67B-T2V1-26-1-Z](#) [SFH 309 FA-5/6](#) [51600](#)