

Wiha SYSTEM 4.

A Real Multi-tasker and Ideal for Precision Work.



Colour-coded ChromTop® tips for maximum clarity

Due to its versatility and quality the Wiha SYSTEM 4 is a reversible blade system that convinces every user. Either for slotted, Phillips, TORX® or hex screws, the wide product range provides the right model for every application.

All reversible blades are made of high-quality CVM-steel, through hardened and chrome-plated, which provides an extra long service-life.

The Wiha ChromeTop® tips guarantee a perfect fit every time. Just choose from the SYSTEM 4 products for the relevant tool. Following handles are offered.

- The ergonomic SoftFinish® telescopic handle for the insertion of blades of variable lengths from 18 - 90 mm.
- The precision handle with rotating cap and rapid rotating zone.

We offer SYSTEM 4 sets in compact roll-up pouches, rugged metal and easy access plastic boxes.



Convincing variety and quality. SYSTEM 4 – a real multi-tasker.



Wiha SYSTEM 4:

- Flexible, versatile reversible precision blade system
- Sets in compact roll-up pouches, rugged metal- or easy access plastic-boxes
- Ergonomic handles for every application
- Colour-coded blades made of high-quality, tough-but-flexible chrome-vanadium-molybdenum steel, through-hardened, chrome-plated
- Wiha ChromeTop® tips ensure a perfect fit every time



With the SoftFinish® telescopic handle, the blade length can be adjusted from 18 - 90 mm.

SYSTEM 4 Handles.



NEW

2691 SYSTEM 4 SoftFinish®-telescopic handle.

Ergonomic Multi-component Handle with Roll-off Protection.

Handle: With 4 mm hex retainer for all SYSTEM 4 reversible blades and adapters. Enables adjustable blade length from 18 - 90 mm.

Application: Click-stop ball clamp guarantees a secure hold and rapid blade exchange. Ideal for all precision work in the fields of electronics and mechanics.

Order-No.	⊙	↔	⚙	🔪	£
30373 0	4.0	105	23	1	7.75



269 SYSTEM 4 Precision Handle.

Handle: Handle with rotating cap and rapid-turning zone. Use in combination with SYSTEM 4 reversible blades.

Application: For fine adjustments of small screws with just one hand in precision assembly work.

Order-No.	⊙	↔	⚙	🔪	£
00575 7	4.0	110	14	5	3.65



280UTG SYSTEM 4 Precision-telescopic ESD Handle. Dissipative Handle, ESD-safe.

Handle: Handle with rotating cap and rapid-turning zone. Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm. Adjustable for blade lengths from 15-80 mm. Use in combination with SYSTEM 4 reversible blades.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	⊙	↔	⚙	🔪	£
07668 9	4.0	110	14	5	4.80

SYSTEM 4 Reversible Blades.



269 SYSTEM 4 Slotted Reversible Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	⊙	⊙	⊖	⊖	↔	⚙	🔪	£
00576 4	1.5	3.0	0.25	0.5	120	4.0	5	5.20
00577 1	2.0	3.5	0.4	0.6	120	4.0	5	5.20
00578 8	2.5	4.0	0.4	0.8	120	4.0	5	5.20



269 SYSTEM 4 Slotted Phillips Reversible Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	⊙	⊕	⊖	↔	⚙	🔪	£
00601 3	2.0	PH00	0.4	120	4.0	5	5.30
00602 0	3.0	PH0	0.5	120	4.0	5	5.20
00603 7	4.0	PH1	0.8	120	4.0	5	5.20



269 SYSTEM 4 Phillips Reversible Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⚙	🔪	£
00579 5	PH000	PH00	120	4.0	5	5.30
00580 1	PH0	PH1	120	4.0	5	5.20



269 SYSTEM 4 Pozidriv Reversible Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⚙	🔪	£
03186 2	PZ0	PZ1	120	4.0	5	5.30



269 SYSTEM 4 TORX® Reversible Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⚙	🔪	£
26122 1	T1	T2	120	4.0	5	6.20
26123 8	T3	T4	120	4.0	5	6.20
26124 5	T5	T6	120	4.0	5	5.70
00597 9	T6	T8	120	4.0	5	5.70
00598 6	T7	T9	120	4.0	5	5.70
00599 3	T10	T15	120	4.0	5	5.70
00600 6	T15	T20	120	4.0	5	5.70

Wiha SYSTEM 4.

A Real Multi-tasker and Ideal for Precision Work.

SYSTEM 4 Reversible Blades, Bit Holder, Nut Driver.



269 SYSTEM 4 Combined Ballpoint Hex-Hex Reversible Blade.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Colour-coded Wiha ChromTop® tips.
 Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.	●	●	↔	⬠	⬠	£
00582 5	1.3	1.3	120	4.0	5	5.30
00583 2	1.5	1.5	120	4.0	5	5.30
00584 9	2	2	120	4.0	5	5.30
00585 6	2.5	2.5	120	4.0	5	5.30
00586 3	3	3	120	4.0	5	5.20
00587 0	4	4	120	4.0	5	5.20



U759 00 SYSTEM 4 Bit Holder.
 Suitable for C 4 (4 mm) Bits.
 Blade: Chrome-vanadium steel, through hardened, electro-plated.

Order-No.	○	↔	⬠	⬠	£
09195 8	4.0	135	4.0	1	6.90



269 SYSTEM 4 Nut Driver.
 For Hex Nuts.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Application: For hex nuts.


Order-No.	○	○	↔	⬠	⬠	£
00588 7	1.5	1.8	125	4.0	5	5.30
00589 4	2	2.5	125	4.0	5	5.30
00590 0	3		125	4.0	5	4.40
00591 7	3.2		125	4.0	5	4.40
00592 4	3.5		125	4.0	5	4.40
00593 1	4		125	4.0	5	4.40
00594 8	4.5		125	4.0	5	4.40
00595 5	5		125	4.0	5	4.40
00596 2	5.5		125	4.0	5	4.40

SYSTEM 4 Set in Metal Box.



NEW
7000 EB16 SYSTEM 4 Bit Set, 16 pcs.
 With Bit Holder and 14 Slotted/ Phillips/ TORX®/ Hex C 4 Bits.
 Handle: SYSTEM 4 SoftFinish®-telescopic handle.
 Enables adjustable bit holder blade length.
 Standards: DIN 3126, ISO 1173, style C 4.
 Application: The universal set for all precision assembly work.

Order-No.	Series					⬠	£
27872 4	7000 EB16					1	43.40
	2691	SYSTEM 4 SoftFinish®-telescopic handle					
	U759 00	4.0x135					
	U 750	1.5x0.25	2.0x0.4	3.0x0.5	4.0x0.8		
	U 751	PH00x28	PH0x28	PH1x28			
	U 757	T6x28	T8x28	T10x28	T15x28		
	U 753	2.0x28	2.5x28	3.0x28			



*Practical and compact:
 select the appropriate blade – insert it into
 the handle – that's all there is to it!*

SYSTEM 4 Sets in Pouches.



Telescopic



NEW

269 T4 SYSTEM 4 Reversible Blades Set, 4 pcs.
Slotted/Phillips.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.

For adjustable blade lengths from 18-90 mm.

Extra: Blades well arranged in a durable synthetic pouch.

Order-No.	Series		£
00613 6	269 T4	10	25.20
	2691	SYSTEM 4 SoftFinish®-telescopic handle	
Ⓢ	Ⓢ 269	2.0 - PH00 3.0 - PH0 4.0 - PH1	

SYSTEM 4 Sets in Pouches.



Telescopic



NEW

269 T11 SYSTEM 4 Reversible Blades Set, 11 pcs.
Slotted/ Phillips/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.

For adjustable blade lengths from 18-90 mm.

Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series		£
00610 5	269 T11	5	63.20
	2691	SYSTEM 4 SoftFinish®-telescopic handle	
Ⓢ	Ⓢ 269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0	
Ⓢ	Ⓢ 269	PH000 - PH00 PH0 - PH1	
Ⓢ	Ⓢ 269	1.3 - 1.3 1.5 - 1.5 2 - 2	
		2.5 - 2.5 3 - 3	



Telescopic



NEW

269 T6 SYSTEM 4 Reversible Blades Set, 6 pcs.
Slotted/Phillips.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.

For adjustable blade lengths from 18-90 mm.

Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series		£
00616 7	269 T6	5	36.70
	2691	SYSTEM 4 SoftFinish®-telescopic handle	
Ⓢ	Ⓢ 269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0	
Ⓢ	Ⓢ 269	PH000 - PH00 PH0 - PH1	



Telescopic



NEW

269 T6 01 SYSTEM 4 Reversible Blades Set, 6 pcs.
Phillips/ TORX®.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.

For adjustable blade lengths from 18-90 mm.

Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series		£
26121 4	269 T6 01	5	38.50
	2691	SYSTEM 4 SoftFinish®-telescopic handle	
Ⓢ	Ⓢ 269	PH000 - PH00 PH0 - PH1	
Ⓢ	Ⓢ 269	T3 - T4 T5 - T6 T8 - T10	

Wiha SYSTEM 4.

A Real Multi-tasker and Ideal for Precision Work.

SYSTEM 4 Sets in Pouches.



- NEW**
269 T11 01 SYSTEM 4 Reversible Blades Set, 11 pcs.
Slotted/ Phillips/ TORX®/ Hex/ Ballpoint Hex.
- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Colour-coded Wiha ChromTop® tips.
- Handle: SYSTEM 4 SoftFinish®-telescopic handle.
 For adjustable blade lengths from 18-90 mm.
- Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series		£
27820 5	269 T11 01	5	64.00
	2691	SYSTEM 4 SoftFinish®-telescopic handle	
① ①	269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1	
⊛ ⊛	269	T6 - T8 T7 - T9	
● ●	269	1.5 - 1.5 2 - 2 2.5 - 2.5	



- 269 T11 ESD** SYSTEM 4 ESD Reversible Blades Set, 11 pcs.
Slotted/ Phillips/ TORX®/ Hex/ Ballpoint Hex.
- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
- Handle: SYSTEM 4 Precision-telescopic ESD Handle.
- Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series		£
25556 5	269 T11 ESD	5	61.10
	2817	SYSTEM 4 Precision-telescopic ESD handle	
① ①	269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1	
⊛ ⊛	269	T6 - T8 T7 - T9	
● ●	269	1.5 - 1.5 2 - 2 2.5 - 2.5	

SYSTEM 4 Sets in Plastic Boxes.



- 269 EB5-1** SYSTEM 4 Reversible Blades Set, 5 pcs.
Slotted/Phillips.
- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Colour-coded Wiha ChromTop® tips.
- Handle: SYSTEM 4 Precision Handle.
 Adjustable for blade lengths from 15-80 mm.
- Extra: In plastic box, can be opened and positioned on workbench.

Order-No.	Series		£
04881 5	269 EB5-1	10	30.40
	269	SYSTEM 4 Precision handle	
① ①	269	1.5 - 3.0 2.0 - 3.5	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1	



- 269 EB9-2** SYSTEM 4 Reversible Blades Set, 9 pcs.
Slotted/ Phillips/ TORX®.
- Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Colour-coded Wiha ChromTop® tips.
- Handle: SYSTEM 4 Precision Handle.
 Adjustable for blade lengths from 15-80 mm.
- Extra: In plastic box, can be opened and positioned on workbench.

Order-No.	Series		£
04884 6	269 EB9-2	10	49.10
	269	SYSTEM 4 Precision handle	
① ①	269	1.5 - 3.0 2.0 - 3.5 2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00 PH0 - PH1	
⊛ ⊛	269	T6 - T8 T7 - T9 T10 - T15	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Development Tools](#) category:

Click to view products by [Wiha](#) manufacturer:

Other Similar products are found below :

[MAAP-015036-DIEEV2](#) [EV1HMC1113LP5](#) [EV1HMC252AQS24](#) [EV1HMC6146BLC5A](#) [EV1HMC637ALP5](#) [EVAL01-HMC1048LC3B](#)
[EVAL01-HMC661LC4B](#) [EVAL-ADF7020-1DBZ4](#) [EVAL-ADF7020-1DBZ5](#) [EVAL-ADF7020-1DBZ6](#) [EVAL-ADF7021DB9Z](#) [EVAL-](#)
[ADF7021DBJZ](#) [EVAL-ADF7021DBZ2](#) [EVAL-ADF7021DBZ6](#) [EVAL-ADF7021-NDBZ2](#) [EVAL-ADF7021-VDB3Z](#) [EVAL-ADF7023DB3Z](#)
[EVAL-ADF7023-JDB3Z](#) [EVAL-ADF70XXEKZ1](#) [EVAL-ADF7241DB1Z](#) [F0440EVBI](#) [F1423EVB-DI](#) [F1423EVB-SI](#) [F1701EVBI](#)
[F1751EVBI](#) [F2250EVBI](#) [MICRF219A-433 EV](#) [122410-HMC686LP4E](#) [AD6679-500EBZ](#) [126223-HMC789ST89E](#) [ADL5363-EVALZ](#)
[ADL5369-EVALZ](#) [130437-HMC1010LP4E](#) [131352-HMC1021LP4E](#) [131372-HMC951LP4E](#) [130436-HMC1010LP4E](#) [ATR2406-PNQW](#)
[EKIT01-HMC1197LP7F](#) [Si4705-D60-EVB](#) [Si4835-Demo](#) [LMV228SDEVAL](#) [SKYA21001-EVB](#) [SMP1331-08-EVB](#) [EV1HMC618ALP3](#)
[EV1HMC641ALC4](#) [EV1HMC8410LP2F](#) [EVAL_PAN4555ETU](#) [EVAL01-HMC1041LC4](#) [EVAL-ADF7012DBZ2](#) [EVAL-ADF7020-1DBZ7](#)