

This document was generated on 02/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

| Part Number: | 0026655080 | | [| ~ |
|---|-----------------------------|---|---|---------------------------|
| Status: | Active | | ff). | |
| | | | | llfl a |
| Overview: | KK® Interconnect System - I | | | |
| Description: | | le, Friction Lock with Press-fit Plastic Peg PCB, 8 Circuits, | < | W1H111H1L/1 |
| | Gold (Au) Plating | | | _ [⊕] Ψ[H][] |
| | | | | |
| Documents: | | | | 5 DIT |
| <u>3D Model</u> | | Product Specification PS-08-50 (PDF) | 8 | |
| Drawing (PDF) | | RoHS Certificate of Compliance (PDF) | | |
| | | | Series imag | ge - Reference only |
| Agency Certification | | LR19980 | Conco intag | |
| UL | | | EU EU V | |
| UL | | E29179 | EU ELV | |
| General | | | Not Relevant | |
| Product Family | | PCB Headers | EU RoHS | China RoHS |
| Series | | 42492 | Compliant | |
| Application | | Power, Wire-to-Board | REACH SVHC | |
| | | KK® Interconnect System - Molex | Not Contained Per | |
| Overview | | KK® Interconnect System - Molex KK® 396 | | |
| Product Name | | | -ED/79/2015 (17 | |
| UPC | | 800754928588 | December 2015) | |
| Physical | | | Halogen-Free | |
| Physical Breakaway | | No | <u>Status</u> | |
| - | | | Not Low-Halogen | |
| Circuits (Loaded) | | 8 | Need more information on product environmental compliance? | |
| Circuits (maximum) | ` | 8 | | |
| Durability (mating cycle | es max) | 100 | | - |
| Flammability | | 94V-0 | | <u>pliance@molex.com</u> |
| Glow-Wire Compliant | | No | Please visit the Co | ntact Us section for any |
| Lock to Mating Part | | Yes | non-product compl | iance questions. |
| Material - Metal | | Brass | | |
| Material - Plating Mating | | Gold | China ROHS | Green Image |
| Material - Plating Termination | | Matte Tin | ELV | Not Relevant |
| Net Weight | | 3.760/g | | |
| Number of Rows | | 1 | | |
| Orientation | | Right Angle | Search Parts in this Series | |
| PC Tail Length | | 3.96mm | 42492 Series | |
| PCB Locator | | Yes | 42492 Series | |
| PCB Retention | | Yes | | |
| PCB Thickness - Reco | mmended | 1.60mm | Mates With | |
| Packaging Type | | Bag | | Housing, <u>41695</u> KK® |
| Pitch - Mating Interface Plating min - Mating Plating min - Termination Polarized to Mating Part | | 3.96mm | | 6442 KK® Crimp Housing, |
| | | 0.508µm | 2145 PCB Conne | ector, <u>41815</u> PCB |
| | | • | Connector, <u>30</u> 69 | KK® Crimp Housing |
| | | 0.508µm | , L <u> </u> | |
| | 11 | Yes | | |
| Polarized to PCB | | Yes | | |
| Shrouded | | Partial | | |
| Stackable | | Yes | | |
| Temperature Range - Operating | | See Product Specification | | |
| Termination Interface: | Style | Through Hole | | |
| Electrical | | | | |
| Current - Maximum per Contact | | 7.0A | | |
| Voltage - Maximum | | 250V | | |
| Solder Process Data | | | | |
| | | 005 | | |
| Duration at Max. Process Temperature (seconds) | | | | |
| Lead-freeProcess Capability | | WAVE | | |

| Max. Cycles at Max. Process Temperature Process Temperature max. C | 001 235 |
|---|--------------------------|
| Material Info Old Part Number | 42492-0025 |
| Reference - Drawing Numbers Product Specification Sales Drawing | PS-08-50 SD-42492-001 |

This document was generated on 02/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF