

This document was generated on 06/30/2014 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Description: CTX64 Female Terminal Documents: Drawing (PDF) Product Specification PS-502306-001 (PDF) Application Specification AS-502306-001 (PDF) General Product Family Series Application Crimp Quality Equipment Product Literature Order No Product Name UPC Physical Gender Material - Metal	, D-Wind, Left Payoff, SAE 20 <u>RoHS Certificate of Compliance (PDF)</u> <u>Product Literature (PDF)</u> Crimp Terminals <u>34803</u> Signal Yes 987650-4561 CTX64 884982186828	
Drawing (PDF) Product Specification PS-502306-001 (PDF) Application Specification AS-502306-001 (PDF) General Product Family Series Application Crimp Quality Equipment Product Literature Order No Product Name UPC Physical Gender	Product Literature (PDF) Crimp Terminals <u>34803</u> Signal Yes 987650-4561 CTX64	
Product Family Series Application Crimp Quality Equipment Product Literature Order No Product Name UPC Physical Gender	<u>34803</u> Signal Yes 987650-4561 CTX64	
Physical Gender	884982186828	
Gender		
Material - Plating Mating Material - Plating Termination Net Weight Packaging Type Termination Interface: Style Wire Insulation Diameter Wire Size AWG Wire Size mm ²	Female Copper Alloy Tin Tin 0.124/g Reel Crimp or Compression 1.40 to 1.90mm 20 0.50-0.75	
Electrical Current - Maximum per Contact Voltage - Maximum	6A 14V DC	
Material Info		
Reference - Drawing Numbers Application Specification Product Specification Sales Drawing	AS-502306-001 PS-502306-001 SD-31301-053, SD-34803-001	



EU ROHS ELV and RoHS Compliant REACH SVHC Contains SVHC: No Low-Halogen Status Low-Halogen



Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u> For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series 34803Series

Use With 34729 2.54mm Pitch Stac64[™] Right Angle Receptacle

Application Tooling | FAQ Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling

contained in the Application Tooling
Specification document.GlobalProduct #DescriptionProduct #Hand Crimp Tool for0638193800CTX64 ReceptacleTerminal, 0.50, 0.75,0.85mm² and 20AWGFine Adjust0639032700Applicator for CTX64Mat Seal ReceptacleTerminals. ForFor

WireProcess USe	
Only	

This document was generated on 06/30/2014 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

HT-13-10 71M-250-32-NB 01-2065-1-0216 00581P0075 M10-10RX M10BCK 60205-1 604200-1 60598-1-CUT-TAPE 60617-1-C 60873-1 M14-516R/SK M14-6RSX M18-10FLX M18-8FBX M18-8R/LX M18BCK 61314-6-C 61-S 61-SN-A 62-NBM-A 63-S 640179-1 640917-2-CUT-TAPE 6501550002 66107-2-C 696683-1 696834-1 696861-1 696931-1 696999-1 M8-516RK M86700006 MA250DMFMX-A 701-2007 701-2307 701-7761-03 70F-110-32-PB 718-N-A 71M-187-20-NBL 71M-250-32-NBL 72F-187-20-NBL 72M-250-32-NBL 7310 73F-250-32 73F-250-32-NBL 73F-250-32-NL F14-10C F-1M 751-250