

## This document was generated on 03/08/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

	Part Number:	0039013169		
Status:		Obsolete		
Overview:		minifit jr		
	Description:		Jr.™ Plug Housing, Dual Row, without Panel Mount Ears,	
Description.		PA Polyamide Nylon 6/6, UL	<b>o</b>	
	Documents:			
	Drawing (PDF)			
	<u> </u>			
	Agency Certification			Series
	CSA		LR19980	image - Reference only
	TUV		R72081037	
	UL		E29179	EU RoHS China RoHS
				ELV and RoHS
	General			Compliant
	Product Family		Crimp Housings	REACH SVHC
	Series		<u>5559</u>	Contains SVHC: No
	Application		Power	Low-Halogen Status
	Comments		Current = 13A max. per circuit when header is mated	Low-Halogen
			to a receptacle loaded with <u>45750</u> series terminals	Need more information on product
			crimped to 16 AWG wire See Molex product specification PS-45750-001 for additional current de-	environmental compliance?
			rating information.	Empil and untermaliance @malay.com
	Overview		minifit jr	Email productcompliance@molex.com For a multiple part number RoHS Certificate of
	Product Name		Mini-Fit Jr.™	Compliance, <u>click here</u>
				Compliance, <u>eliek here</u>
	Physical			Please visit the Contact Us section for any
	Breakaway		No	non-product compliance questions.
	Circuits (maximum)		16	
	Color - Resin		Natural	
	Flammability Gender		94V-0 Male	
	Glow-Wire Compliant		No	Search Parts in this Series
	Keying to Mating Part		None	<u>5559</u> Series
	Lock to Mating Part		Yes	
	Material - Resin		Nylon	Mates With
	Number of Rows		2	<u>39-01-2165</u> Receptacle Housing
	Packaging Type		Bag	
	Panel Mount		No	Use With
	Pitch - Mating Interfac		4.20mm (.165")	<u>5558</u> Mini-Fit Jr. <sup>™</sup> Male Crimp Terminals. 44478 Mini-Fit® HCS Male Crimp Terminals.
	Pitch - Termination Int		4.20mm (.165")	<u>30490</u> Mini-Fit® Male Grounding Crimp
	Polarized to Mating Pa	art	Yes	Terminals
	Stackable Temperature Range -	Operating	No -40°C to +105°C	
	remperature Mange -	Operating	-40 C 10 + 103 C	
	Electrical			
	Current - Maximum pe	er Contact	13A	
	Motorial Info			
	Material Info Old Part Number		5550 16D1 210	
			5559-16P1-210	
	Reference - Draw	ving Numbers		
	Packaging Specification	-	PK-5559-002	
	Product Specification		PS-5556-001	
	Sales Drawing		SD-5559-NP1*	
	Test Summary		TS-5556-002	

This document was generated on 03/08/2011 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF