

3C Precision Tweezers



4 1/4' 110 mm

As 3, short

3C-SA

Anti-Magnetic Anti-Acid Stainless Steel

General Notes

- low carbon austenitic steel (Material number 1.4435, DIN X2CrNiMo18-14-3, AISI number 316L)
- contains from 16.5 to 18.5 wt% chromium and has important quantities of nickel and molybdenum as additional alloying elements
- non-magnetizable
- good corrosion resistance to most chemicals, salts and acids
- generally used where corrosion resistance and toughness are primary requirements
- typical applications include tweezers for the electronic industry, watch-makers, jewelers and laboratory and medical applications in moderately aggressive chemical environments

Composition

Component	Wt.%	Component	Wt.%	Component	Wt.%
C	≤0.03	Si	≤1.0	Mn	≤2.0
P	≤0.045	S	≤0.03	Cr	17.0-19.0
Mo	2.5-3.0	Ni	12.5-15.0		

Mechanical properties:

State	annealed
Density	8.0 g/cm ³
hardness HB30	≤215
Hardness Rockwell B	79
Tensile strength, ultimate	500-700 MPa
Tensile strength, yield	290
0.2% Yield stress	≤200 MPa
Elongation, break	40%
Modulus of elasticity	200 GPa

Thermal properties

Coef. of lin. therm expansion	16.0 E-6/°C	20°C-100°C
Coef. of lin. therm expansion	17.0 E-6/°C	20°C-300°C
Specific heat capacity:	0.50 J/(g·K)	
Thermal conductivity:	15W/(m·K)	
Continuous use temperature:	350°C	
Max service temperature, ait	925°C	

Electrical properties

Resistivity	0.75 E-4 Ohm.cm
-------------	-----------------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [ideal-tek](#) manufacturer:

Other Similar products are found below :

[56A.SA](#) [ALCRON](#) [BON-102A](#) [2WF.SA](#) [4313 SM](#) [5340](#) [K5HP.SA](#) [E6024](#) [5CF.SA](#) [MPT123.CP](#) [3C.TA](#) [PCSA-4.2](#) [UVO0000300](#)
[AM4023X](#) [EX2175](#) [3C.SA.DR.1](#) [14A.C.DR](#) [242SVR.SA](#) [2A.NC](#) [3.NC](#) [3XCF.SA](#) [4.SA.DR](#) [5.SA.T](#) [51S.SA](#) [72MZ.SA](#) [8507](#) [2AMZ.SA.0](#)
[3C.SA.NE.6](#) [3CPR.SA.1](#) [AA.SA.DN.6](#) [KCFR](#) [00D.SA.0](#) [812.01](#) [K5SMD.SA](#) [M12102](#) [BON-102](#) [BON-102S](#) [NLP-1](#) [PEN-TEK](#) [35A SA](#)
[818.01](#) [8X](#) [A242CP](#) [E5140](#) [E5350](#) [EX175](#) [EX440](#) [AA.SA.DR.6](#) [7.SA.DR.1](#) [E5160L](#) [E5162](#) [00CFR.SA](#)