

This document was generated on 09/30/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0740572601

Status: Active

Overview: VHDM® Backplane Connector Systems

**Description:** VHDM® Single-Ended Board-to-Board Backplane Header, 2.00mm Pitch, Vertical,

6-Rows, Open Signal Module, 150 Circuits, 25 Columns, Advance Mate Shield, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors

utilizing standard pin lengths 4.25, 4.75, 5.15, and 6.25mm

**Documents:** 

<u>3D Model</u> <u>Packaging Specification PK-74057-003 (PDF)</u>
Drawing (PDF) RoHS Certificate of Compliance (PDF)

Product Specification PS-74031-999 (PDF)

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series 74057
Application Backplane
Application Tooling Documents TM-622010999

Comments Advanced mate shield chevron can be used for the first

mate last break (FMLB) grounding application.

Component Type PCB Header

Overview VHDM® Backplane Connector Systems

Product Name VHDM® UPC 756054480892

**Physical** 

Circuits (Loaded) 150
Circuits (maximum) 150
Color - Resin Black
Durability (mating cycles max) 200
First Mate / Last Break No
Flammability 94V-0
Guide to Mating Part No
Keying to Mating Part None

Material - Metal Beryllium Copper, High Performance Alloy (HPA)


Material - Plating Mating Gold
Material - Plating Termination Matte Tin

Material - Resin High Temperature Thermoplastic

Net Weight 10.985/g Number of Columns 25

Number of Pairs Open Pin Field

Number of Rows Orientation Vertical PC Tail Length 2.50mm **PCB** Locator No **PCB** Retention None PCB Thickness - Recommended 1.80mm Packaging Type Tube Pitch - Mating Interface 2.00mm Pitch - Termination Interface 1.00mm Plating min - Mating 0.762µm Plating min - Termination 0.762µm Polarized to PCB Yes Surface Mount Compatible (SMC) Yes



**China RoHS** 

# **EU ELV Not Relevant**

EU RoHS

Compliant REACH SVHC

Not Contained Per -ED/21/2016 (20 June

2016)

**Halogen-Free** 

**Status** 

Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Green Image ELV Not Relevant

#### Search Parts in this Series

74057 Series

**Mates With** 

74030 VHDM® Board-to-Board Daughtercard Receptacle

### Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

**Description** Product # Insertion Module 0622020204

for Advanced Mate Signal Header, 6-Row by 25-Wide, 50.00mm Temperature Range - Operating -55°C to +105°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 

Current - Maximum per Contact 2.0A

Data Rate 3.125 Gbps

Shield Type Ground Plane Shield

Shielded Yes

Voltage - Maximum 120V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-74057-003
Product Specification PS-74031-999
Sales Drawing SD-74057-003

Note: HDM, HDM+, VHDM, VHDM-HSD and GbX are trademarks or registered trademarks of Amphenol TCS.

This document was generated on 09/30/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Insertion Module

Row by 25-Wide,

50.00mm

for Standard Shield Signal Header, 60622020208

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

09231126901 PCN10F-24P-2.54DS(72) 004.767 02221602702 024069 602427301412000 013275 691327-1 74670-0732 74680-0340
75880-0015 76453-0014 86093159ALF 923454 QLC260R 120X10099X 120X10019X 120X10089X 120X10129X 121A10039X
121A10309X 122A10019X 122A10029X 122A10249X 122A10669X 122A11089X 122A13089X 121B10409X 122A10089X
122A10129X 122A10349X 122A13359X 1377391-4 DIN-048CPC-SR1-MH 1393583-2 1393726-7 140X10059X 140X10129X 143-1913000 143-1908-000 1484472-1 173052 2110070-1 2110070-2 CBC20T00-008FDS5-0-1-002VR 983-0SE12-12P6 17041102202 1726995036 173051 20 8457096 010 025