

PRODUCT NUMBER 2410.0301




## TECHNICAL DATA

Product number	2410.0301
Actuator color / printing	
Product family	Foot switches
Actuation type	direct
Weight	305.842 g
ROHS conform	yes
Switching function	Normally open contact (SPNO)
Material fixed contact	Ag
Number of poles	1 - pole
connections	Socket terminal, 2 terminals, M3
Mechanical life endurance	30E4
Rating IEC	6 (2.5) A 250 V AC 5E4
Proof tracking	250 PTI
Insulation spacing	acc. to EN 61058 for reinforced or double insulation
Actuators and additional actuators	foot plate: PA, black, similar RAL 7024
Housing description	housing: PA, black, 4 rubber feet, opening for hanging up
Contact material	Ag
Contact distance	< 3 mm
Contact type	friction jump contact
Operating force	31 ±5 N
Approval marks	ENEC 10
Miscellaneous	with switch 1005.1801
Degree of pollution	3
Type of connection	1.2 Single pole, single load (single-pole disconnection)
Stock version	•

## PRODUCT IMAGE



## **DRAWINGS**



Technical changes reserved. Dimensions are not binding. Detailed specifications available on request.

 $\label{eq:marquardt} Marquardt~GmbH \cdot Schloss-Straße~16 \cdot 78604~Rietheim-Weilheim \cdot Germany~Phone:~+49~(0)~7424~/~99-0~Fax:~+49~(0)~7424~/~99-2399~\cdot www.marquardt.com~\cdot marquardt@marquardt.de$ 

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Control Switches category:

Click to view products by Marquardt manufacturer:

Other Similar products are found below:

80887-99 80932-99 86855-00 88814-30 89721-12 89804-08 EX0011-1 SSN RL01801 50051857-17 50099156-001-05 51.155R-15200 50058920-26 KMK-PA RAL9005 M16 ACCU-SC/L-3000 PORTAPRO CFPS-73-48M WEL.PT-06 WEL.PT-L8 WEL.PT-K7 WEL.PT-H7 WEL.PT-E9 WEL.PT-B7 WEL.PT-AA9 WEL.PT-AA8 WEL.PT-A8 WEL.PT-A8 WEL.LT-1 WEL.LT-1 WEL.ET-BB WEL.CT5B7 WEL.51361699 RGFRA1903041A1T PLC-60/75 PLC-30/40 PLC-24/30 PLC-40/55 LOC-MIKSER2 8522808 CC-100N V8Y-11Z-Y V8Y-11Z-R V8Y-11Z-0 V8Y-11Z-24R V8Y-11Z-24O V8Y-11Z-230B V8Y-11-230W V8Y-11-230O