



POS	A	B	C	D
02	6.65	NA	11.20	
04	9.65	3.00	14.20	6.74
06	12.65	6.00	17.20	
08	15.65	9.00	20.20	
10	18.65	12.00	23.20	
12	21.65	15.00	26.20	
14	24.65	18.00	29.20	
16	27.65	21.00	32.20	1.60
18	30.65	24.00	35.20	
20	33.65	27.00	38.20	
22	36.65	30.00	41.20	
24	39.65	33.00	44.20	



DIMENSION TABLE



PRODUCT NUMBER
SEE PART NO. SCHEME

PART NUMBER SCHEME:
10137926-XX X X X LF
NO OF POS. 02: 2 POS.
24: 24 POS.


PACKAGE
BLANK: TAPE&REEL WITH PICK UP CAP
1: TAPE&REEL WITHOUT PICK UP CAP
HSG MATERIAL
1: LCP, GLOW WIRE COMPATIBLE, BLACK
2: LCP, NON GLOW WIRE COMPATIBLE, BLACK
3: LCP, GLOW WIRE COMPATIBLE, NATURAL
4: LCP, NON GLOW WIRE COMPATIBLE, NATURAL
CONTACT PLATING
1: TIN
2: GOLD FLASH
3: 15u" Au, TIN ON SOLDER TAILS
4: 30u" Au, TIN ON SOLDER TAILS



mat'l. code	surface	tolerance	projection	product family	MINITEX PWR3.0
litr	ecn no	dr	date	tolerances unless otherwise specified	
A	TAI	2015-11-30			
B	ELX-T-24935	TAI	2016-09-01	angles	
C	ELX-N-27136	TONY	2017-06-02	inlead	
D	ELX-N-26649	TONY	2017-11-30	X±.2	
E	ELX-N-29278	TONY	2018-02-05	engr	
		chr			
		KENNY TAI	2015-11-26		
		KENNY TAI	2015-11-26		
		PM ZHENG	2015-11-26		
sheet	revision	E	2		
index	sheet	1	2		

- NOTES:
- MATERIALS: HOUSING: OPTIONAL, UL94V-0, HALOGEN FREE. TERMINAL: COPPER ALLOY HOLD DOWN: COPPER ALLOY
 - FINISH: TERMINAL: OPTIONAL HOLD DOWN: MATTE TIN UNDER PLATING: NICKEL OVERALL
 - PRODUCT SPECIFICATION: GS-12-1177
 - PACKAGE SPECIFICATION: GS-14-2359
 - THIS PART MATES WITH FCI RECEPTACLE WIRE CONNECTOR 10127716.
 - THIS PART IS APPLICABLE FOR REFLOW PROCESS WITH 260°C PEAK TEMPERATURE FOR 10 SECONDS.

RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE: ±0.05
PCB THICKNESS=1.60MM



5


A

mat'l. code	date	tr	ecn no	dr	tolerances unless otherwise specified
surface	linear	angles	X.X ±0.3	X.XX ±0.2	X±.2
tolerance	projection	scale:N.T.S.	product family	MINITEK PWR3.0	MINITEK PWR3.0


sheet	revision	E	E
1	2	1	2
index	sheet	PM ZHENG	2015-11-26
		chr	KENNY TAI
		engr	KENNY TAI
		dr	KENNY TAI

type	Product Customer Drawing
dwg no	10137926
sheet 2 of 2 size	A4
product family	MINITEK PWR3.0
title	MINITEK PWR3.0 VT HEADER, DUAL ROW SMT TAILS AND HOLD DOWN


14 P




16 P




18 P




20 P




22 P




24 P




12 P




10 P




08 P




06 P



04 P



02 P



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power to the Board](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[10131318-08512GRLF](#) [6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#)
[1393532-3](#) [1393532-4](#) [1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1645595-1](#) [1743490-1](#) [1744132-7](#) [1761122-1](#) [1766169-1](#) [1766250-1](#) [18362](#)
[1892109-1](#) [1-967627-6](#) [2226808-1](#) [2-6450860-5](#) [2-6450860-6](#) [2-6450870-0](#) [93003-0502](#) [953552-1](#) [1-6450161-4](#) [1-6450850-6](#) [1645526-2](#) [1-](#)
[6600130-0](#) [1743419-1](#) [1766150-1](#) [2005243-2](#) [211110-1](#) [2-6600130-2](#) [TE34-12-16P-F0](#) [5-6450830-6](#) [5646956-4](#) [36662-0005](#) [40585-3000](#) [4-](#)
[6450830-9](#) [4-6600333-3](#) [51142-0214](#) [10134048-911LF](#) [10130248-005LF](#)