

Product card: ASA filament for 3D printing.

Product description: Filament ASA - thermoplastic plastic in the form of fiber, used for 3D printing using the FFF method. Filament wound on a spool, vacuum packed with a moisture absorber. The spool contains 1 kg of net material. It can be used in all FFF printers that are not protected from external suppliers and open source structures before using. ASA is a material with increased resistance to weather conditions and UV radiation (relative to ABS), easily subjected to mechanical treatment such as grinding or drilling, the material is soluble in acetone.

Physical properties of the product:

| Diameter of filament | 1.75 mm |
|-----------------------------------|---------------------------|
| Dimensional tolerance of filament | +/- 0.05 mm |
| Roundness of filament | +/- 0.02 mm |
| Surface of the material | Light Gloss |
| Shrinkage of the material | Large |
| Product weight | 1.0 kg net, 1.4 kg gross |
| Spool - material | Transparent policarbonate |
| Weight of the empty spool | ~257 g |
| The diameter of the spool | 200 mm |
| Width of spool | ~70 mm |
| Diameter of mounting hole | 52 mm |
| Packaging | Printed cardboard |
| Package size | ~230x210x80 mm |
| Vacuum packing | Yes |
| Moisture absorber | Yes |

Suggested printing parameters:

| Hotend | 230-240°C |
|----------------------|-----------------|
| Heated bed | 90-100°C |
| Cooling the printout | Not recommended |

Due to the structural differences of printers, the above figures should be considered as guidelines and the corresponding values must be determined experimentally.







Physical properties of the material:

| Specific Gravity | 1.07 g/cm3 | ASTM D792 |
|-----------------------------|------------|------------|
| Vicat Softening Temperature | 96°C | ASTM D1525 |
| Rockwell Hardness (R-Scale) | 107 | ASTM D785 |
| Tensile Strength - Yield | 500 kg/cm2 | ASTM D638 |
| Tensile Elongation - Break | 20% | ASTM D638 |
| Flammability | НВ | UL 94 |

Availability of colors and diameters:

| Color | Kolor | 1.75 |
|-----------|--------------|----------|
| Natural | Naturalny | ✓ |
| Orange | Pomarańczowy | ✓ |
| Hot Red | Czerwień | ✓ |
| Navy Blue | Granatowy | ✓ |
| Green | Zielony | ✓ |
| Aluminum | Aluminiowy | ✓ |
| Brown | Brązowy | ✓ |
| Black | Czarny | / |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Printers category:

Click to view products by Devil Design manufacturer:

Other Similar products are found below:

1085267 897252-000 CU0620-000 F39639-000 FTP-020P0704 PT110P01-E PTMBL1912A PWC-L07A1-W1-E DPU-V445-10B-E D-SCE-12-50-S1-4 D-SCE-2.4-50-4 D-SCE-3.2-50-S1-4 EC9926-000 ED4841-000 IF2302-01UK-E IF9001-01P-E 2000P-RIBBON-4AG-MED 206868-000 OP-LH200A-E CA1055-000 LB1256-E LM-1/4-TUBE-WE 308-LE SMS-V-19-9 ACUH205A-E 1813390001 T300-RIBBON-WH-HIGH-PERF FTP-040P001 FTP-622CT001 FTP-628CU601R FTP-629Y601 240205-000 PW-C0725-W2-U HANDHELD-TMS-13.2-9 HANDHELD-TMS-3.9-9 HANDHELD-TMS-5.2-9 3045950001 351013-000 RH-48-00-E 4775630001 TSK-508406-2.5CS8982 TTC-PRINTER-PRINTHEAD-300 HW-762254-5-9 IF2301-01B IFC-001K-E IFH001-01B LM-1/2-TUBE-WE DPU-D3-01A-E D-SCE-12-50-9 D-SCE-4.8-50-4