


REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE









- NOTES:
 1.DIMENSION SHALL BE INTERPRETED PER ASME Y14.5-2009.
 2.PITCH: 11.00 ,POLES:N=02-24P
 3.UL1059: 300V/40A
 4.IEC: 750V/32A
 5.LOWER LIMIT TEMPERATURE: -40℃
 6.UPPER LIMIT TEMPERATURE: +105℃
 7.WIRE RANGE: 18AWG~8AWG, 4.0MM²
 8.TORQUE VALUE: M4.0, 15LB.IN/1.75N.M.
 9.UNDIMENSIONED TOLERANCES:

PITCH RANGE IN MM		NOMINAL DIMENSION RANGE IN MM					TOLERANCE
TO 6	OVER 6 TO 10	OVER 10 TO 24	TO 30	OVER 30 TO 60	OVER 60 TO 100	OVER 100 TO 150	
±0.10	±0.15	±0.25	±0.20	±0.30	±0.50	±0.70	±1.00, 0.05/10

文管中心
研发专用
2015.05.28

(仅限内部使用, 对外无效)



ITEM	NAME OF PART	NO.OF PART	Q"TY	MATERIAL	NOTES
4	M4.0x10.0-SCREW	S000008720(H)	XX	C1018/45#/65Mn	NI PLATED
3	M4.0 NUT	S000004790(H)	XX	45#	Zn PLATED
2	DG66RT-Pin header	5068B00010(H)	XX	Brass	SN PLATED
1	DG66RT-Housing	5068A0YXXA(H)	1	PA66	UL94V-0

DETACHED LISTS	MM (INCH)		MATERIAL:		宁波高正电子有限公司 DEGSON ELECTRONICS CO., LTD	
	TOLERANCES EXCEPT AS NOTED		FINISH:			
	.X ±	.X' ±	PART NO.:		NAME: DG66RT-XXP-1Y-00A(H)	
	.XX ±	.XX' ±	APPD: <i>Amor 5/21/15</i>		TITLE: ASSEMBLY DRAWING	
.XXX ±	.XXX' ±	CHKD: <i>Xm 5/21/15</i>		DRAWING NO.: DG66RT-E01		
ANGLES ± 1°		DRFT: ZDZ 12/12/20"		DO NOT SCALE DRAWING		
THIRD ANGLE PROJECTION				SCALE	1:1	
				SHEET	1/1	