

Fiber Patch Cord OM3 50/125 μ

Technical Features

Duplex jumper 50/125 μ Multimode.

I-VH 2G 50/125 μ OM3 fiber, high-quality and better compatibility with barebone or indoor-coming components.

Ø3mm orange double-layer LSZH Jacket according to IEC standard, meeting all European countries' legal requirement.

First-class CCTC Class A Ferrule.

Up to 1 Gbit/s/500m.

All components in aspect of material and measurement are compliant with IEC standard.

DIN EN 50173-1 and IEC/ISO 11801.

Pulling force of Connector is compliant with IEC standard.

Test method of Insertion Loss and return Loss is compliant with IEC standard.

Test method of surface hygiene is compliant with IEC Standard.

100% IL and RL Test for patch cords and pigtails.

100% IL for each port of Adapter.

100% End face Control.

20% 3D Random Test to guarantee 90% the 3D Pass Quote.


Cable length with positive tolerance.

Each cable includes a measure protocol.


Quality Management according to ISO 90001.

Technical Drawings


FP3LC01



FP3LS01




FP3LT01



Length	LC-LC	EAN Code	SC-SC	EAN Code
0.50 m	FP3LC00	4052792017649	FP3SC00	4052792028140
1.00 m	FP3LC01	4052792017656	FP3SC01	4052792028157
2.00 m	FP3LC02	4052792017663	FP3SC02	4052792028164
3.00 m	FP3LC03	4052792017670	FP3SC03	4052792028171
5.00 m	FP3LC05	4052792017687	FP3SC05	4052792028188
7.50 m	FP3LC07	4052792017694	FP3SC07	4052792028195
10.00 m	FP3LC10	4052792017700	FP3SC10	4052792028201
15.00 m	FP3LC15	4052792017717	FP3SC15	4052792028218
20.00 m	FP3LC20	4052792017724	FP3SC20	4052792028225

Length	ST-ST	EAN Code
0.50 m	FP3ST00	4052792028232
1.00 m	FP3ST01	4052792028249
2.00 m	FP3ST02	4052792028256
3.00 m	FP3ST03	4052792028263
5.00 m	FP3ST05	4052792028270
7.50 m	FP3ST07	4052792028287
10.00 m	FP3ST10	4052792028294
15.00 m	FP3ST15	4052792028300
20.00 m	FP3ST20	4052792028317



Length	LC-SC	EAN Code	LC-ST	EAN Code
0.50 m	FP3LS00	4052792017915	FP3LT00	4052792018004
1.00 m	FP3LS01	4052792017922	FP3LT01	4052792018011
2.00 m	FP3LS02	4052792017939	FP3LT02	4052792018028
3.00 m	FP3LS03	4052792017946	FP3LT03	4052792018035
5.00 m	FP3LS05	4052792017953	FP3LT05	4052792018042
7.50 m	FP3LS07	4052792017960	FP3LT07	4052792018059
10.00 m	FP3LS10	4052792017977	FP3LT10	4052792018066
15.00 m	FP3LS15	4052792017984	FP3LT15	4052792018073
20.00 m	FP3LS20	4052792017991	FP3LT20	4052792018080

Length	ST-SC	EAN Code
0.50 m	FP3SS00	4052792028324
1.00 m	FP3SS01	4052792028331
2.00 m	FP3SS02	4052792028348
3.00 m	FP3SS03	4052792028355
5.00 m	FP3SS05	4052792028362
7.50 m	FP3SS07	4052792028379
10.00 m	FP3SS10	4052792028386
15.00 m	FP3SS15	4052792028393
20.00 m	FP3SS20	4052792028409

Package Contents

1 x Fiber Patch Cord OM3 50/125 μ

Packaging Informations

Packing Dimension	180 x 180mm (0.50m - 2.0m items) / 220 x 220mm (3.00m - 10.00m items)
Packing Weight	0.01kg (0.50m items) / 0.02kg (1.00m items) / 0.04kg (2.00m items) / 0.06kg (3.00m items) / 0.09kg (5.00m items) / 0.14kg (7.50m items) / 0.17kg (10.00m items)
Carton Dimension	217 x 217 x 220mm
Carton Q'ty	pcs
Carton Weight	0.96kg (0.50m items) / 1.38kg (1.00m items) / 1.60kg (2.00m items) / 2.25kg (3.00m & 5.00m items) / 2.63kg (10.00m items) / 2.83kg (7.50m items)

