

This document was generated on 05/01/2018

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 0908140014

Status: **Active** 

Overview: Picoflex Ribbon-Cable Connectors

Picoflex PF-50 Header with PCB Pegs, Vertical, Standard Profile, Surface Mount, Tin **Description:** 

(Sn) Plated, 14 Circuits, Tube, Natural

**Documents:** 

Packaging Specification PK-90814-001-001 (PDF) 3D Model

RoHS Certificate of Compliance (PDF) **Drawing (PDF)** 

Product Specification PS-99020-0011 (PDF)

**Agency Certification** 

E29179

General

**Product Family PCB Headers** 

Series 90814

Signal, Wire-to-Board **Application** 

**Application Tooling Part Link** 69008-1070 Comments Standard Profile

Overview Picoflex Ribbon-Cable Connectors

**Product Name** Picoflex **UPC** 800753656550

**Physical** 

Material - Plating Mating

Breakaway No Circuits (Loaded) 14 Circuits (maximum) 14 Color - Resin Natural Durability (mating cycles max) 30 First Mate / Last Break Nο

Flammability 94V-0 Glow-Wire Capable No Guide to Mating Part No Keying to Mating Part None Lock to Mating Part Yes Material - Metal **Brass** 

Material - Resin High Temperature Thermoplastic

Net Weight 0.655/g

Number of Rows Vertical Orientation **PCB** Locator Yes **PCB** Retention Yes PCB Thickness - Recommended 1.60mm Packaging Type Tube Pitch - Mating Interface 1.27mm Pitch - Termination Interface 1.27mm Plating min - Mating 3.048µm Plating min - Termination 3.048µm Polarized to Mating Part Yes

Polarized to PCB Yes Shrouded Nο Stackable No Surface Mount Compatible (SMC) N/A

Temperature Range - Operating -40°C to +105°C Termination Interface: Style Surface Mount



Series image - Reference only

**EU ELV** 

**Not Relevant** 

**EU RoHS China RoHS** 

Compliant **REACH SVHC** Not Contained Per

-ED/01/2018 (15 January 2018) **Halogen-Free** 

**Status** 

**Not Low-Halogen** 

**Need more information on product** environmental compliance?

Email productcompliance@molex.com Please visit the Contact Us section for any non-product compliance questions.

China ROHS Green Image **ELV** Not Relevant **RoHS Phthalates** Not Contained

Search Parts in this Series

90814 Series

**Mates With** 

90327 IDT Connector

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling

Specification document.

**Global** 

**Description** Product # **Extraction Tool** 0690081070

(Plastic) for 4-26

Circuit

**Electrical** 

Current - Maximum per Contact 1.2A Voltage - Maximum 250V

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-90814-001-001
Product Specification PS-99020-0011
Sales Drawing SDA-90814

This document was generated on 05/01/2018

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

1424048 1021212 600X518037X 6STD09SAM99B70X 6STD15PCR99B70A 8R4000A16M020 1200910002 1201150041 1203580030 1200700064 1200700263 1200700416 1200730102 1200770002 1-2823588-2 130203-0054 1300140026 1300150099 1-3637-600-5205 1545399 1594331 1600413 1612606 1612618 1614660 1A4000-348 CA06EW24-10P-B-03 21036836414 2823064-1 1610759 A1642LK-II-T 1R3006A20M005 41-01016 41-40011 41-40017 42-00006 42-01015 4-22279-4 4-22281-1 4-22284-9 43-00002 43-00113 43-00130 43-01028 43-01034 43-01088 43-01090 43-01203 43-01209 43-01335