

LogiLink®

Wireless N 300Mbps USB Adapter

Art. No.: WL0150A



The WL0150A is a highly integrated MAC/BBP and 2.4GHz RF/PA/LNA single chip with 300Mbps PHY rate supporting. It fully complies with IEEE802.11n and IEEE802.11b/g feature rich wireless connectivity at high standards, delivers reliable, cost-effective, throughput form an extended distance. The WL0150A is designed to support standard based features in the areas of security, quality of service and international regulation, giving end users the greatest performance anytime in any circumstance. The very small and compact WLAN adapter design is good for wireless connectivity when an external antenna needs.

Specification:

- » Chipset: RTL8192EU
- » With 3dBi detachable antenna
- » Complies with IEEE802.11b/g/n standards
- » Supports 64/128-bit WEP, WPA, WPA2, WPA-PSK and WPA2-PSK Encryption
- » High transfer data rate – up to 300Mbps
- » Supports WiFi Protection Setup (WPS)
- » Supports USB 2.0/1.1 interface
- » Supports Windows 2000/XP/Vista/7/8/10, Linux 2.6.x and MAC OS

Software and System Information:

Linux 2.4/2.6	ARM, MIPSII
Windows 2000/XP/Vista/7/8/10	X86 Platform
Mac OS X 10.3/10.4/10.5/10.6	N/A



WL0150A



4 052792 038316

Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.
* All trade names referenced are the registered namework of their respective owners.

LogiLink®

Wireless N 300Mbps USB Adapter

Art. No.: WL0150A



Specification:

Hardware	
Main Chipset	RTL8192EU
Host interface	USB 2.0/1.1 Type A
LED	Link/Activity
RF Performance	
Standards	IEEE802.11b/g & 802.11n (2T2R mode, 300Mbps)
Antenna	3dBi detachable antenna
Antenna Connector	SMA Male Reverse
Operation Frequency	2412~2483.5 MHz (varies according to different regions)
Typical Tx Power (E.R.I.P)	802.11b (CCK)11Mbps: 19±1dBm; 802.11g (OFDM) 54Mbps: 16±1dBm 802.11n (HT20@MCS7), 15±1dBm; 802.11n (HT40@MCS7), 15±1dBm
Receive Sensitivity	802.11b: -86±1dBm; 802.11g: -74±1dBm 802.11n (HT20), -70±1dBm; 802.11n (HT40), -70±1dBm
Software Support	
Operation System	Windows 2000/XP/Vista/7/8/10; Linux 2.6.X; Mac OS X
Security	WEP 64/128bit, WPA, WPA2, 802.1x, and 802.11i, Cisco CCS Compliant
Operation Conditions	
Voltage Range/Current	DC 5.0V ± 5% < 160mA
Temperature	Operation: -10°C ~ 60°C Storage: -20°C ~ 70°C
Humidity (Non- Condensing)	Operation: RH 95% Storage: RH 95%
Physical Specification	
Product Dimensions	180 x 18 x 58mm
Product Weight	20g

Best Connectivity



RoHS
compliant



* The specifications and pictures are subject to change without notice.
* All trade names referenced are the registered trademark of their respective owners.



WL0150A



Made in China

LogiLink®

Wireless N 300Mbps USB Adapter

Art. No.: WL0150A



Please download the driver online at: <http://www.2direct.de/media/driver/UA0150A.zip>



Package Contents:

- » 1 x Wireless N USB Adapter
- » 1 x Quick Installation Guide

Package Informations:

- » Packing Dimension: 105 x 163 x 20mm
- » Packing Weight: 0.078kg
- » Carton Dimension: 460 x 340 x 185mm
- » Carton Q'ty: 60pcs
- » Carton Weight: 4.69kg



WL0150A



Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.
* All trade names referenced are the registered namework of their respective owners.