



Quality Products. Service Excellence.

Knockdown 2-Post Aluminum Contractor Rack *RB-2PA Series*

1,500 lbs Weight Capacity



Features

- Constructed of 5052H32 Aluminum rails.
- 45U - 83.12" Overall Height.
- 19" EIA-310-D compliant 12-24 double-tapped rails.
- Numbered rail markings.
- Side ganging and accessory mounting holes.
- Knockdown self-squaring design ships unassembled for easy handling and shipping protection.
- Includes a 30-pack of 12-24 mounting hardware.
- Available in either anodized natural or black finish.
- Load rated to 1,500 lbs (680 kg) of equipment load capacity.
- RoHS Compliant.

RACK BASICS®

Part of the Rack Basics® line of economy rack solutions.



Accessories

- Universal Rack Shelf
- Two Post Mounting Adjustable Shelf
- Rack Panels
- Two Post Centered Shelf
- Two Post Mounting Deep Channel Shelf
- Two Post Mounting Keyboard & Equipment Shelf
- 12-24 Mounting Hardware
- Outlet Strips
- Light Duty Caster Set for Open Frame Rack
- Rack and Cabinet Baying/Ganging/Joining Kit
- Vertical Rack Cable Manager with Door
- Vertical Finger Cable Manager with Door
- Top Wire Management
- Top Cable Chimney
- Two-Post Extension Support Bracket
- Horizontal Ring Cable Manager
- Horizontal Finger Cable Manager
- Grounding
- Rack Isolation Kit

Part No.	Part No.	Overall Dimensions			Rack Units	Mounting Dimensions	
		Height	Width	Depth		Height	Width
Black	Natural Finish						
RB-2PA1945BK	RB-2PA1945NF	84.02	20.25	15.00	45U	78.75	19.00
RB-2PA2345BK	RB-2PA2345NF	84.02	24.25	15.00	45U	78.75	23.00

Tags: Relay Rack, H-Frame, Server Rack, Equipment Rack, Network Rack, Skeleton Rack, Telco Rack, Two-Post Rack *Data subject to change without notice*

© 2018. Hammond Manufacturing Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Racks & Rack Cabinets](#) category:

Click to view products by [Hammond](#) manufacturer:

Other Similar products are found below :

[1440-0131-78](#) [1440-0132-78](#) [1440-0133-36](#) [AX103928](#) [5231308-07](#) [C2FSKKBK1](#) [UPS 525-17-9 PLAIN](#) [UPS 350-17-12 PLAIN](#) [UNC-3-7-5-PLAIN](#) [UNC-23/4-6-6-PLAIN](#) [SN8VCMW](#) [R4PCNWH](#) [R4PWH](#) [R4P36CNWH](#) [R4P36WH](#) [NAKIT2.0G5-B](#) [RACK-2.18](#) [RACK-3.18](#) [SR14UBDP](#) [SR42UBDP48](#) [SR48UBDP48](#) [1440-0131-84](#) [UPS350 12-14 SEMI-GLOSS BLK](#) [UPH 350-12-14-BT](#) [UPR 525-17-14](#) [BLU/WHT](#) [RM1908BKVP](#) [RM2U19BKFP](#) [DN-WD19 12U/600](#) [1564A2BK1](#) [895-39949](#) [5231304-07](#) [18P3317](#) [18P4545](#) [HCT302411H](#) [HCT362011H](#) [HCT363011H](#) [HCT363611H](#) [HCT482411H](#) [HCT483011H](#) [HCT483611H](#) [HCT484814H](#) [1UHD722918N4SS](#) [RM3U19BKFP](#) [RM2U1918SBK](#) [2CLD83643](#) [2CLD84843](#) [2CLT204843](#) [RB-2PA1945NF](#) [RB-2PA1945BK](#) [RB-2PA2345NF](#)