Safety Tags

Our selection of safety tags is just as diverse as your workplace.

- · Prevent the potential for accidental injury and property damage
- · Alert, call out or draw attention to temporary hazards
- Required critical tool in safety, performance and maintenance operations

We Have What You Need

Look to us for the tags that you need! In addition to standard OSHA safety tags, our comprehensive selection of safety tags incorporates key categories like Lockout/Tagout, Equipment Status and Record Inspection.

Safety Tags Identify Temporary Hazards

Safety Tags...

- · Call out attention to hazards
- Prevent the potential for accidental injury or property damage
- · Identify and inform that a hazardous condition exists

Attach and hang the tags as close as possible to the hazard situation where the tag can be readily seen. Tags are to remain in-place until the hazard is eliminated or the hazardous operation is complete.

The Occupational Safety and Health Administration (OSHA 29 CFR §1910.145) and American National Standards Institute (ANSI Z535) provide specifications, designs, applications, and uses of accident prevention tags. Tags can be printed in a variety of colors and messages to meet your needs. They are typically designed with an attention-getting signal word for a degree of hazard along with a specific message and areas to write in particular information.

Safety tags are an inexpensive, fast solution for temporary marking and identification of hazards.

Note: A tag shall not be used in place of a permanent sign or label for hazards in normal use, operation or maintenance.

Choose the Right Tag Material

Select a material based on your application requirements to ensure your message is conveyed clearly and effectively.

Poly Cardstock (PCT)

Pulp-free tags have no wood pulp or paper content, unlike standard cardstock tags, and are available at an economical price.

Material Features

- Thin, pliable 0.010" poly-based tags will not crack, distort, or shrink
- Waterproof and tear-resistant from incidental pulls and snags
- · Can be printed on both sides
- Scuff-resistant matte surface is easy to write on with pen or marker
- 3/8" non-reinforced hole

Applications

- · Indoor usage
- · Non-reinforceable hole



3/8" Metal

0.010"

Printed

0.007"

Laminate

Both Sides

Message

Cardstock

Grommet Hole

Rigid Plastic (PVT)

High-strength rigid plastic tag is ideal for use in tough industrial environments – resists chemicals, tears, and abrasions.

Material Features

- 0.015" thick rigid plastic tags are relatively bendable
- Matte surface is easy to write on with pen or marker
- · Can be printed on both sides
- 3/8" hole, reinforced by a pull-proof metal grommet

Applications

- Indoor and temporary outdoor usage
- Chemical and dirty/greasy environments
- · 2 years outdoors



Laminate Plastic (PCTL)

Nearly indestructible tag is made to withstand tough, abusive conditions.

Material Features

- 0.010" cardstock tag sealed by a thick, 0.007" laminate on both sides – right to the edges – to protect the printed image
- Tear-proof, weatherproof and chemical-resistant
- Durable to withstand dirt, grease, liquid splashes and rough handling
- Scratch-resistant matte-finish laminate surface is easy to write on with pen or marker
- 3/8" hole, reinforced by a pull-proof metal grommet
- Available in Lockout Tags

Applications

- Indoor and outdoor usage when the most durable tags are required
- Chemical applications and tough industrial settings

Self-Laminating Tags

Protect written messages and photos when your life is on the line.

- Write information and insert a photo (where applicable), then laminate your own tag
- Protection from moisture, chemicals and dirt
- Prevents tampering with the information
- Dual self-laminating polyester flaps pre-attached at the top
- Reinforced by a pull-proof metal grommet





Standard Safety Tags



Back A Back B 1006 1023



Back A Back B



Back A Back B



Back A Back B 1002 1026



Back A Back B 1005 1018



Back A Back B 1007 1022



Back A Back B 1003 1020













Back A Back B 1015



Back A Back B



Back A Back B 1036 1040









Back A Back B 1001 1042



Back A Back B 1037



Blank Header Tags









Bilingual Spanish Safety Tags

















Inspection & Status Record Tags



























Available Materials Poly Cardstock Rigid Plastic

Codes PCT-PVT-

Available Packages Pk. of 5 Pk. of 25

Codes (blank) -Q

How to Order Tags:

Select Material Code: PCT-

Select Package: 5/Pk - (blank); 25/Pk - -Q





Combine Codes in Specific Order for Complete Part Number: 5/Pk – **PCT-1011**; 25/Pk – **PCT-1011-Q**



Status Tags

Scaffold Tags


































Cylinder Tags












Ladder Tags










How to Order Tags:







Select Package: 5/Pk – (blank); 25/Pk – -Q Combine Codes in Specific Order for Complete Part Number: 5/Pk – PCT-1050; 25/Pk – PCT-1050-Q

Safety Tags

Lockout Tags





















Available Materials Codes
Poly Cardstock PCTRigid Plastic PVTLaminate Plastic (Pk. of 5) PCTL-

Available Packages
Pk. of 5
Pk. of 25

Codes How (blank) -Q 1 5

How to Order Tags:

Select Material Code: PCT-

Select Package: 5/Pk – (blank); 25/Pk – -Q Select Tag Base Part Number: 1051



4 Combine Codes in Specific Order for Complete Part Number: 5/Pk – PCT-1051; 25/Pk – PCT-1051-Q

Self-Laminating Lockout Tags







Available MaterialsPoly Cardstock
Rigid Plastic

1060

Codes PSCT-PST- **Available Packages**Pk. of 5
Pk. of 25

Codes (blank) -Q

How to Order Tags:

Select Material Code: PSCT-

Select Package: 5/Pk - (blank); 25/Pk - -Q Select Tag Base Part Number: 1060



Combine Codes in Specific Order for Complete
Part Number: 5/Pk – PSCT-1060; 25/Pk – PSCT-1060-Q



Tag Holder Systems

Insert, enclose and contain your status alert tags in a secure tag holder system.

- Mount durable plastic holder and insert tag to display alert status
- Default "DO NOT USE" message shows when no tag is inserted
- · Available in two styles:

(A) Secure-Status – Durable plastic holder measures 10"H x 3 1/2"W x 3/8" overall with 5 1/2"H x 2 3/4""W clear view front window. Upper jaws close to fit onto post rails or poles up to 2 3/8" diameter or through any 1/2" opening to lock out a device. Accommodates up to four padlocks (sold separately).

(B) Status Alert – Durable 0.060" thick plastic holder measures 12"H x 4 1/2"W overall with a 2 3/4" diameter opening at top. Insert tag into the 5 1/2"H x 4 1/2"W clear polycarbonate plastic front pocket, secure with nylon tie (sold separately) and mount in a visible location with large opening at the top.





(A) Secure-Status Holder



PT-1164



PT-1162





PT-1163

(B) Status Alert Holder



PT-1160



BARRICADE TAG (DANGER) DO NOT REMOVE BARRICADE PT-1161


FORKLIFT TAG 0 (DANGER) DO NOT USE FORKLIFT INSPECTION TAG REQUIRED

PT-1159

Roll of Tags

Portable Dispenser Roll for your On-The-Go Needs

- · Keep a large quantity of tags readily available
- Tags are connected end-to-end with perforations, and housed in an convenient cardboard dispenser
- Dispenser box measures 6 5/8"H x 6 5/8"W x 3 5/8"D
- Box features 1 1/2" perforated center hole for mounting
- Poly Cardstock tags are tear- and water-resistant
- Tags measure 6 1/4"H x 3"W, with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date and add notes
- · Available in 100 and 250 tags per roll









General Safety Tags



100/Roll PCT-1077-C 250/Roll PCT-1086-B



100/Roll **PCT-1078-C** 250/Roll **PCT-1081-B**



100/Roll **PCT-1080-C** 250/Roll **PCT-1087-B**



100/Roll **PCT-1093-C** 250/Roll **PCT-1096-B**



100/Roll **PCT-1083-C** 250/Roll **PCT-1088-B**



00/Roll PCT-1084-C 50/Roll PCT-1089-B



100/Roll PCT-1085-C 250/Roll PCT-1090-B



100/Roll PCT-1079-C 250/Roll PCT-1082-B



100/Roll **PCT-1091-C** 250/Roll **PCT-1098-B**



100/Roll PCT-1092-C 250/Roll PCT-1099-B



100/Roll **PCT-1094-C** 250/Roll **PCT-1097-B**



100/Roll **PCT-1095-C** 250/Roll **PCT-1100-B**

Thick Plastic Tags

This tag can take the abuse of the harshest industrial environment. It's thick, tough, and rigid to withstand tugging, pulling, twisting and bending.

- · Made of tough recycled polycarbonate
- Relief text increases visibility
- Double-sided
- Polycarbonate plastic resists most corrosive environments
- · Write on these tags with permanent marker
- 3/8" hole without grommet meets dielectric requirements
- Measures 5 7/16" x 3 1/16" x 1/8"
- Available in packages of 5 and 25



Pkg/5 **PVT-1062** Pkg/25 **PVT-1062-Q**



Pkg/5 **PVT-1162** Pkg/25 **PVT-1162-Q**





Scaffold Status 3 'n 1 Fold Tag

Quickly and conveniently change the safety status of your scaffold with our 3 'n 1 Fold Tag.

- Display DANGER, CAUTION or ATTENTION messages all from the same tag with a simple fold
- Ideal for use with Secure-Status or Status Alert Holder (sold separately)
- Front and back display the same color with related info
- Folded tag size: 5 3/4" x 3 1/4". Unfolded size: 11 1/2" x 6 1/2"
- Available in Poly Cardstock (PCT) or Rigid Plastic (PVT) in packs of 5 or 25









Simply fold tag to display appropriate message. When status changes remove tag from holder and unfold to change message. Shown with Secure-Status Holder.

Material	Part No.	UOM	Part No.	UOM
Poly Cardstock	PCT-1157	Pkg. of 5	PCT-1157-Q	Pkg. of 25
Rigid Plastic	PVT-1157	Pkg. of 5	PVT-1157-Q	Pkg. of 25

Aluminum Inspection Record Tag

FIRE EXTINGUISHER INSPECTION RECORD

EXTINGUISHER NO.

2016	2017		2018	2019
		JAN		
		FEB		
		MAR		
		APRIL		
		MAY		
		JUNE		
		JULY		
		AUG		
		SEPT		
		OCT		
		NOV		
		DEC		

- · Four-year aluminum tag is made to withstand the inspection period
- 0.020" Aluminum
- · Pack of 5



Meets OSHA 29 CFR §1910.157(e)

Loop Strap Tags

Attach tags by the self-fastening strap for quick marking of hazards.

- · Hangs on its own strap by looping the vertical strap around itself
- Flexible 0.014" polyethylene plastic
- 5 1/4" x 3 1/4" tag body with the strap being 1 3/8"W x 6"L x 7/16" wide opening
- · Resists grease, dirt, and moisture
- · Message is printed on one side only
- · Can be written on with permanent marker
- Available in packs of 25











PVT-1072-Q


PVT-1073-Q


PVT-1074-Q

PVT-1069-Q









PVT-1070-Q

PVT-1071-Q

PVT-1076-Q PVT-1075-Q

Start Year 2016

PT-1129


Blank Tags

Blank tags allow you to write any message in pen, pencil or marker. Use for coding, marking, quick identification, production status or inventory.


Manila Cardstock Tags

- 0.0013" tags with patch-reinforced 3/16" hole
- Pack of 100

1 401 01 100			
Part No.	Size	Size No.	
Hole Only			
PCT-1101-C	4 3/4" x 2 3/8"	5	
PCT-1102-C	5 1/4" x 2 5/8"	6	
PCT-1103-C	6 1/4" x 3 1/8"	8	
Hole with 12" Galvanized Steel Wire			
PCT-1104-C	4 3/4" x 2 3/8"	5	
PCT-1105-C	5 1/4" x 2 5/8"	6	
PCT-1106-C	6 1/4" x 3 1/8"	8	




Premium Blank Tags



Available Materials	Codes	Available Packages	Codes
Poly Cardstock	PCT-	Pk. of 5	(blank)
Rigid Plastic	PVT-	Pk. of 25	-`Q ´
Self-Laminating Poly Cardstock	PSCT-		
Self-Laminating Rigid Plastic	PST-		


5/Pk - (blank); 25/Pk - -Q



Combine Codes in Specific Order for Complete Part Number: 5/Pk - PCT-1030; 25/Pk - PCT-1030-Q

Standard Color Blank Cardstock Tags

- . 0.0013" coated tags with patch-reinforced 3/16" hole
- Pack of 100



To Order: Add color code after part number: Blue – B-C, Green – G-C, Red – R-C, White - W-C, Yellow - Y-C.

Example: Part No. PCT-1107 + Color Code B-C = PCT-1107B-C

Part No.	Size	Size No.	
Plain - with Hole Only			
PCT-1107	4 3/4" x 2 3/8"	5	
PCT-1108	5 1/4" x 2 5/8"	6	
PCT-1109	6 1/4" x 3 1/8"	8	
Hole with 12" Steel Wire			
PCT-1110	4 3/4" x 2 3/8"	5	
PCT-1111	5 1/4" x 2 5/8"	6	
PCT-1112	6 1/4" x 3 1/8"	8	

White Tyvek® Tags

- · Lightweight, pressure-bonded fibers
- Flexible 0.075" thick material is abrasion- and tear-resistant
- · Withstands moisture, chemicals, and frequent handling
- Patch- and metal-reinforced 3/16" hole is available plain or looped with 12" galvanized steel wire
- Pack of 100

Part No.	Size	Size No.	
Hole Only			
PCT-1225-C	4 3/4" x 2 3/8"	5	
PCT-1114-C	6 1/4" x 3 1/8"	8	
Hole with Galvanized Steel Wire			
PCT-1115-C	4 3/4" x 2 3/8"	5	
PCT-1116-C	6 1/4" x 3 1/8"	8	



Tyvek® is a registered trademark of DuPont™

Self-Laminating Safety Tag Carriers

- · Cut out paper to fit and insert into the self-laminating carrier allows tags to be resistant to mild chemicals and acids
- · Sturdy brass grommet provides extra durability
- Panduit PLT2S (7.40") nylon ties included for quick and easy installation
- Meet OSHA Standard 1910.147 for lockout tag 50 lb. pull force requirement



Part No.	Lamination Style	Tag Size	Pkg. Qty.
PST-4	Front only	3.50" x 5.75"	25
PST-5	Front and back	3.50" x 5.75"	25
PST-1	Front only	3.00" x 2.00"	10
PST-2	Front only	3.25" x 5.75"	5

Create Your Own Cardstock Tags

- · Create your own economical cardstock tags on ink jet printers
- · Economical solution for temporary, indoor tags
- · Cardstock is semi-rigid tag with perforation for easy tag separation and punched hole for hanging
- Tags measure 3" x 5"
- 4 tags/sheet; 25 sheets for 100 tags per package
- · Can be used with Self-Laminating Safety Tag Carrier for extra durability

Color
Red and Black/White
Red and Black/Orange
Red and Black/Yellow



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Labels and Industrial Warning Signs category:

Click to view products by Panduit manufacturer:

Other Similar products are found below:

FTP-020P0020 QCC613 QCC615 1878678-5 2-1768019-7 SDR-R 1768021-2 1878679-3 QC154 QCC612 5-1768021-4 5-1768021-6

06770 KMT-02513V-9 06742 1395344-1 8-1768039-4 SDR-O SDR-+(PLUS) LEB-1325P-8A 06736 CN9920-000 KMT-07323V-9 PVT
157-D-Q 1768023-9 PLVS0305D7347 PVS0305D7347 1090079 1090080 1090081 1090082 SNS-C11.7-2525-200-P 5771-4.5X72YDS

001172X 0801831 0800008 0801994 0803187 0803204 0803832 0803845 0803846 0803848 0803849 0803850 0803851 0803853

0803856 0803865 0803872