



PRODUCT NUMBER
65043-0XX(E)LF

PIN STYLE
SEE SHEET 2


INDICATES THE PRODUCT IS ROHS
COMPLIANT, SEE NOTE 6

65043-YXXLF OR 65043-YXXELF ARE
EXACTLY THE SAME PRODUCTS.
EXTENSION "E" JUST FOR OLD EUROPEAN
DESIGN AND MANUFACTURING SITE



NOTES:

1. MOLDING MATERIAL : MODIFIED POLYPHELYNE
COLOR BLACK, UL 94 V0
 2. LATCH MUST WITHSTAND 18N MIN PULL OUT FORCE
 3. STANDARD PACKAGING IN POLYBAGS
 4. TERMINALS MUST BE CRIMPED PROPERLY FOR
SATISFACTORY LATCHING :
- FOR CRIMPING INSTRUCTIONS, SEE TA-531.
- FOR TERMINAL APPLICATION SEE TA-295
AND TA-296
 5. THIS HOUSING IS INTENDED FOR USE WITH
MINI PV TERMINAL WITH 22-36 GAUGE WIRE
 6. ROHS COMPLIANT PRODUCT SPECIFICATIONS :
- MEETS PACKAGING SPECS AS PER GS-14-920
- PRODUCT MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS
DESCRIBED IN GS-22-008.
- THE PRODUCT IS NOT INTENDED TO BE EXPOSED
TO A MANUFACTURING SOLDER PROCESS.



mat'l. code		SEE NOTES		ISO 1302		surface		tolerance		ISO 406 ISO 1001		projection		product family		BERCONN	
lit. ecn no		dr. date		tolerances unless otherwise specified		mm		x ±0.3		linear		angles		x ±0.13		BH F12-0064LMU 12.06.08	
BH B-14321 LMU 13.03.21		L.MULN 12.06.08		xxx ±0.05		scale 5:1		FCI		L.MULN 12.06.08		engr. L.MULN 12.06.08		appt. JCO 12.06.09		sheet revision	
index		sheet		revision		BU		BH		1		2		sheet		1	

type		CUSTOMER		Drawing		type		CUSTOMER		Drawing		type		CUSTOMER		Drawing	
dwg no		65043		sheet 1 of 2		size		A3		dwg no		65043		sheet 1 of 2		size	
title		MINI LATCH HOUSING		DOUBLE ROW 2.54mm		scale		5:1		FCI		type		CUSTOMER		Drawing	

PIN STYLE	No. OF POS.	DIM J	DIM K
01	2x36	88.90	91.29
02	2x35	86.36	88.75
03	2x34	83.82	86.21
04	2x33	81.28	83.67
05	2x32	78.74	81.13
06	2x31	76.20	78.59
07	2x30	73.66	76.05
08	2x29	71.12	73.51
09	2x28	68.58	70.97
10	2x27	66.04	68.43
11	2x26	63.50	65.89
12	2x25	60.96	63.35
13	2x24	58.42	60.81
14	2x23	55.88	58.27
15	2x22	53.34	55.73
16	2x21	50.80	53.19
17	2x20	48.26	50.65
18	2x19	45.72	48.11
19	2x18	43.18	45.57
20	2x17	40.64	43.03
21	2x16	38.10	40.49
22	2x15	35.56	37.95
23	2x14	33.02	35.41
24	2x13	30.48	32.87
25	2x12	27.94	30.33
26	2x11	25.40	27.79
27	2x10	22.86	25.25
28	2x09	20.32	22.71
29	2x08	17.78	20.17
30	2x07	15.24	17.63
31	2x06	12.70	15.09
32	2x05	10.16	12.55
33	2x04	7.62	10.01
34	2x03	5.08	7.47
35	2x02	2.54	4.93

mat'l. code	surface	ISO 1302	tolerance	ISO 406 ISO 1001
SEE NOTES	surface	ISO 1302	tolerance	ISO 406 ISO 1001

lit	ecr no	dr	date	tolerances unless otherwise specified
BG	V08-0022	HTB	08.01.15	angles
BH	F12-0064	LMU	12.06.08	linear

xxx ±0.05	linear	angles	linear	xxx ±0.13	x ±0.3	mm	scale 5:1

product family
BERCONN



projection



lit	ecr no	dr	date	tolerances unless otherwise specified
BG	V08-0022	HTB	08.01.15	angles
BH	F12-0064	LMU	12.06.08	linear

type	dwg no	sheet 2 of	size
CUSTOMER	65043	A3	Drawing

STATUS:Released

PDS: Rev: B1

Printed: Nov 15, 2013

6

C

B

A

6

2 3

1

5

4

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0009482033](#) [0009507031](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [647662-1](#) [65039-019ELF](#) [65817-002LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67016-026LF](#) [67046-001LF](#) [67095-007LF](#) [67230-005LF](#)