

PROTECTIVE CAPS

For any receptacle, we have a cap solution




Protect your plugs and receptacles against dust, water, moisture, EMI.

Protective caps for:

- ▶ 38999 Series I, II, III (MIL-DTL-38999/EN3645)
- ▶ 26482/PT/451 Series (MIL-DTL-26482)
- ▶ RJ Field & USB Field

...with many benefits:

- ▶ **Time & Cost Saving** with quick delivery (4 weeks max) 
- ▶ **A large range of caps & receptacles** with Black Zinc Nickel and QPL qualified plating available

Rubber Standard Caps (for 26482 & 38999)



Composite Self-Closing Caps (for 26482)




Metallic Standard Caps (for 26482 & 38999)











Metallic Self-Closing Caps (for 38999)



Available in:
Q1 2017



	 Rubber Standard Caps	 Composite Self-Closing Caps	 Metallic Standard Caps	 Metallic Self-Closing Caps
Availability	• Available & New	• Available & New	• Available	• Coming soon: Q1 2017
Compatibility	<ul style="list-style-type: none"> • 38999 Series I, II, III (MIL-DTL-38999/EN3645) • PT/451 Series (MIL-DTL-26482) • RJ Field & USB Field • Amphenol Sine RT360 	<ul style="list-style-type: none"> • PT/451 Series (MIL-DTL-26482) • RJ Field • Amphenol Sine RT360 	<ul style="list-style-type: none"> • 38999 Series I, II, III (MIL-DTL-38999/EN3645) • PT/451 Series (MIL-DTL-26482) • RJ Field & USB Field 	<ul style="list-style-type: none"> • 38999 Series III (MIL-DTL-38999/EN3645) • RJ Field & USB Field
Types	All receptacles	Square Flange receptacles only	All receptacles & plugs	All receptacles
Sizes	6 Sizes available : • TV : 9, 11, 13, 15, 17, 19 • PT : 10, 12, 14, 16, 18, 20	6 Sizes available : • PT : 8, 10, 12, 14, 16, 18	9 Sizes available : • TV : 9, 11, 13, 15, 17, 19, 21, 23, 25 • PT : 8, 10, 12, 14, 16, 18, 20, 22, 24	Sizes available : • Square flange : 9, 11, 13, 15, 17, 19 • Jam nut : 15, 19
IP	• IP67 (1m, 1 hour sealing)	• IP54 (splash proof)	• IP68 (permanent sealing)	• IP67 (1m, 1 hour sealing)
Materials/ Plating	• Silicone 200°C	• Composite 125°C	<ul style="list-style-type: none"> • Aluminum Plating: Electroless Nickel, O.D Cadmium, Black Zinc Nickel, Green Zinc Nickel • Stainless Steel Plating: Nickel, Passivated • Bronze 	<ul style="list-style-type: none"> • Aluminum Plating: Electroless Nickel, O.D Cadmium, Black Zinc Nickel, Black Painted
Protection against				

LINK

Rubber Standard Caps

- Nylon cord

Metallic Standard Caps*

- Nylon cord
- Stainless steel rope
- Metallic chain

* All combinations are not available, please consult us.

TERMINATION

For both Rubber & Metallic Standard Caps

- For 07 shell type



- For 00, 02 shell types



- For 01, 06, 08 shell types



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#) [6280-7SG-3DC](#)
[6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6382-2PG-311](#) [6382-2PG-3DC](#) [6382-2SG-321](#) [6382-](#)
[2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [680-SMG](#) [681-PMG](#) [CXS3102A14S2P](#) [CXS3102A181S](#) [CXS3106A14S6S](#) [MB12P-1](#) [MB12R-6](#)
[7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#) [7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#)
[7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190216-08S](#) [75-190218-10P](#) [75-474118-10P](#) [75-474618-01S](#) [75-474620-07P](#) [799539-](#)
[000](#) [MI8-SE](#) [80-190222-18P](#) [805-005-07NF11-19PC](#)