



REVISIONS				
LOC	DIST	REV	DATE	APPROV
A1	-			
DESCRIPTION			DATE	OWN
SEE SHEET 1 OF 2				

POSITIONS Polzahl	n	a±0.2	b	c	d <sub>-0.2</sub>	e <sub>-0.25</sub>	f	CODING Kodierung	CAVITY NUMBERING Kammerbezeichnung	ORDER NO. REV. Bestell-Nr.	ORDER NO. REV. Bestell-Nr.	WEIGHT Gewicht	POS.	QTY Stueck	DESCRIPTION Benennung Einzelteil	MATERIAL Werkstoff	SURFACE/Oberflaeche COLOUR/ Farbe
21	6	38.5	30	45	42.5	38.5	36.5	B (GROOVES) Nuten A-C		5-966140-6 A	4-966140-6 A	18.3g	4	7	TAB (43.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED
										4-966140-6 A	3		7	TAB (34.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED	
										2-966140-6 A	2		7	TAB (25.4mm)	CuSn0.15/0.20	SEL. SILVER PLATED	
										5-966140-6 C	5		1	21 POS. HOUSING	PA66-GF13	NATURAL/natur	
										4-966140-6 C	4		7	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
										3-966140-6 C	3		7	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
18	5	33.5	25	40	37.5	33.5	31.5	A (GROOVES B-C) (Nuten B_C)		6-966140-1 C	3-966140-1 C	16.0g	2	7	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED
										1-966140-1 C	1		1	21 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-1 C	4		6	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
										3-966140-1 C	3		6	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
										2-966140-1 C	2		6	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
										1-966140-1 C	1		1	18 POS. HOUSING	PA66-GF13	BLACK/schwarz	
15	4	28.5	20	35	32.5	28.5	26.5	A (GROOVES B-C) (Nuten B_C)		6-966140-2 C	3-966140-2 C	13.6g	4	5	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED
										3-966140-2 C	3		5	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
										2-966140-2 C	2		5	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
										1-966140-2 C	1		1	15 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-3 C	4		4	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
										3-966140-3 C	3		4	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
12	3	23.5	15	30	27.5	23.5	21.5	A (GROOVES B-C) (Nuten B_C)		6-966140-3 C	3-966140-3 C	11.2g	2	4	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED
										5-966140-3 C	5		1	12 POS. HOUSING	PA66-GF13	NATURAL/natur	
										4-966140-3 C	4		3	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
										3-966140-3 C	3		3	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
										2-966140-3 C	2		3	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
										1-966140-3 C	1		1	9 POS. HOUSING	PA66-GF13	BLACK/schwarz	
9	2	18.5	10	25	22.5	18.5	16.5	A (GROOVES B-C) (Nuten B_C)		6-966140-4 C	3-966140-4 C	8.9g	4	2	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED
										3-966140-4 C	3		2	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
										2-966140-4 C	2		2	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED	
										1-966140-4 C	1		1	6 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-5 C	4		2	TAB (43.4mm)	CuSn4	SEL. SILVER PLATED	
										3-966140-5 C	3		2	TAB (34.4mm)	CuSn4	SEL. SILVER PLATED	
6	1	13.5	5	20	17.5	13.5	11.5	A (GROOVES B-C) (Nuten B_C)		6-966140-5 C	3-966140-5 C	6.6g	2	2	TAB (25.4mm)	CuSn4	SEL. SILVER PLATED
										1-966140-5 C	1		1	6 POS. HOUSING	PA66-GF13	BLACK/schwarz	

POSITIONS Polzahl	n	a±0.2	b	c	d <sub>-0.2</sub>	e <sub>-0.25</sub>	f	CODING Kodierung	CAVITY NUMBERING Kammerbezeichnung	ORDER NO. REV. Bestell-Nr.	ORDER NO. REV. Bestell-Nr.	WEIGHT Gewicht	POS.	QTY Stueck	DESCRIPTION Benennung Einzelteil	MATERIAL Werkstoff	SURFACE/Oberflaeche COLOUR/ Farbe
21	6	38.5	30	45	42.5	38.5	36.5	B (GROOVES) Nuten A-C		8-966140-6 A	1-966140-6 A	18.3g	4	7	TAB (43.4mm)	CuSn4	TINNED/verzinkt
										3-966140-6 A	3		7	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
										2-966140-6 A	2		7	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
										5-966140-6 F	5		1	21 POS. HOUSING	PA66-GF13	NATURAL/natur	
										4-966140-6 F	4		7	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
										3-966140-6 F	3		7	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
18	5	33.5	25	40	37.5	33.5	31.5	A (GROOVES B-C) (Nuten B_C)		9-966140-1 F	6-966140-1 F	16.0g	2	7	TAB (25.4mm)	CuSn4	TINNED/verzinkt
										1-966140-1 F	1		1	21 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-1 F	4		6	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
										3-966140-1 F	3		6	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
										2-966140-1 F	2		6	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
										1-966140-1 F	1		1	18 POS. HOUSING	PA66-GF13	BLACK/schwarz	
15	4	28.5	20	35	32.5	28.5	26.5	A (GROOVES B-C) (Nuten B_C)		9-966140-2 F	6-966140-2 F	13.6g	4	5	TAB (43.4mm)	CuSn4	TINNED/verzinkt
										3-966140-2 F	3		5	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
										2-966140-2 F	2		5	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
										1-966140-2 F	1		1	15 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-3 A	4		4	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
										3-966140-3 A	3		4	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
12	3	23.5	15	30	27.5	23.5	21.5	B (GROOVES) Nuten A-C		8-966140-3 A	1-966140-3 A	11.2g	2	4	TAB (25.4mm)	CuSn4	TINNED/verzinkt
										5-966140-3 A	5		1	12 POS. HOUSING	PA66-GF13	NATURAL/natur	
										4-966140-3 F	4		4	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
										3-966140-3 F	3		4	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
										2-966140-3 F	2		4	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
										1-966140-3 F	1		1	12 POS. HOUSING	PA66-GF13	BLACK/schwarz	
9	2	18.5	10	25	22.5	18.5	16.5	A (GROOVES B-C) (Nuten B_C)		9-966140-4 F	6-966140-4 F	8.9g	4	3	TAB (43.4mm)	CuSn4	TINNED/verzinkt
										3-966140-4 F	3		3	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
										2-966140-4 F	2		3	TAB (25.4mm)	CuSn4	TINNED/verzinkt	
										1-966140-4 F	1		1	9 POS. HOUSING	PA66-GF13	BLACK/schwarz	
										4-966140-5 F	4		2	TAB (43.4mm)	CuSn4	TINNED/verzinkt	
										3-966140-5 F	3		2	TAB (34.4mm)	CuSn4	TINNED/verzinkt	
6	1	13.5	5	20	17.5	13.5	11.5	A (GROOVES B-C) (Nuten B_C)		6-966140-5 F	6-966140-5 F	6.6g	2	2	TAB (25.4mm)	CuSn4	TINNED/verzinkt
										1-966140-5 F	1		1	6 POS. HOUSING	PA66-GF13	BLACK/schwarz	

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: mm. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 1 PLC ±, 2 PLC ±, 3 PLC ±, 4 PLC ±, ANGLES ±0°.

Customer Drawing

SCALE 2:1 SHEET 2 OF 2 REV F10

DATE 160CT2014

CHK Krauss, S.

APPROVED Goepfel, C.

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

SIZE CAGE CODE DRAWING NO. RESTRICTED TO

A1 00779 C=966140

TE Connectivity

TAB HEADER, 2.8x0.8, 6-21 POS. Messerleiste, 2.8x0.8, 6-21 pol.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [600858](#) [60403001](#) [60993906-B](#) [60993913-B](#) [629515004020001](#) [M902-2131](#) [M902-2161](#) [M902-2344](#) [72.330.1035.1](#)  
[73.353.4028.0](#) [F118010](#) [F119300-B](#) [F132210](#) [F132210-B](#) [F166900](#) [F180100](#) [F258300](#) [F258300-B](#) [F294300-B](#) [F339100](#) [F339700](#) [F358300-](#)  
[B](#) [F374110](#) [F407400](#) [F412210](#) [F427600](#) [F444110](#) [F487000](#) [F495100-B](#) [F500900-B](#) [F509500B-B](#) [770444-1](#) [776880-1](#) [827153-1](#) [881735-1](#)  
[8N1515-32-24P](#) [9-1326729-8](#) [925467-1](#) [925474-1](#) [928905-1](#) [936398-2](#) [964562-1](#) [964562-4](#) [964731-2](#) [965051-1](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [GT17VS-10DP-5.2CF](#) [98315-0001](#)