

DA PowerCool Series, DA-044-24-02 Thermoelectric Assembly

Innovative **Technology** for a **Connected** World



POWERCOOL SERIES DIRECT-TO-AIR THERMOELECTRIC ASSEMBLY

The DA PowerCool Series is a Direct-to-Air thermoelectric assembly (TEA) that uses impingement flow to transfer heat. It offers dependable, compact performance by cooling objects via conduction. Heat is absorbed through a cold plate and dissipated thru a high density heat exchanger equipped with an air ducted shroud and brand name fan. The thermoelectric modules are custom designed to achieve a high coefficient of performance (COP) to minimize power consumption. This product series is available in a wide range of cooling capacities and voltages. Custom configurations and moisture protection options are available, however, MOQ applies.

FEATURES **V**ROHS


- Compact design
- Precise temperature control
- Reliable solid-state operation
- DC operation
- RoHS compliant

APPLICATIONS

- Analytical instrumentation
- Medical diagnostics
- Photonics laser systems
- Industrial instrumentation
- Food and beverage cooling

Specifications	
Cooling Power Qcmax (W)	44
Running Current (A)	2.2
Startup Current (A)	2.8
Nominal Voltage (V)	24
Max Voltage (V)	30
Power Input (W)	53
Operating Temperature (°C)	-10 to 44
Weight (kg)	0.6
MTBF (fans – hrs)	50,000
Performance Tolerance	±10%

PERFORMANCE CURVE



global solutions: local support...

Americas: +1.888.246.9050 Europe: +46.31.704.67.57 Asia: +86.755.2714.1166


CLV-customerservice@lairdtech.com www.lairdtech.com/thermal




DA PowerCool Series, DA-044-24-02 Thermoelectric Assembly


Innovative **Technology** for a **Connected** World

ISOMETRIC DRAWINGS





WIRING SCHEMATIC



NOTES

For indoor use only. Thermally conductive grease enclosed.

THR-DS-DA-044-24-02 0410

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no waranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies Terms and Conditions of sale in effect from the to time, a copy of which will be furnished upon request. © Copyright 2010 Laird Technologies, ne. All Rights Reserved. Laird Technologies, the Laird Technologies Laird, and the marks or trade marks or laighter damages of any kind. All Laird Technologies, the Conditions of sale in effect from the tor time, a copy of which will be furnished upon request. © Copyright 2010 Laird Technologies, the All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or laight Technologies for any shell know the tor service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any tind party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Thermoelectric Assemblies category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

AA-150-48-44-LK-XX TEC1-07108 TEC1-04908 TEC1-06310 TEC1-06315 DA-044-12-02-00-00 387000840 DA-045-24-02-00-00 387000866 AA-040-12-22-00-00 387000177 387000913 387000919 TC-18-QC-50 DA-051-24-02-00-00 387000918 387000910 TC-WIRE3-PR-59 WL 2000 AA-150-24-44-00-XX DA-039-12-02-00-00 AA-060-24-22-00-00 DA-020-12-02-00-00 AAC050-24-22-00-00 TC-18-QE-50 LA-115-24-02-00-00 LA-045-12-02-00-00 DA-160-24-02-00-00 DA-108-24-02-00-00 DA-045-12-02-00-00 DA-024-12-02-00-00 AA-060-12-22-00-00 AA-033-12-22-00-00 AA-019-12-22-00-00 387000872 387000176 371061,01 387002414 AA-026-12-22-00-00 AA-150-24-44-LK-XX AA-150-48-44-00-XX DA-033-12-02-00-00 DA-075-12-02-00-00 DL-120-24-00-00 LAC-046-24-02-00-00 L-ADAP-8-1/8 LL-060-12-00-00 SAA-170-24-22-00-00 SDA-195-24-22-00-00 TC-NTC-1