EU Power Supply Cord with IEC Connector C13

















Description

- 1 Function:
- Power Supply Cord, Protection class I,
- Pin temperature 70 °C,
- custom specific versions on request

Weblinks

pdf-datasheet, html-datasheet, General Product Information, RoHS, CHINA-RoHS, Mating Connectors, e-Shop, SCHURTER-Stock-Check, Distributor-Stock-Check, Accessories

Technical Data

Ratings IEC	10 A / 250 VAC; 50 Hz	
Dielectric Strength	> 4 kVDC between L-N	
	> 2 kVAC between L/N-PE	
	(1 min/50 Hz)	
Allowable Operation Temp.	-25 °C to 70 °C	
Degree of Protection	from front side IP 20 acc. to IEC 60529	
Protection Class	Suitable for appliances with protection	
	class Protection class I acc. to IEC	
	61140	
Terminal	moulded	
Material: Housing	PVC, black	

Connector	C13 acc. to IEC 60320
	UL 498, CSA C22.2 no. 42 (for cold
	conditions) pin-temperature 70 °C, 10 A,
	Protection Class Protection class I

Variants

Connect	or	cable			Plug						Order Number
Туре	V-Lock	Cord Type	Color	Length [m]	Туре	Country	Standard	Conductor cross section	Style	Index	
C13		H05VV- F3G1.0	black	5.0	diverse	EU	CEE 7 / VII	3 x 1 mm²	straight	-	6052.0026

Packaging unit 25 Pcs

Mating Inlets/Plugs

Category / Description

Appliance Inlet Overview complete



IEC Appliance Inlet C14, Snap-in Mounting, Front Side, Solder or Quick-connect Terminal	0711
IEC Appliance Inlet C14, Screw-on Mounting, Rear Side, PCB Terminal	1001
IEC Appliance Inlet C18, Screw-on Mounting, Rear Side, PCB Terminal	1005
IEC Appliance Inlet C14, Snap-in Mounting, Solder, Quick-connect, Screw or PCB Terminal	6010
IEC Appliance Inlet C18, Snap-in Mounting, Solder, Quick-connect, Screw- or PCB Terminal	6015
Appliance Inlet further types to Cord Sets 10 A	

www.schurter.com/pg07_2



Distribution Unit Overview complete

Distribution Unit for Snap-in Mounting with 1 IEC Appliance Inlet C14 and 1 Appliance Outlet F	0712
Distribution Unit with 1 IEC Appliance Inlet C14 or Power Cord, 4 IEC Appliance Outlets F and Extra Components	4740
Distribution Unit with 1 IEC Appliance Inlet C14 and 2 Appliance Outlets F, Shuttered	4741
Distribution Unit with 1 IEC Appliance Inlet C14 and 4 Appliance Outlets F	4747
Distribution Unit further types to Cord Sets 10 A	

Interconnection Cord Overview complete



Interconnection Cord with IEC Plug E, Angled	0607
Interconnection Cord with IEC Plug E, Angled	0608
Interconnection Cord with IEC Plug E, Straight	0609
Interconnection Cord with IEC Plug G, Angled	607B
Interconnection Cord with IEC Plug G, Angled	608B
Interconnection Cord further types to Cord Sets 10 A	

Plug Overview complete



IEC Plug E, Cord Connector (Rewireable), Straight, max. cable Diameter 8.5 mm	4732
IEC Plug E, Cord Connector (Rewireable), Angled, max. Cable Diameter 8.5 mm	4733
IEC Plug E, Cord Connector (Rewireable), Straight, max. Cable Diameter 10 mm	4735
IEC Plug E, Cord Connector (Rewireable), Angled, max. Cable Diameter 10 mm	4736
IEC Plug E, Cord Connector (Rewireable), Straight	9009
Plug further types to Cord Sets 10 A	

Power Entry Module Overview complete



IEC Appliance Inlet C14 or C18 with Fuseholder 1- or 2-pole	1062
IEC Appliance Inlet C14 or C18 with Fuseholder 1- or 2-pole	1064
IEC Appliance Inlet C18 with Fuseholder 1-pole	1065
IEC Appliance Inlet C18 with Fuseholder 1- or 2-pole	1066
IEC Appliance Inlet C14 with Fuseholder 1- or 2-pole	1092
Power Entry Module further types to Cord Sets 10 A	

Power Entry Module with line filter Overview complete



IEC Appliance Inlet C14 with Filter	5110
IEC Appliance Inlet C14 with Filter, Circuit Breaker TA45	5145
IEC Appliance Inlet C14 with Filter, Fuseholder 1-pole	5200
IEC Appliance Inlet C14 with Filter, Fuseholder 1- or 2-pole	5220
IEC Appliance Inlet C14 with Filter, Fuseholder 2-pole	8843-8
Power Entry Module with line filter further types to Cord Sets 10 A	



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Computer Cables category:

Click to view products by Schurter manufacturer:

Other Similar products are found below:

68809-0004 8F36-AAA105-1.00 IB63 IB68 CBK-11-290K-00 ACL-10568-5 426090200-3 427522400-3 IB76 CB-3PSATA-RS
426091300-3 48000023 10114976-P015002LF 88761-6101 NT631C-CN321-EU 1700009397 MIKROE-2092 PCL-10488-2E 1700009405
PS/2 Cable AXXSTFPCBLKIT NT31C-CN323-EU FWAX-PK1-51 68801-1905 2404774 SATA Power to B4P cable 68801-0630 688013612 68801-3618 0685610020 0745063002 0745460813 0745461605 0745470304 0887505318 0887511310 0DT60002 C-PS2WG/5 C-PS2WW/2 C-PS2WW/3 73220861 CV0002 CV0005 CV0006 CV0016 CV0018 74546-0402 74546-1601 74546-1603 AU0002E