





LOC		DIST		REVISIONS			
F	LTR	DESCRIPTION	DATE	DMN	APVD		
F1		ECO-14-012257	05NOV2014	KR	OC		

- MATERIAL: CONNECTOR- NYLON UL94V-2 (ORANGE).
CONTACTS - 0.30 [.012] THK COPPER ALLOY
(PLATED 0.00038 [.000015] MIN GOLD OR 0.00008 [.000003] MIN GOLD FLASH OVER 0.00030 [.000012] PALLADIUM NICKEL, PER TE CONNECTIVITY'S DISCRETION, ON POST END, WITH MATTE TIN 0.00203 [.000080] MIN THK ON WIRE END)
OR
CONTACTS - 0.30 [.012] THK COPPER ALLOY
(PLATED 0.00038 [.000015] MIN GOLD OR 0.00008 [.000003] MIN GOLD FLASH OVER 0.00030 [.000012] PALLADIUM NICKEL, PER TE CONNECTIVITY'S DISCRETION, ON POST END, WITH MATTE TIN 0.00203 [.000080] MIN THK ON WIRE END)
- CONTACTS ACCEPT #18 AWG SOLID, FUSED STRANDED OR STRANDED (7 STRANDS) WIRE WITH 2.41 [.095] MAX INSULATION DIA.
- BOW, IN ANY DIRECTION, NOT TO EXCEED 0.15 [.006] PER IN.
- HOUSING FEATURES: CLOSED END.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- OBsolete PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



FINISH	C	B	A	NO. OF CIRCUITS	PART NUMBER	
TIN	55.47 [2.184]	59.54 [2.344]	63.40 [2.496]	15	4-647476-5	
TIN	43.59 [1.716]	47.65 [1.876]	51.51 [2.028]	12	4-647476-2	
TIN	31.70 [1.248]	35.76 [1.408]	39.62 [1.560]	9	3-647476-9	
TIN	19.81 [.780]	23.88 [.940]	27.74 [1.092]	6	3-647476-6	
TIN	11.89 [.468]	15.95 [.628]	19.81 [.780]	4	3-647476-4	
TIN	7.92 [.312]	11.99 [.472]	15.85 [.624]	3	3-647476-3	
TIN	3.96 [.156]	8.03 [.316]	11.89 [.468]	2	3-647476-2	
6 SUPERCEDED	TIN-LEAD	55.47 [2.184]	59.54 [2.344]	63.40 [2.496]	15	1-647476-5
6 SUPERCEDED	TIN-LEAD	43.59 [1.716]	47.65 [1.876]	51.51 [2.028]	12	4-647476-2
TIN	31.70 [1.248]	35.76 [1.408]	39.62 [1.560]	9	647476-9	
TIN	19.81 [.780]	23.88 [.940]	27.74 [1.092]	6	647476-6	
TIN	11.89 [.468]	15.95 [.628]	19.81 [.780]	4	647476-4	
TIN	7.92 [.312]	11.99 [.472]	15.85 [.624]	3	647476-3	
6 SUPERCEDED	TIN-LEAD	3.96 [.156]	8.03 [.316]	11.89 [.468]	2	647476-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± .005
1 PLC	± .005
2 PLC	± 0.13 [.005]
3 PLC	± .005
4 PLC	± .005
ANGLES	± .005

MATERIAL: SEE NOTE 1

FINISH: SEE NOTE 1

WEIGHT: --

APVD: --

DMN: K. WHITAKER 09-NOV-2000

CHK: D. ROSSI 09-NOV-2000

NAME: MTA-156 POSTED CONNECTOR ASSEMBLY, 18 AWG

SIZE: A1

SCALE: 5:1

SHEET: 1 OF 1

REV: F1

CUSTOMER DRAWING

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0009482033](#) [0009507031](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [647662-1](#) [65039-019ELF](#) [65817-002LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67016-026LF](#) [67046-001LF](#) [67095-007LF](#) [67230-005LF](#)