


DIN 553 **ISO 7434**

Standard withdrawn



BN 665
Slotted set screws
with cone point
Stainless steel A1
<ul style="list-style-type: none"> • ~UNI 6117 • ~CSN 021185

Article#	d ₁	n	t min.	α	L
3646516	M1,6	0,25	0,56	120°	2
3646518				90°	3
3646519					4
3646520					5
3646521					6
1579398	M2	0,25	0,64	120°	2
1579401				90°	3
1579460					4
1579606					5
1579614					6
3059877					8
1579681	M2,5	0,4	0,72	90°	3
1579703					4
1579711					5
1579738					6
3059878					8
1080644	M3	0,4	0,8	120°	3
1080652				90°	4
1251872					5
1251880					6
1251899					8
1251902					10
1251910					12

Article#	d ₁	n	t min.	α	L
1251945	M4	0,6	1,12	120°	4
1251953				90°	5
1251961					6
1251988					8
1251996					10
1252003					12
1252038					16
1252089	M5	0,8	1,28	90°	6
1252097					8
1252100					10
1252119					12
1252135					16
1252143					20
1252194	M6	1	1,6	120°	6
1252208				90°	8
1252216					10
1252224					12
1252240					16
1252259					20
1252267					25
1252275					30
1252291	M8	1,2	2	90°	10
1252305					12
1252321					16
1252348					20
1252364					30
1252372					40

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9221](#) [0098.9262](#) [596-2114-013](#) [59781-4](#) [59781-6](#) [0098.0026](#)
[0098.9210](#) [0098.9212](#) [60227-01](#) [60227-04](#) [60227-08](#) [60228-09](#) [618-00001](#) [62153-03](#) [62153-11](#) [M316-KSSTMCZ100](#) [M3440-SS](#) [M3442-SS](#) [M3448-SS](#) [6291A](#) [6292-1](#) [6-306105-9](#) [6-306131-4](#) [690432-1](#) [699161-000](#) [700989](#) [7-18023-1](#) [7-21002-8](#) [7230-3](#) [7235-3](#) [7248-1](#) [7248-2](#)
[73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [748174-2](#) [F03-02](#) [SUS316](#) [F1209](#) [751-00001](#) [80011](#) [809704-1](#) [8700](#) [8860220](#)
[9047](#) [95000002B](#) [9885-2](#)