

Smart Technology. Delivered.



OC69271

698-960 MHz/1710-2700 MHz **LTE Direct Mount Omnidirectional Antenna**

MULTI-BAND DIRECT MOUNT OMNIDIRECTIONAL ANTENNA

The OC69271 antenna is a wide band omnidirectional antenna covering the domestic LTE700/ Cellular/ PCS/AWS/MDS, WiMAX 2300/2500, and global GSM900/GSM1800/UMTS/LTE2600 bands. The antenna can be used in both indoor and outdoor applications. It comes complete with mast mounting hardware and includes a UV stable radome enclosure that provides years of use without degradation to either mechanical properties or aesthetics.

FEATURES ✓ RoHS

- Applicable for both 3G and 4G solutions
- Domestic Cellular and Global GSM
- WiMAX 2300/2500/2600
- Weatherproof UV stable radome
- Mast mounting hardware included

MARKETS

- Broadband wireless access service provider
- Domestic LTE 700 band and Global LTE 2600 band Campus, healthcare, or transportation terminals
 - Stadium, industrial plants, and processing stations
 - Low-to-medium density, tower mounted rural locations
 - Public Safety Radio

PARAMETER	SPECIFICATION
Frequency	698 to 960 MHz, 1710 to 1990 MHz, 1920 to 2170 MHz, 2100 to 2500 MHz, 2500 to 2690 MHz
Gain	698 to 960 MHz - 1.5 dBi, 1710 to 2700 MHz - 3.5 dBi
Average Efficiency	698 to 960 MHz - 76%, 1710 to 2700 MHz - 87%
3 dB Beamwidth - E-plane	698 to 960 MHz - 81°, 1700 to 2200 MHz - 75°, 2500 to 2700 MHz - 100°
3 dB Beamwidth - H-plane	360°, Omnidirectional
Polarization	Linear, Vertical
Nominal Impedance	50 Ohms
VSWR	698 to 960 MHz - <2.5:1, 1710 to 2690 MHz - <2.0:1
Power	10 watts
RF Connector	N-type (M or F)
Mount Style	Mast/pole mount
Radome	Polycarbonate, UV, White
Material Substance Compliance	e ROHS Compliant
Operating Temperature	-30°C to +70°C
Storage Temperature	-40°C to +85°C
Dimensional (H x OD)	248 x 24.5 mm (9.8" x 1")
Weight	156 g

CONNECTORS

MODEL NUMBER	CONNECTOR
OC69271-FNM	Type N male
OC69271-FNF	Type N female

All antennas carry a 1-Year Warranty

Americas: +1.847 839.6907

IAS-AmericasEastSales@lairdtech.com


Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

www.lairdtech.com



698-960 MHz/1710-2700 MHz LTE Direct Mount Omnidirectional Antenna


TYPICAL RADIATION PATTERNS





698-960 MHz/1710-2700 MHz LTE Direct Mount Omnidirectional Antenna

TYPICAL RADIATION PATTERNS






OC69271

698-960 MHz/1710-2700 MHz LTE Direct Mount Omnidirectional Antenna

TYPICAL RADIATION PATTERNS



Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB24003NP TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M