

LT40 & LT45 LED Light Meters

Extech LED Light meters are used for monitoring and optimizing environmental light levels in buildings, schools, and offices. LED lighting is being used more commonly, because they are less expensive, more energy efficient and brighter. Model LT40 measures the light illuminance of white LED lights, while the LT45 measures both white and color LED lights. Both meters can also measure light levels for Fluorescent, halogen, and incandescent lights.



Features

- Measure LED and Standard Lighting in Lux or Foot-Candle (Fc) units
- 4000 count display
- Min/Max Average
- Cosine and color corrected measurements
- · Auto Power off

Model LT40 Functions

- Measures white LED lights
- Complete with built-in sensor with protective cover,
 2 AAA batteries, and pouch

Model LT45 Functions

- Measures white, red, yellow, green, and blue LED lights
- Manually store/recall up to 99 readings
- Complete with light sensor with protective cover and coiled cable expandable to 59" (1.5m), 9V battery, and hard case

Specifications	Model LT40	Model LT45
Foot-candle (Fc) Range	99.99, 999.9, 9999, 40000	40, 400, 4000, 40000
Lux Range	999.9, 9999, 99990, 400000	400, 4000, 40000, 400000
LED Type	white	white, red, yellow, green, blue
Basic Accuracy	±3%	±3%
Dimensions	5.2x1.9x1" (133x48x23mm)	5.1x2.2x1.5" (130x55x38mm)
Weight	8.80z (250g)	8.8oz (250g)

Ordering

LT40	. LED Light Meter
LT45	. Color LED Light Meter

 ϵ

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Environmental Test Equipment category:

Click to view products by Extech manufacturer:

Other Similar products are found below:

CW40 F150C10E3DRT F150LTC20 F150CD10E2 F150L75 F150LRS S-11 FLUKE-LDG 382153 FM100 RH210 382253 MO290-P

GEO-CABLE-REEL-50M T197914 RD300-L IR11BD IR11GM IR12GM IR21BD IR31CE IR32BC IR33BC MP7217TC NGM-1 SGX
7NH3 UT381 F150-SLC50 AW-CO-1000 AW-NmHc-100 3.000.401 AX-7535 CS-9S6SS-A P 2800 A P 2801 P 2802 P 5039 P 5130 P

5055 P 5060 P 5065 P 5086 P 5090 P 5110 P 5115 P 5135 P 5140 P 5145 P 5150 P 5160