



T6633ST 5V 1A US Plugtop

Features:

- For use with Arduino & BeagleBoneSmall & Compact US Plug design
- USA Fixed AC Head
- Level VI ErP/EuP efficiency compliant
- MTBF >50,000 hours
- 1 Year Warranty









Output Characteristics	
Part Number	T6633ST
Voltage	+5V
Current Max.	1A
Current Min.	0A
Power (watts)	5W
Line Regulation	+/- 5%
Ripple & Noise (mV p-p)	300 mVp-p Maximum
Output Cord	Wire: 24AWG Jack plug: 5.5*2.1*12mm

Input Characteristics		
Rated Input Voltage	100-240Vac	
Full Input Voltage Range	90-264Vac	
Rated Frequency	50-60Hz	
Full Frequency Range	47-63Hz	
Input Current	0.2A	
Input Plug	USA 2 Pin	

Safety, Mechanical and Other Characteristics	
Model Number	T6633ST
Dimensions (LxWxH)	67mm X 26mm X 51mm
Weight (Approx)	65g
Leakage Current	0.25mA max
Operating Temperature	0°C to 40°C
Storage Temperature	-20°C to 60°C
Operating Humidity	20% to 85%
Storage Humidity	5% to 95%
Safety Standard	UL
EMI Standard	CE (EN55022)
MTBF	50K Hours (mean time before failure)




Chancerygate Business Centre, Cradock Road, Reading, Berkshire, RG2 0AH.







T6633ST Drawing



Output Plug: 2.1 x 5.5mm







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wall Mount AC Adapters category:

Click to view products by Stadium Group manufacturer:

Other Similar products are found below:

76000738 76000756-B10 ADP-163 E ADP-159 A PSAC05A-050L6 RLMDT361800 TE30A1803F01 0650-00005 P25A14E-R1C SWI24-12-N-P6R TRH25033-A-02E01-Level-VI DA5-050US-B DA5-050UK-B RLMDT701800 76000756 DA5-050EU-B WSU120-2000-R13 5V1A-USB AC-DC ADAPTER 160W WSU120-2000-13 WSU150-0800-13 76000980 WSU075-3200-13 WSU090-2500-13 WSU050-2000-R13 WSU240-1000-13 WSU090-3500-R13 WSU075-1500-13 WSU135-1330-13 WSU045-1500-13 WSU090-2500-R13 WSU240-1500-13 WSU180-0660-13 WSU075-1500-R13 WSU090-1300-13 WSU180-1330-R13 NTPS-24-TT-700 BB-SMI1812VP230C1 WSU150-1600-13 WSU050-1500-13 WSU090-0800-13 WSU180-0450-13 WSU150-0560-R13 WSU135-0880-13 WSU120-3000-13 WSU120-1000-R13 WSU090-1300-R13 WSU060-4000-13 WSU060-4000-13 WSU050-4000-13