


EWM-W149P

802.11 a/b/g/n USB 4-Pin WiFi Module Card



Features

- IEEE 802.11 a/b/g/n dual-band (2.4 and 5 GHz) standard
- 2Tx / 2Rx
- Up to 300 Mbps data rate
- 64/128-bit WEP, WPA, WPA2
- Operating temperature: 0 to +60° C

Specifications

Main Chipset	Ralink RT5572
Tx/Rx	2Tx/ 2Rx
Standard Conformance	802.11 a/b/g/n
RF Connector	2 x U.FL connectors
Form Factor	USB 4-Pin
Interface	4-pin pin-Header
Operation Voltage	DC 5V ±10%
Power Consumption	Max: 410mA
Security	WEP 64/128-bit, WPA, WPA2
OS Supported	Windows XP/ Vista/ 7, Linux
Temperature Ranges	Operation: 0 to +60° C
Dimensions (L x W x H)	42 x 25 x 6.0 mm

Ordering Information


Part No.	Product Description
EWM-W149P01E	802.11 a/b/g/n, Ralink RT5572, USB 4-pin Module Card

Suggested Antenna and Cable

Part No.	Specifications
1750002842	WiFi Dual band-2.4 and 5G Antenna
1750006043	WiFi Coaxial Cable, 150 mm
1750006010	WiFi Coaxial Cable, 200 mm
1750005885	WiFi Coaxial Cable, 230 mm

EWM-C106FT

HSPA Full-size Mini PCIe Card



Features

- 850/1900/2100 MHz for WCDMA network
- 850/900/1800/1900 MHz for EDGE/GPRS/GSM network
- Downlink: 7.2 Mbps, Uplink: 5.76 Mbps
- Operating temperature: -20 to +65° C

Specifications

Main Chipset	Qualcomm MSM6290
Antenna	2 RF Antenna Coaxial Connectors
Band	WCDMA: 850/ 1900/ 2100 MHz EDGE/ GPRS/ GSM: 850/ 900/ 1800/ 1900 MHz
Data throughput	Downlink: 7.2 Mbps Uplink: 5.76 Mbps
Interface	PCI Express mini-card rev. 1.2
Operation Voltage	DC 3.3 ~ 3.6V
Power Consumption	< 800 mA (HSUPA data transfer)
Peak Current (Max.)	2.5 A
OS Supported	Win XP/Vista/7, ARM WinCE 5.0/6.0, Linux
Temperature Ranges	Operation: -20 to +65° C
Dimensions (L x W x H)	51.00 x 30.00 x 4.60 mm

Ordering Information

Part No.	Product Description
EWM-C106FT01E	HSPA Full-size Mini PCIe Card

Suggested Antenna and Cable

Part No.	Specifications
1750005865	824-960 MHz, 1710-2170 MHz dipole antenna, 109 mm
1750006083	900/ 1800/ 1900/ 2100 MHz dipole antenna, 92 mm
1750006426	824-960 MHz, 1710-2170 MHz dipole antenna, 169.5 mm
1750005866	Coaxial GSM/ GPS Cable, 100 mm
1750006009	Coaxial GSM/ GPS Cable, 250 mm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Coaxial Cables](#) category:

Click to view products by [Advantech](#) manufacturer:

Other Similar products are found below :

[89880-003-1000](#) [633948-877-1000](#) [CY2389-000](#) [8213-010-1000](#) [8221-010-U1000](#) [8233-010-1000](#) [88281-010-500](#) [1322R-010-1000](#) [177799-000](#) [1807A-B59-U1000](#) [9167-010-1000](#) [9251-010-1000](#) [9275-010-U1000](#) [935240-000](#) [9659-010-1000](#) [980704-001](#) [CF2823-000](#) [33312-010-500](#) [CZ1589-000](#) [5022W0809-0CS3263](#) [10610-4-4](#) [EF8108-000](#) [1673B TIN100](#) [672525-001](#) [144517-000](#) [8-1616396-1](#) [8263-010-U1000](#) [8263 010U500](#) [8268-010-500](#) [8262 010U1000](#) [7915A 009U1000](#) [5024A1311-0](#) [TRC-75-1](#) [1281S5 010250](#) [1281S5 000250](#) [1530A 010U1000](#) [1505A 0081000](#) [9248 010U1000](#) [CO-142BNCX200-001](#) [7809WB 010500](#) [9244 0101000](#) [1694A 0081000](#) [9204 0101000](#) [8241F J5C1000](#) [1530A 0101000](#) [1674A TIN50](#) [7915A 0091000](#) [7915A 010500](#) [TWCH-78-2](#) [TWC-78-1](#)