

This document was generated on 08/26/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	1302440202		
Status: Active			a
Overview:			
			and the second second
Description.	Packaging, Cable Openin	e Housing, 4.00 to 6.00mm2 (10-12 AWG) Cable, Bulk	
	i ackaging, Cable Openin	g 0tolilli	
Documents:			
Drawing (PDF)		Application Specification AS-130244-001 (PDF)	
Product Specification PS-130244-001 (PDF)		RoHS Certificate of Compliance (PDF)	
General			Series image - Reference only
Product Family		Crimp Housings	
Series		<u>130244</u>	EU ELV
Application		Power, Wire-to-Wire	Not Relevant
Application Tooling Part Link		130203-1250	
Comments		IP67 rated; conforms to UL 1977. NOT suitable for	EU RoHS China RoHS
		automotive applications with requirements such as	Compliant
		USCAR-2, USCAR-25, GMW3191, AK Testing, J2030,	REACH SVHC
		Volvo Technology Requirements, and Toyota Connector	Contains SVHC(2015
		Spec (TCS)	June 15): No
MolexKits		Yes	Halogen-Free
Overview		SolarSpec [™] Cable Assemblies	<u>Status</u>
Product Name UPC		SolarSpec™	Not Low-Halogen
		884982278233	Need more information on product
Dhusiaal			environmental compliance?
Physical		1	Email productcompliance@molex.com
Circuits (maximum)		Black	Please visit the <u>Contact Us</u> section for any
Color - Resin			non-product compliance questions.
Gender		Pin	non-product compliance questions.
Glow-Wire Compliant		No	China ROHS Green Image
Material - Resin		Polycarbonate	ELV Not Relevant
Net Weight		9.397/g	
Number of Rows			
Packaging Type Panel Mount		Bag	
		No	Search Parts in this Series
Pitch - Mating Interface Ports		N/A 1	<u>130244</u> Series
	e - Operating	-40°C to +80°C	
Temperature Range - Operating			Mates With
Electrical			<u>130244-0201</u> , <u>130244-0203</u>
Current - Maximum	per Contact	30.0A	
Solder Process Da			Use With
Lead-freeProcess Capability		N/A	PV Solar DC Connector Unlock Tool
Leau-meer locess (Sapability		130203-1250
Material Info			
Defense and Development and			Application Tooling <u>FAQ</u>
Reference - Drawing Numbers		40 400044 004	Tooling specifications and manuals are
Application Specification		AS-130244-001	found by selecting the products below.
Product Specification		PS-130244-001	Crimp Height Specifications are then
Sales Drawing		SD-130244-002	contained in the Application Tooling
			Specification document.
			Global
			Description Product #
			PV Solar DC <u>1302031250</u>

Connector Unlock

Tool

This document was generated on 08/26/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solar Connectors / Photovoltaic Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

1718077-2 1740699-7 1971861-4 1971131-4 1971857-2 1971858-3 1971861-3 PV-090508-F03 PV-090508-M10 PV-090510-F03 PV-090508-M06-N 1020775 PV-090506-F03 UTXPM UTXPF 1020776 1017635 1017636 1-2306314-1 1-2306314-2 1302440201 1706514 1987424-1 1987281-3 1987280-1 1954381-5 UTXFM4R 1987419-1 2-1971861-1 2-1971861-2 2-1971862-1 2-1971862-2 H4CFC2DI H4CFC4DI H4CMC6DI UTXFF4R H4CFC6DI H4CMC4DI H4CPC2DI 1987281-1 1987280-4 1394461-8 1622156 1704931 1410658 1704928 1622662 1622661 1705088 1705199