

# ME-FC·FD Series

105°C, High Voltage

105°C Low Profile, High Voltage




- 105°C 1,000 to 2,000hours
- Non solvent proof



## Specifications

Items	Condition	Specifications						
Rated voltage (V)	—	160	200	250	350	400	450	
Surge voltage (V)	Room temperature	200	250	300	400	450	500	
Category temperature range (°C)	—	-40 to +105						-25 to +105
Capacitance tolerance (%)	120Hz/20°C	M : ±20						
Dissipation Factor (tan δ)	tanδ (max) 120Hz/20°C	0.20	0.20	0.20	0.25	0.25	0.25	
Leakage current (LC)	µA/after 2minutes (max)	CV ≤ 1,000	0.03CV + 15					
		CV > 1,000	0.02CV + 25					
Impedance ratio at low temperature	Based on the value at 120Hz, +20°C	-25°C Z/Z <sub>20°C</sub>	3	3	3	4	6	6
		-40°C Z/Z <sub>20°C</sub>	6	6	6	8	10	—
Endurance	105°C rated voltage applied (With the rated ripple current)	Test	φ5 to φ8 : 1,000hours, φ10 to φ18 : 2,000hours					
		ΔC/C	Within ±20% of the initial value					
		tanδ	Less than 200% of the specified value					
		LC	Less than the specified value					

## Dimensions



α : L < 20 α = 1.5, L ≥ 20 α = 2.0  
A pressure relief vent is provided for φD = 6.3 or bigger

(Unit : mm)

φD	5	6.3	8	10	12.5	16	18
F	2.0	2.5	3.5	5.0	5.0	7.5	7.5
φd	0.5	0.5	0.6	0.6	0.6	0.8	0.8

## Size, Rated Ripple Current



µF \ V	160	200	250	350	400	450
0.47	5×11	7.0	5×11	8.0	5×11	8.0
1.0	5×11	15	5×11	16	5×11	18
2.2	6.3×11	22	6.3×11	24	6.3×11	25
3.3	6.3×11	28	6.3×11	32	8×11.5	34
4.7	6.3×11	39	8×11.5	40	8×11.5	41
10	8×11.5	63	8×12.5	64	10×12.5	66
22	10×12.5	107	10×16	112	10×20	119
33	10×20	137	10×20	147	12.5×20	154
47	12.5×20	172	12.5×20	175	12.5×25	182
68	12.5×20	217	12.5×25	228	16×25	235
82	12.5×25	270	16×21	277	16×30	284
100	12.5×25	287	16×25	301	16×35.5	302
150	16×30	385	16×35.5	403	18×35.5	412
220	16×35.5	522	18×35.5	532		

Please refer to page 14 for ripple current frequency coefficients.  
Upper : ME-FC series (0.47µF to 4.7µF:ME-FC series)  
Lower : ME-FD series

Case size: φD×L (mm)

 Rated ripple current  
mA rms (120Hz, 105°C)

## Part number


 Radial Lead Type  
Aluminum Electrolytic Capacitors

- ME-SWB
- ME-UZ-SZ
- ME-UAX-SAX
- ME-SWG
- ME-HC
- ME-LS
- ME-CZ
- ME-CA
- ME-CX
- ME-AX
- ME-WX
- ME-WA
- ME-WL
- ME-WG
- ME-FX
- ME-PX
- ME-HPC-HPD
- ME-FC-FD
- ME-FH
- ME-SWN
- ME-HWN

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Aluminium Electrolytic Capacitors - Radial Leaded](#) category:*

*Click to view products by [SUN](#) manufacturer:*

Other Similar products are found below :

[NRELS102M35V16X16C.140LLF](#) [ESRG160ETC100MD07D](#) [227RZS050M](#) [335CKR250M](#) [476CKH100MSA](#) [477CKR100M](#)  
[107CKR010M](#) [107CKH063MSA](#) [RJH-25V222MI9#](#) [RJH-35V221MG5#](#) [B43827A1106M8](#) [RJH-50V221MH6#](#) [EKYA500ELL470MF11D](#)  
[B41022A5686M6](#) [ESRG250ELL101MH09D](#) [EKMA160EC3101MF07D](#) [RJB-10V471MG3#](#) [ESMG160ETD221MF11D](#)  
[EKZH160ETD152MJ20S](#) [RJH-35V122MJ6#](#) [EGXF630ELL621ML20S](#) [RBD-25V100KE3#N](#) [EKMA350ELL100ME07D](#)  
[ESMG160ETD101ME11D](#) [ELXY100ETD102MJ20S](#) [EGXF500ELL561ML15S](#) [EKMG350ETD471MJ16S](#) [35YXA330MEFC10X12.5](#)  
[RXW471M1ESA-0815](#) [ELXZ630ELL221MJ25S](#) [ERR1HM1R0D11OT](#) [LPE681M30060FVA](#) [LPL471M22030FVA](#) [HFE221M25030FVA](#)  
[LKMD1401H221MF](#) [B41888G6108M000](#) [EKMA160ETD470MF07D](#) [UHW1J102MHD6](#) [EKMG500ETD221MJC5S](#) [LKMK2502W101MF](#)  
[LKMD1401H181MF](#) [LKMI2502G820MF](#) [LKMJ2001J122MF](#) [LKML2501C472MF](#) [LKMJ4002C681MF](#) [450MXH330MEFCSN25X45](#)  
[450MXK330MA2RFC22X50](#) [63ZLH560MEFCG412.5X30](#) [ELH2DM331O25KT](#) [ELH2DM471P30KT](#)