

## YDRH SERIES

### ■ Features

- High current Type;
- Ferrite bobbin core and compact size;
- Low core loss for high frequency power application.
- Large terminal surface for good PCB bonding;

### ■ Applications:

- Portable communication equipment;
- Notebook PC,digital camera,LCD television set;
- Power supply for VTR,OA equipment;
- DC/DC converters.

### ■ 产品标识: Product Identification

$\frac{\text{YPRH}}{(1)} \quad \frac{\square D \square \square}{(2)} - \frac{\square \square \square}{(3)} \quad \frac{\square}{(4)}$


(1): 产品系列号;

(2): 产品尺寸;

(3): 电感值;

(4): 感值误差: N=±30%,M=±20%, L=±15%, K=±10%;

### ■ 尺寸(单位: mm)



TYPE	A	B	C	D	E	F	G
YDRH104R	10.1±0.3	10.1±0.5	3.8±0.2	1.2±0.15	3.2REF	7.3REF	1.6REF
YDRH105R	10.1±0.3	10.1±0.5	5.0±0.2	1.2±0.15	3.6REF	7.3REF	1.7REF

## ■ YDRH104R series


Part No.	L(uH)	L Test Freq.	DCR( $\Omega$ )Max	Rated Current (A)
YDRH104R-4R7□	4.70	100KHz	0.028	6.00
YDRH104R -100□	10.0	100KHz	0.050	4.40
YDRH104R -150□	15.0	100KHz	0.070	3.60
YDRH104R -330□	33.0	100KHz	0.150	2.30
YDRH104R -390□	39.0	100KHz	0.185	2.20
YDRH104R -470□	47.0	100KHz	0.134	1.60
YDRH104R -560□	56.0	100KHz	0.180	1.30
YDRH104R -101□	100	100KHz	0.410	1.35
YDRH104R -221□	220	100KHz	0.870	0.92

**■ YDRH105R series**

Part No.	L(uH)	L Test Freq.	DCR( $\Omega$ )Max	Rated Current (A)
YDRH105R-100□	10.0	100KHz	0.030	4.50
YDRH105R -150□	15.0	100KHz	0.041	3.60
YDRH105R -220□	22.0	100KHz	0.075	2.40
YDRH105R -330□	33.0	100KHz	0.081	1.96
YDRH105R -470□	47.0	100KHz	0.134	1.60
YDRH105R -221□	220	100KHz	0.540	0.80
YDRH105R -101□	100	100KHz	0.400	1.70


## ■ 产品包装

### ■ TAPING DRAWINGS



### ■ TAPING DIMENSIONS (UNIT: mm)

#### 1. Embossed Tape (8/12mm Wide Tape)



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fixed Inductors](#) category:*

*Click to view products by [YJYCOIN](#) manufacturer:*

Other Similar products are found below :

[MLZ1608M6R8WTD25](#) [MLZ1608N6R8LT000](#) [MLZ1608N3R3LTD25](#) [MLZ1608N3R3LT000](#) [MLZ1608N150LT000](#)

[MLZ1608M150WTD25](#) [MLZ1608M3R3WTD25](#) [MLZ1608M3R3WT000](#) [MLZ1608M150WT000](#) [MLZ1608A1R5WT000](#)

[MLZ1608N1R5LT000](#) [B82432C1333K000](#) [PCMB053T-1R0MS](#) [PCMB053T-1R5MS](#) [PCMB104T-1R5MS](#) [CR32NP-100KC](#) [CR32NP-](#)

[151KC](#) [CR32NP-180KC](#) [CR32NP-181KC](#) [CR32NP-1R5MC](#) [CR32NP-390KC](#) [CR32NP-3R9MC](#) [CR32NP-680KC](#) [CR32NP-820KC](#)

[CR32NP-8R2MC](#) [CR43NP-390KC](#) [CR43NP-560KC](#) [CR43NP-680KC](#) [CR54NP-181KC](#) [CR54NP-470LC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#)

[MGDQ4-00004-P](#) [MGDU1-00016-P](#) [MHL1ECTTP18NJ](#) [MHL1JCTTD12NJ](#) [PE-51506NL](#) [PE-53601NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-](#)

[62892NL](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#) [PM06-2N7](#) [PM06-39NJ](#) [HC2LP-R47-R](#) [HC2-R47-R](#) [HC3-2R2-R](#) [HC8-1R2-R](#)