



## Specifications - PILA LED 75W A60 E27 CW FR ND 1CT/6

Product description	PILA LED 75W A60 E27 CW FR ND 1CT/6
Dimensions	60*108
Light output (lm)	1100 lumen
Power (W)	10W
CCT (K)	4000K
Colour consistency	6 steps
CRI	80
Lumen maintenance	70%
Dimming	No
Voltage	220-240V
Voltage type	220-240V
Luminous intensity	1100 lumen
Lamp shape	A60
Type of glass/cover	Frosted
Colour	Cool white
Lamp current	85 mA
Diameter	60 mm

## SPECIFICATIONS (continued)

Diameter	60 mm
Length	108 mm
Energy efficiency class	A+
Average lifespan	15000h
EAN	8727900964134
Energy Consumption kWh/1000 h	10
Average life (at 2.7 hrs/day)	15 years
Mercury content [in mg]	0 mg

# Energy efficiency label



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [LED Backlighting](#) category:*

*Click to view products by [PILA](#) manufacturer:*

Other Similar products are found below :

[HBL0218](#) [SSB-COB7540GW](#) [SSB-DL6528SRW](#) [3G3DV130B4294](#) [SSB-CEL8040UWW](#) [4052899961654](#) [49131](#) [0025 INT CLASSIC](#)  
[GLACIER WHITE](#) [0025 INT NATURAL BLUE](#) [0100 INT CLASSIC GLACIER WHITE](#) [0100 INT EXTREME ORANGE](#) [0100 INT](#)  
[NATURAL BLUE](#) [0200 INT EXTREME BLUE GREEN](#) [30531](#) [30586](#) [30588](#) [30589](#) [30590](#) [30637](#) [4052899149281](#) [4052899326453](#)  
[44865WFL](#) [JDR20W38 E14](#) [JDR50W38 GU10](#) [KB-2600ID](#) [KB-2855SGW](#) [4052899913615](#) [L-875/4IDT](#) [L-875/4SRDT](#) [44860WFL](#)  
[44870WFL](#) [MR16 60ST 20W](#) [MR16 60ST 50W](#) [64465](#) [64695 ECO](#) [64698 ECO](#) [64701 ECO](#) [64702 ECO](#) [64760](#) [30597](#) [SL2CD](#) [SKU 165](#)  
[SKU 167](#) [SKU 193](#) [SKU 194](#) [SKU 203](#) [4052899973428](#) [8718696497586](#) [8718696537015](#) [8718696728352](#)