

GENTECH INTERNATIONAL LTD

Grangestone Industrial Estate Girvan, Ayrshire KA26 9PS United Kingdom

Telephone: +44 1465 713581 Fax: +44 1465 714974

E-Mail: info@gentechsensors.com Web Site www.gentechsensors.com

POSITION SENSOR

PS8 Series – Threaded Proximity Sensor

PS801

Design Features

- Adjustable in conjunction with PM8 Magnet
- Move to target via lock nuts and through chassis mounting
- Sealed to IP67
- Shunt or direct magnet operation
- Multiple Mode of Operation

Product Comments

- Threaded Barrel Mounted
- Normally Open
- Stainless Steel Material Housing
- Overall length 65mm
 Threaded Area
- fitted with 2 lock nuts

Typical Applications

- Door Interlocks
- Hook Switches
- Security Systems
- Safety Interlocks
- Position Indication




Material, Desigr	rand Operation
Mounting:	Threaded
Material:	Stainless Steel
Contact Form:	Form A - SPST
Contact Material:	Ruthenium
Maximum Switching Volts:	250 VAC
Maximum Switching Current:	1.0A
Switching Action:	SPST
Maximum Power:	15 Watts
Housing Temperature Range °C:	120
Connection Type:	Stripped Cables
Cable Type:	2 core 1.5 Metres long
Operating Temperature Range °C:	120
Actuation Method:	Magnetic
Mounting Shock:	50g for 11ms duration
Mounting Vibration:	35g up to 500Hz
Operate Distance:	12mm (adjustable)
Magnetic Approach:	End Operate





Line Drawing



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for te connectivity manufacturer:

Other Similar products are found below:

4-1633138-8 570416-000 CLTEQ-M81CE-SSRELAY-4-20V D38999/24FJ4AN 4-1195131-0 650069-000 SMD100-2 CB-1022B-78
RM707012 RP410012 MMS42 1-640426-8 2EDL4CM DTS20W19-11PD-3028-LC RM202615 NC6-P104-06 MSPS103B DTS26F2141HE-LC DTS26F21-41AE DTS26F21-41PE-LC DTS26F21-11SE-3028-LC 1932144-1 293545-4 LVR125S MS27466T25F4PB CKB-3878010 1206SFF150F/63-2 D38999/20JB35HA D38999/24WJ20PA TE1500A2R2J DTS24F25-29PC-3028-LC D38999/24WG11HA
D38999/24WG11HN MS27467T21F11H DJT16E21-11HA 1206SFH150F/24-2 DTS24F19-11SC-3028-LC DTS24F21-41HN-LC
DTS24F21-41AN DTS24F21-41PN-LC RP330024 MS27467T21F35J MS27467T21F11J MS27467T21F16H-LC MS27467T21F35H
MS27467T21F41H-LC DJT16E21-11PA-LC DJT16E21-11HA-LC DJT16E21-11AA MS27467T21B11JA