

# Mains Plug


## PEW63/125\_pv Series

pro-POWER



### Features:

- In compliance with EN 60309-1 and EN 60309-2 standards
- Enclosure, insert and spring lid in insulating, thermoplastic, self-extinguishing material
- Cable anchoring collar incorporated in the insert
- Supplied with entry gland
- RAL 7035 grey enclosure, spring lid with locking ring and gasket colour coded according to the operating voltage, entry with cable gland
- Cable anchorage with retained screws
- 63A, 125A : With pilot contact
- Nickel-plated contacts, on request for 16A and 32A (standard on 63A and 125A)
- Degree of protection IP44 and IP67 (EN 60529)



### Dimensions

Current Rating (A)	Poles	A	B	PgØ
63	2P + $\perp$	277	108.5	36
	3P + $\perp$			
	3P + N + $\perp$			
125	2P + $\perp$	324	120.5	50.8 (2) gas
	3P + $\perp$			
	3P + N + $\perp$			

Dimensions : Millimetres

# Mains Plug

## PEW63/125\_pv Series

pro-POWER

### Part Number Table

Description	No. of Positions	Part Number
Coupler, 240V, 2P +E	2P + E	PEW6363PVA
Coupler, 240V, 3P +E	3P + E	PEW6364PVA
Coupler, 415V, 3Pole, N +E	3P + N + E	PEW6365PVA
Coupler, 240V, 2P +E	2P + E	PEW12563PVA
Coupler, 415V, 3Pole, N +E	3P + N + E	PEW12565PVA

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

[www.element14.com](http://www.element14.com)  
[www.farnell.com](http://www.farnell.com)  
[www.newark.com](http://www.newark.com)  
[www.cpc.co.uk](http://www.cpc.co.uk)

pro-POWER

# X-ON Electronics

Authorized Distributor

*Click to view similar products for [Pro Power manufacturer](#).*

Other Similar products are found below :

[0301CV100W](#) [04JSBLACK](#) [06JSBLACK](#) [08450046010](#) [08450056010](#) [08450066010](#)  
[08450166010](#) [08450236010](#) [08450256010](#) [08JSBLACK](#) [10026B](#) [10026BK](#) [10026G](#)  
[10026R](#) [10026TB](#) [10026TBK](#) [10026TG](#) [10026TR](#) [10026TW](#) [10026W](#) [10030B](#)  
[10030BK](#) [10030G](#) [10030O](#) [10030R](#)